



Be Right™

SAFETY DATA SHEET

Issue Date 30-10-2019

Revision Date 10-Feb-2025

Version 3.9

Page 1 / 14

1. IDENTIFICATION

Product identifier

Product Name Dissolved Oxygen 1 Reagent

Other means of identification

Product Code(s) 98199

Safety data sheet number M00029

UN/ID no UN3077

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Water Analysis.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Chronic aquatic toxicity	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P501 - Dispose of contents/ container to an approved waste disposal plant

P273 - Avoid release to the environment

P391 - Collect spillage

Other Hazards Known

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	Manganous Sulfate
Chemical Family	Inorganic salt.
Formula	MnSO ₄
CAS No	7785-87-7
Alternate CAS Number	10034-96-5 - Monohydrate
Alternate CAS Number	10101-68-5
Type	- Tetrahydrate

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Manganese(II) sulfate	7785-87-7	100%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	This material will not burn. Sulfur oxides.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
--------------------	--

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Manganese(II) sulfate CAS#: 7785-87-7	TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	(vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³	IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Solid

Appearance

powder

Color

pink

Odor

Odorless

Odor threshold

No data available

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 5 / 14

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	151.01 g/mole	
pH	3.7	5% @ 20°C
Melting point / freezing point	> 400 °C / 752 °F	
Initial boiling point and boiling range	850 °C / 1562 °F	
Evaporation rate	Not applicable	
Vapor pressure	Not applicable	
Relative vapor density	No data available	
Specific gravity - VALUE 1	3.25	
Partition coefficient	log K _{ow} ~ 0	
Soil Organic Carbon-Water Partition Coefficient	log K _{oc} ~ 0	
Autoignition temperature	No data available	
Decomposition temperature	850 °C / 1562 °F	
Dynamic viscosity	Not applicable	
Kinematic viscosity	Not applicable	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Completely soluble	629000 mg/L	20 °C / 68 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acids	Soluble	> 1000 mg/L	25 °C / 77 °F
Methanol	Slightly soluble	> 0.1 mg/L	25 °C / 77 °F
Ethyl alcohol	Insoluble	< 0.1 mg/L	25 °C / 77 °F
Ether	Insoluble	< 0.1 mg/L	25 °C / 77 °F

Other information

Corrosive to metals

Steel Corrosion Rate
Aluminum Corrosion Rate

Not applicable
0.05 mm/yr / 0 in/yr

Volatile Organic Compounds (VOC) Content

This Product is by Weight 100% an Individual Pure Chemical Substance

<u>Chemical name</u>	<u>CAS No.</u>	<u>Volatile organic compounds (VOC) content</u>	<u>CAA (Clean Air Act)</u>
Manganese(II) sulfate	7785-87-7	No data available	-

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 6 / 14

Explosive properties

Upper explosion limit
Lower explosion limit

No data available
No data available

Flammable properties

Flash point

Not applicable

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:

No data available
No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Sulfur oxides. Manganese oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

No known effect based on information supplied.

Eye contact

Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

Skin contact

May cause irritation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 7 / 14

Symptoms

Redness. Burning. May cause blindness.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

If available, see ingredient data below.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	Rat LD ₅₀	2150 mg/kg	None reported	None reported	IUCLID

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

Not applicable

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

May cause skin irritation.

Mixture

If available, see ingredient data below.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

If available, see ingredient data below.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	Standard Draize Test	Rabbit	80 mg	72 hours	Corrosive to eyes	ECHA

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 8 / 14

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

May cause damage to organs.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Manganese(II) sulfate	7785-87-7	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture *invitro* Data

If available, see ingredient data below.

Substance *invitro* Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	Mutation in microorganisms	<i>Salmonella typhimurium</i>	1775 nmol/tubes	None reported	Positive test result for mutagenicity	RTECS

Mixture *in vivo* Data

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 9 / 14

If available, see ingredient data below.

Substance *in vivo* Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	Mouse TD _{Lo}	15000 mg/kg	3 weeks	Effects on Fertility Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Effects on Newborn Growth statistics (e.g. % reduced weight gain)	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	Rat TC _{Lo}	0.0005 mg/L	None reported	Effects on Newborn Metabolic effects	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

If available, see ingredient data below.

Aquatic Chronic Toxicity

If available, see ingredient data below.

Substance

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	96 hours	<i>Oncorhynchus mykiss</i>	LC ₅₀	3.17 mg/L	PEEN
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Manganese(II) sulfate (100%) CAS#: 7785-87-7	48 Hours	<i>Daphnia magna</i>	EC ₅₀	5.7 mg/L	PEEN

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 10 / 14

Aquatic Chronic Toxicity
No data available.

Persistence and degradability

Mixture
No data available.

Mixture
No data available.

Partition coefficient log K_{ow} ~ 0

Mobility

Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ 0

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Special instructions for disposal If permitted by regulation. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s.
DOT Technical Name	(Manganese sulfate)
Transport hazard class(es)	9
Packing Group	III

TDG

UN/ID no	UN3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s.
TDG Technical Name	(Manganese sulfate)
Transport hazard class(es)	9
Packing Group	III

IATA

UN number or ID number	UN3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s.
IATA Technical Name	(Manganese sulfate)
Transport hazard class(es)	9
Packing group	III

IMDG

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 11 / 14

UN number or ID number UN3077
Proper shipping name Environmentally hazardous substances, solid, n.o.s.
IMDG Technical Name (Manganese sulfate)
Transport hazard class(es) 9
Packing Group III
Marine pollutant This material meets the definition of a marine pollutant

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

For Inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECI Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Manganese(II) sulfate (CAS #: 7785-87-7)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 12 / 14

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Manganese(II) sulfate 7785-87-7	X	-	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Manganese(II) sulfate	-	21 CFR 184.1461

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	Environmental Protection Agency
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 13 / 14

FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 30-10-2019

Revision Date 10-Feb-2025

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

Product Code(s) 98199
Issue Date 30-10-2019
Version 3.9

Product Name Dissolved Oxygen 1 Reagent
Revision Date 10-Feb-2025
Page 14 / 14

End of Safety Data Sheet



Be Right™

SAFETY DATA SHEET

Issue Date 13-01-2020

Revision Date 07-Mar-2025

Version 4.8

Page 1 / 14

1. IDENTIFICATION

Product identifier

Product Name Dissolved Oxygen 3 Powder Pillows

Other means of identification

Product Code(s) 98799

Safety data sheet number M00007

UN/ID no UN2967

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Chronic aquatic toxicity	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Warning



Hazard statements

H290 - May be corrosive to metals
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical attention
P362 - Take off contaminated clothing and wash before reuse
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical attention
P273 - Avoid release to the environment
P501 - Dispose of contents/ container to an approved waste disposal plant
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage

Other Hazards Known

May be harmful if swallowed
Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.
Chemical nature Mixture of inorganic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfamic acid	5329-14-6	90 - 100%	-
Magnesium sulfate	7487-88-9	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
-----------------	--------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Sulfur oxides.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
--------------------	--

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016. Barrier creams may help to protect the exposed areas of skin.

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 5 / 14

Information on basic physical and chemical properties

Physical state Solid
Appearance crystalline
Odor Odorless
Color white
Odor threshold No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Evaporation rate	Not applicable	
Vapor pressure	Not applicable	
Relative vapor density	No data available	
Specific gravity - VALUE 1	2.15	
Partition coefficient	log K _{OW} ~ 0.1	
Soil Organic Carbon-Water Partition Coefficient	log K _{OC} ~ 0.7	
Autoignition temperature	No data available	
Decomposition temperature	205 °C / 401 °F	
Dynamic viscosity	Not applicable	
Kinematic viscosity	Not applicable	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	80 °C / 176 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Methanol	Slightly soluble	> 0.1 mg/L	25 °C / 77 °F
Ethyl alcohol	Slightly soluble	> 0.1 mg/L	25 °C / 77 °F

Other information

Corrosive to metals

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

20.68 mm/yr / 0.81 in/yr

Aluminum Corrosion Rate

5.38 mm/yr / 0.21 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

<u>Chemical name</u>	<u>CAS No.</u>	<u>Volatile organic compounds (VOC) content</u>	<u>CAA (Clean Air Act)</u>
----------------------	----------------	---	----------------------------

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 6 / 14

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfamic acid	5329-14-6	Not applicable	-
Magnesium sulfate	7487-88-9	No data available	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products

Nitrogen oxides (NO_x). Sulfur oxides. Ammonia. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 7 / 14

Eye contact Irritating to eyes. Causes serious eye irritation.

Skin contact Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	Rat LD ₅₀	2140 mg/kg	None reported	None reported	ECHA

Unknown Acute Toxicity

99.6% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,148.60 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	Standard Draize Test	Human	40 mg	5 days	Mild skin irritant	RTECS

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 8 / 14

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	Standard Draize Test	Rabbit	20 mg	None reported	Eye irritant	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	Rat NOAEL	1000 mg/kg	90 days	No toxicological effects observed	ECHA

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfamic acid	5329-14-6	-	-	-	-
Magnesium sulfate	7487-88-9	-	-	-	-

Legend

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 9 / 14

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture *in vitro* Data

No data available.

Substance *in vitro* Data

No data available.

Mixture *in vivo* Data

No data available.

Substance *in vivo* Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	Micronucleus test	Mouse	None reported	None reported	Negative test result for mutagenicity	NITE

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	Rat NOAEL	200 mg/kg	None reported	No reproductive or developmental toxic effects observed	ECHA

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 10 / 14

No data available.

Substance

Aquatic Acute Toxicity
Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	96 hours	<i>Pimephales promelas</i>	LC ₅₀	42.2 mg/L	ERMA
Magnesium sulfate (<1%) CAS#: 7487-88-9	96 hours	<i>Gambusia affinis</i>	LC ₅₀	15500 mg/L	IUCLID

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	48 Hours	<i>Daphnia magna</i>	EC ₅₀	71.6 mg/L	ECHA

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfamic acid (90 - 100%) CAS#: 5329-14-6	72 Hours	<i>Selenastrum capricornutum</i>	EC ₅₀	48 mg/L	ECHA
Magnesium sulfate (<1%) CAS#: 7487-88-9	72 Hours	<i>Scenedesmus subspicatus</i>	EC ₅₀	2700 mg/L	IUCLID

Aquatic Chronic Toxicity
No data available.

Persistence and degradability

Mixture
No data available.

Bioaccumulation
Material does not bioaccumulate

Mixture
No data available.

Partition coefficient log K_{ow} ~ 0.1

Mobility

Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ 0.7

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 11 / 14

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D002

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN2967
Proper shipping name	SULFAMIC ACID
Transport hazard class(es)	8
Packing Group	III
Emergency Response Guide Number	154

TDG

UN/ID no	UN2967
Proper shipping name	SULFAMIC ACID
Transport hazard class(es)	8
Packing Group	III

IATA

UN number or ID number	UN2967
Proper shipping name	Sulphamic acid
Transport hazard class(es)	8
Packing group	III
ERG Code	8L

IMDG

UN number or ID number	UN2967
Proper shipping name	SULPHAMIC ACID
Transport hazard class(es)	8
Packing Group	III
EmS-No	F-A, S-B

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

For inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 12 / 14

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECI	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfamic acid 5329-14-6	X	-	-

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfamic acid	-	21 CFR 186.1093
Magnesium sulfate	-	21 CFR 184.1443

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Magnesium sulfate 7487-88-9	Declarable Substance (FI)	1 % 0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	Environmental Protection Agency
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals

Product Code(s) 98799
Issue Date 13-01-2020
Version 4.8

Product Name Dissolved Oxygen 3 Powder Pillows
Revision Date 07-Mar-2025
Page 14 / 14

SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 13-01-2020

Revision Date 07-Mar-2025

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

End of Safety Data Sheet



Be Right™

SAFETY DATA SHEET

Issue Date 05-May-2021

Revision Date 10-Feb-2025

Version 4.5

Page 1 / 17

1. IDENTIFICATION

Product identifier

Product Name Dissolved Oxygen 2 Reagent

Other means of identification

Product Code(s) 98299

Safety data sheet number M00028

UN/ID no UN2680

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Determination of dissolved oxygen.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Chronic aquatic toxicity	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 2 / 17



Hazard statements

H290 - May be corrosive to metals
H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled
H372 - Causes damage to organs through prolonged or repeated exposure
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P363 - Wash contaminated clothing before reuse
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P270 - Do not eat, drink or smoke when using this product
P273 - Avoid release to the environment
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Lithium hydroxide monohydrate	1310-66-3	60 - 70%	-
Potassium iodide (KI)	7681-11-0	30 - 40%	-

Sodium azide	26628-22-8	1 - 5%	-
---------------------	------------	--------	---

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	No information available.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Potassium iodide (KI)	TWA: 0.01 mg/m ³ I inhalable	NDF	NDF

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 5 / 17

CAS#: 7681-11-0	particulate matter Sk*		
Sodium azide CAS#: 26628-22-8	Ceiling: 0.29 mg/m ³ Sodium azide Ceiling: 0.11 ppm Hydrazoic acid vapor	(vacated) SKN* (vacated) Ceiling: 0.1 ppm (vacated) Ceiling: 0.3 mg/m ³	Ceiling: 0.1 ppm HN3 Ceiling: 0.3 mg/m ³ NaN3

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Color	white
Appearance	crystalline	Odor threshold	No data available
Odor	Slight		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	12.6	5% @ 20°C
Melting point / freezing point	110 °C / 230 °F	
Initial boiling point and boiling range	No data available	
Evaporation rate	Not applicable	
Vapor pressure	Not applicable	
Relative vapor density	No data available	
Specific gravity - VALUE 1	1.94	
Partition coefficient	log K _{ow} ~ 0	

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 6 / 17

Soil Organic Carbon-Water Partition Coefficient $\log K_{oc} \sim 0$
Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity Not applicable
Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Corrosive to metals

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

Not applicable

Aluminum Corrosion Rate

6.3 mm/yr / 0.25 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Lithium hydroxide monohydrate	1310-66-3	No data available	-
Potassium iodide (KI)	7681-11-0	Not applicable	-
Sodium azide	26628-22-8	No data available	-

Explosive properties

Upper explosion limit

No data available

Lower explosion limit

No data available

Flammable properties

Flash point

Not applicable

Flammability Limit in Air

Upper flammability limit:

No data available

Lower flammability limit:

No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 7 / 17

Reactivity

Corrosive on contact with water. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. Harmful by inhalation.

Eye contact

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact

Toxic in contact with skin. Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Toxic if swallowed

Toxic in contact with skin

Harmful if inhaled

Mixture

Test data reported below.

Oral Exposure Route

Endpoint type	Toxicological effects	Key literature references and sources for data
Rat LD ₅₀	Behavioral Flaccid muscle tone Lethargy Endocrine Abnormalities of the spleen Eye Ptosis Gastrointestinal Excess fluid in the peritoneal cavity Liver Abnormalities of the liver Lungs, Thorax, or Respiration Abnormalities of the lungs Chromorhinorrhea Excess fluid in the the pleural cavity Red or brown staining of the nose/mouth area Nutritional and Gross Metabolic Emaciation Reproductive Soiling and wetness of the anogenital area Skin and Appendages Piloerection	Outside testing

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Lithium hydroxide monohydrate (60 - 70%) CAS#: 1310-66-3	Rat LD ₅₀	120 mg/kg	None reported	None reported	LOLI
Potassium iodide (KI) (30 - 40%) CAS#: 7681-11-0	Rat LD ₅₀	2779 mg/kg	None reported	None reported	RTECS
Sodium azide (1 - 5%) CAS#: 26628-22-8	Rat LD ₅₀	27 mg/kg	None reported	None reported	LOLI

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium azide	Rabbit	20 mg/kg	None reported	None reported	RTECS

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 9 / 17

(1 - 5%) CAS#: 26628-22-8	LD ₅₀				
------------------------------	------------------	--	--	--	--

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Lithium hydroxide monohydrate (60 - 70%) CAS#: 1310-66-3	Rat LC ₅₀	0.96 mg/L	4 hours	None reported	LOLI
Sodium azide (1 - 5%) CAS#: 26628-22-8	Rat LC ₅₀	0.037 mg/L	None reported	Eye Other effects Behavioral Convulsions or effect on seizure threshold Lungs, Thorax, or Respiration Structural or functional change in trachea or bronchi	LOLI

Inhalation (Vapor) Exposure Route

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	865.80 mg/kg
ATEmix (inhalation-dust/mist)	2.17 mg/l
ATEmix (inhalation-vapor)	21.70 mg/l
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Lithium hydroxide monohydrate (60 - 70%) CAS#: 1310-66-3	Existing human experience	Human	None reported	None reported	Corrosive to skin	ERMA
Sodium azide (1 - 5%) CAS#: 26628-22-8	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method	Human	15 mg	15 minutes	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 10 / 17

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium azide (1 - 5%) CAS#: 26628-22-8	OECD Test 437: In Vitro Bovine Corneal Opacity and Permeability Test Method for Identifying Ocular Corrosives and Severe Irritants	Cattle	0.75 mL	4 hours	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Potassium iodide (KI) (30 - 40%) CAS#: 7681-11-0	Patch test	Human	Not confirmed to be a skin sensitizer	ERMA

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium iodide (KI)	Rat	0.5 mg/kg	90 days	None reported	ECHA

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 11 / 17

(30 - 40%) CAS#: 7681-11-0	NOAEL				
-------------------------------	-------	--	--	--	--

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Lithium hydroxide monohydrate	1310-66-3	-	-	-	-
Potassium iodide (KI)	7681-11-0	-	-	-	-
Sodium azide	26628-22-8	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture *invitro* Data

No data available.

Substance *invitro* Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium iodide (KI) (30 - 40%) CAS#: 7681-11-0	Cytogenetic analysis	Rat ascites tumor	500 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Mixture *in vivo* Data

No data available.

Substance *in vivo* Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium iodide (KI) (30 - 40%)	Human TD _{Lo}	2700 mg/kg	39 weeks	Specific Developmental Abnormalities	RTECS

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 12 / 17

CAS#: 7681-11-0				Endocrine System	
-----------------	--	--	--	------------------	--

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium azide (1 - 5%) CAS#: 26628-22-8	96 hours	<i>Lepomis macrochirus</i>	LC ₅₀	0.68 mg/L	PEEN

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium azide (1 - 5%) CAS#: 26628-22-8	48 Hours	<i>Daphnia pulex</i>	EC ₅₀	4.2 mg/L	PEEN

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium azide (1 - 5%) CAS#: 26628-22-8	96 hours	<i>Selenastrum capricornutum</i>	EC ₅₀	0348 mg/L	PEEN

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

Material does not bioaccumulate

Mixture

No data available.

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 13 / 17

Partition coefficient

log K_{ow} ~ 0

Mobility

Soil Organic Carbon-Water Partition Coefficient

log K_{oc} ~ 0

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

P105 D002

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium azide 26628-22-8	-	P105	-	-

Special instructions for disposal

Never put unreacted azides down the drain!. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN2680
Proper shipping name Lithium Hydroxide Mixture
Transport hazard class(es) 8
Packing Group II
Special Provisions Contact with acids forms toxic fumes.
Emergency Response Guide Number 154

TDG

UN/ID no UN2680
Transport hazard class(es) 8
Packing Group II

IATA

UN number or ID number UN2680
Proper shipping name Lithium Hydroxide Mixture
Transport hazard class(es) 8
Packing group II
ERG Code 154

IMDG

UN number or ID number UN2680
Proper shipping name Lithium Hydroxide Mixture
Transport hazard class(es) 8
Packing Group II

Note: No special precautions necessary.

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 14 / 17

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

For Inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECI Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sodium azide (CAS #: 26628-22-8)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 15 / 17

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium azide 26628-22-8	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Sodium azide (1 - 5%) CAS#: 26628-22-8	Theft - Explosives/Improvised Explosive Device Precursors

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Lithium hydroxide monohydrate 1310-66-3	X	-	-
Sodium azide 26628-22-8	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Potassium iodide (KI)	180.0940	21 CFR 184.1634

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Sodium azide 26628-22-8	Declarable Substance (FI)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	Environmental Protection Agency
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By	Hach Product Compliance Department
Issue Date	05-May-2021
Revision Date	10-Feb-2025
Revision Note	None

Product Code(s) 98299
Issue Date 05-May-2021
Version 4.5

Product Name Dissolved Oxygen 2 Reagent
Revision Date 10-Feb-2025
Page 17 / 17

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

End of Safety Data Sheet



Be Right™

SAFETY DATA SHEET

Issue Date 12-Feb-2021

Revision Date 10-Feb-2025

Version 6.8

Page 1 / 15

1. IDENTIFICATION

Product identifier

Product Name Potassium Persulfate

Other means of identification

Product Code(s) 245199

Safety data sheet number M00039

UN/ID no UN1492

Recommended use of the chemical and restrictions on use

Recommended Use Analytical reagent.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids	Category 3
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H272 - May intensify fire; oxidizer
H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation

Precautionary statements

P270 - Do not eat, drink or smoke when using this product
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P330 - Rinse mouth
P501 - Dispose of contents/ container to an approved waste disposal plant
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P362 - Take off contaminated clothing and wash before reuse
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical attention
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P285 - In case of inadequate ventilation wear respiratory protection
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P272 - Contaminated work clothing should not be allowed out of the workplace
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P220 - Keep/Store away from clothing/ combustible materials
P221 - Take any precaution to avoid mixing with combustibles
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Other Hazards Known

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name Potassium persulfate
Chemical Family Oxidizing Agents.

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 3 / 15

Formula $K_2S_2O_8$
CAS No 7727-21-1
Chemical nature Inorganic Compound.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Dipotassium peroxodisulphate	7727-21-1	100%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. May produce an allergic reaction. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. Burning sensation.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use water. Do not use dry chemicals or foams. CO ₂ or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable Extinguishing Media	Dry chemical. Foam. Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood, paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization

by skin contact.

Hazardous combustion products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Sulfur oxides. Potassium oxides.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. Oxidizer. May ignite combustibles (wood, paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Use personal protective equipment as required.

Other Information

Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.

Methods for cleaning up

With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store near combustible materials. Keep out of the reach of children. Store locked up. Store in accordance with particular national and local regulations.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Dipotassium peroxodisulphate CAS#: 7727-21-1	TWA: 0.1 mg/m ³ Persulfate	NDF	NDF

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wear fire/flammable resistant/retardant clothing.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 6 / 15

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid
Appearance	crystalline
Color	white
Odor	Odorless
Odor threshold	Not applicable

Property	Values	Remarks • Method
Molecular weight	270.32 g/mole	
pH	4.0	5.0% Solution
Melting point / freezing point	>= 170 °C / 338 °F	
Initial boiling point and boiling range	No data available	
Evaporation rate	Not applicable	
Vapor pressure	Not applicable	
Relative vapor density	No data available	
Specific gravity - VALUE 1	2.477	
Partition coefficient	No data available	
Soil Organic Carbon-Water Partition Coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	170 °C / 338 °F	
Dynamic viscosity	Not applicable	
Kinematic viscosity	Not applicable	

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	47000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Corrosive to metals

Steel Corrosion Rate	Not applicable
Aluminum Corrosion Rate	Not applicable

Volatile Organic Compounds (VOC) Content

This Product is by Weight 100% an Individual Pure Chemical Substance

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 7 / 15

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Dipotassium peroxodisulphate	7727-21-1	Not applicable	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

Classified as an oxidizer according to GHS criteria.

Bulk density

1150 kg/m³

10. STABILITY AND REACTIVITY

Reactivity

Oxidizer.

Chemical stability

May cause fire or explosion; strong oxidizer.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Incompatible materials.

Incompatible materials

organic material. Combustible material. Hydrocarbons. Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Sulfur oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

May cause sensitization in susceptible persons. May cause irritation of respiratory tract.

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 8 / 15

Eye contact Irritating to eyes. Causes serious eye irritation.

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. Causes skin irritation.

Ingestion May cause additional effects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity
Harmful if swallowed

Mixture
If available, see ingredient data below.

Ingredient Acute Toxicity Data
Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	Rat LD ₅₀	802 mg/kg	None reported	None reported	IUCLID

Unknown Acute Toxicity
0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)
Not applicable
The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation
Classification based on data available for ingredients. Irritating to skin.

Mixture
If available, see ingredient data below.

Ingredient Skin Corrosion/Irritation Data
No data available.

Serious eye damage/irritation
Classification based on data available for ingredients. Irritating to eyes.

Mixture
If available, see ingredient data below.

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 9 / 15

Ingredient Eye Damage/Eye Irritation Data

No data available.

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

If available, see ingredient data below.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	Local Lymph Node Assay	Mouse	Confirmed to be a skin sensitizer	ECHA

STOT - single exposure

May cause respiratory irritation.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	Rat NOAEL	131.5 mg/kg	28 days	No toxicological effects observed	ECHA

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	Rat NOAEL	91 mg/kg	90 days	No toxicological effects observed	ECHA

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
---------------	---------------	---------------	---------------	-----------------------	--

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 10 / 15

Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	Rat NOAEC	10.3 mg/m ³	90 days	No toxicological effects observed	ECHA
--	-----------	------------------------	---------	-----------------------------------	------

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Dipotassium peroxodisulphate	7727-21-1	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture *invitro* Data

If available, see ingredient data below.

Substance *invitro* Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	Mutation in microorganisms	<i>Salmonella typhimurium</i>	10 mg/plate	None reported	Negative	ECHA

Mixture *in vivo* Data

If available, see ingredient data below.

Substance *in vivo* Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium	Rat	>= 250 mg/kg	Single	No reproductive or	ECHA

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 11 / 15

peroxodisulphate (100%) CAS#: 7727-21-1	NOAEL		generation	developmental toxic effects observed	
---	-------	--	------------	---	--

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

If available, see ingredient data below.

Aquatic Chronic Toxicity

If available, see ingredient data below.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	96 hours	None reported	LC ₅₀	>= 76.3 mg/L	FIFRA

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Dipotassium peroxodisulphate (100%) CAS#: 7727-21-1	48 Hours	<i>Daphnia magna</i>	EC ₅₀	92 mg/L	EPA

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

Material does not bioaccumulate

Mixture

No data available.

Partition coefficient

No data available

Mobility

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 12 / 15

Soil Organic Carbon-Water Partition Coefficient

No data available

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D001

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN1492
Proper shipping name	POTASSIUM PERSULFATE
Transport hazard class(es)	5.1
Packing Group	III
Emergency Response Guide Number	140

TDG

UN/ID no	UN1492
Proper shipping name	POTASSIUM PERSULFATE
Transport hazard class(es)	5.1
Packing Group	III

IATA

UN number or ID number	UN1492
Proper shipping name	Potassium persulphate
Transport hazard class(es)	5.1
Packing group	III
ERG Code	5L
Special Provisions	A803

IMDG

UN number or ID number	UN1492
Proper shipping name	POTASSIUM PERSULPHATE
Transport hazard class(es)	5.1
Packing Group	III
EmS-No	F-A, S-Q

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

For Inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECI	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 14 / 15

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipotassium peroxodisulphate 7727-21-1	X	X	X

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 1	Physical and chemical properties OX
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 1	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	Environmental Protection Agency
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)

Product Code(s) 245199
Issue Date 12-Feb-2021
Version 6.8

Product Name Potassium Persulfate
Revision Date 10-Feb-2025
Page 15 / 15

USDC
WHO

USDC (United States Department of Commerce)
WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 12-Feb-2021

Revision Date 10-Feb-2025

Revision Note SDS sections updated
2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

End of Safety Data Sheet



Be Right™

SAFETY DATA SHEET

Issue Date 27-May-2021

Revision Date 10-Feb-2025

Version 6.899999

Page 1 / 11

1. IDENTIFICATION

Product identifier

Product Name Deionized (Demineralized) Water

Other means of identification

Product Code(s) 27256

Safety data sheet number M00350

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Analytical reagent. Standard solution. Solvent.

Uses advised against Consumer use.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

None

Hazard statements

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

EN / EGHS

Page 1 / 11

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 2 / 11

The product contains no substances which at their given concentration, are considered to be hazardous to health

Chemical Name	Water
Chemical Family	Inorganic Oxides.
Formula	H ₂ O
Chemical nature	aqueous solution.

4. FIRST AID MEASURES

Description of first aid measures

General advice	No hazards which require special first aid measures. Use first aid treatment according to the nature of the injury.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms	See Section 11 for additional Toxicological Information.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
--------------------	--

Personal precautions, protective equipment and emergency procedures

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 3 / 11

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls
Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection No special protective equipment required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 4 / 11

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance clear
Odor Odorless
Color colorless
Odor threshold Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	18.02 g/mole	
pH	7	@ 20 °C
Melting point / freezing point	0 °C / 32 °F	
Initial boiling point and boiling range	100 °C / 212 °F	
Evaporation rate	1 (water = 1)	
Vapor pressure	23.777 mm Hg / 3.17 kPa at 25 °C / 77 °F	
Relative vapor density	0.62	
Specific gravity - VALUE 1	1	
Partition coefficient	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	1 cP (mPa s) at 20 °C / 68 °F	
Kinematic viscosity	1 cSt (mm²/s) at 20 °C / 68 °F	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Completely soluble	> 10000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acids	Soluble	> 1000 mg/L	25 °C / 77 °F
Most Polar Organic Solvents	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Corrosive to metals

Steel Corrosion Rate No data available
Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content
Not applicable

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 5 / 11

Explosive properties

Upper explosion limit
Lower explosion limit

Not applicable
Not applicable

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:

No data available
No data available

Oxidizing properties

No data available.

Bulk density

Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

No known effect based on information supplied.

Eye contact

No known effect based on information supplied.

Skin contact

No known effect based on information supplied.

Ingestion

No known effect based on information supplied.

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 6 / 11

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

If available, see ingredient data below.

Ingredient Acute Toxicity Data

No data available.

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

Not applicable

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Skin Corrosion/Irritation Data

No data available.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 7 / 11

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Carcinogenicity Data

No data available.

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture *in vitro* Data

If available, see ingredient data below.

Substance *in vitro* Data

No data available.

Mixture *in vivo* Data

If available, see ingredient data below.

Substance *in vivo* Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

If available, see ingredient data below.

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 8 / 11

Aquatic Chronic Toxicity

If available, see ingredient data below.

Substance

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient

Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

Not applicable

14. TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

IATA

Not regulated

IMDG

Not regulated

Additional information

Not applicable

15. REGULATORY INFORMATION

National Inventories

For inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 9 / 11

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECI	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 10 / 11

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 0	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	Environmental Protection Agency
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Product Code(s) 27256
Issue Date 27-May-2021
Version 6.899999

Product Name Deionized (Demineralized) Water
Revision Date 10-Feb-2025
Page 11 / 11

MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 27-May-2021

Revision Date 10-Feb-2025

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

End of Safety Data Sheet