



Safety Data Sheet

Transport Symbol	WHMIS	NFPA	Personal Protective Equipment
Not controlled	Not controlled		

Original Preparation Date: 14-May-2015

Revision Date: 30-January-2024

Revision Number: 1.4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name:

Lecithin

Product Code:

750-752, 757-760

Use of the Substance / Preparation:

Food Ingredient Animal Feed Industrial use

Contact Manufacturer:

Columbus Vegetable Oils

30 East Oakton Street

Des Plaines, IL 60018, USA

Telephone Number: (+1) 847-257-8920

2. HAZARDS IDENTIFICATION

Emergency Overview

Spontaneous combustion (fire) may result from oil soaked materials such as rags, steel wool, paper, and clothing. Place soaked materials in a sealed, metal container to prevent this. The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance
Dark

Physical State
Liquid

Odor
Typical

This product is NOT classified as hazardous according to 29 CFR 1910, amended to conform to the United Nations' Globally Harmonized System of Classification and Labelling of Chemicals (OSHA / GHS); SOR/88-66, the Canadian Controlled Products Regulations (CPR); and/or NOM-002-SCT-2003 (Mexico). However, vegetable oil (in mist form) is known to be listed as an OSHA 29 CFR 1910.1000 Air Contaminant. Occupational exposure limits are subsequently provided in section 8 of this SDS.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Oil

Non-hazardous Components

Chemical Name	CAS-No	Weight %	North American Hazard Indicator
Lecithin	8002-43-5	99-100	None Known

4. FIRST AID MEASURES

Description of first aid measures

General Advice No hazards which require special first aid measures. When symptoms persist or in all cases of doubt seek medical advice.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin Contact Wash off with warm water and soap.

Inhalation Move to fresh air.

Ingestion No special measures required. Health injuries are not known or expected under normal use.

Most important symptoms and affects, both acute and delayed

Eyes Not expected to pose health issues for the eye.

Skin Prolonged or excessive contact with skin may result in mild irritation, however, significant health injuries are not expected under normal use.

Inhalation Health injuries are not known or expected under normal use. When in the form of an airborne mist, refer to section 8 of this sheet for exposure limits pertaining to "vegetable oil mist". Excessive inhalation of mist may result in respiratory irritation.

Ingestion Health injuries are not known or expected under normal use. Overexposure may cause: Gastrointestinal disturbance.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties

Material may pose fire hazard because it is dispersed (or spread) by water.

Extinguishing media

Suitable Extinguishing Media Dry chemical. Dry chemical powder. Carbon dioxide (CO₂). Foam. Sand. Fog. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapors, Acrolein, Carbon monoxide (CO), Carbon dioxide (CO₂), Smoke, Fumes.

Specific Hazards Arising from the Chemical Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids. Cool closed containers exposed to fire with water spray.

Sensitivity to mechanical impact No information available.

Sensitivity to static discharge No information available.

Advice for fire-fighters

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 0

Flammability 1

Stability and Reactivity 0

Physical hazard None known



6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid high pressure washing or generation of aerosols. Material can create slippery conditions.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not allow product to reach soil, sewage system or any water course.

Methods for Clean-up

Dam up. Soak up with inert absorbent material. Use dry spill kit material or sand, collect in appropriate containers. For disposal information see section 13. Clean contaminated surface thoroughly.

Other Information

Oil soaked materials may spontaneously combust

7. HANDLING AND STORAGE

Handling

Ensure adequate ventilation. Do not use pressure to empty drums. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Keep in a cool sheltered place. To maintain product quality, do not store in heat or direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

As an airborne mist containing vegetable oil, exposure limits pertaining to "vegetable oil mist" have been provided below

Chemical Name	ACGIH TLV	OSHA PEL	MEXICO	NIOSH
vegetable oil mist	TVL: 10 mg/m(3)	TWA: 5 mg/m ³ mist, respirable fraction TWA: 15 mg/m ³ mist, total	TWA: 10 mg/m ³ except irritant oils	TWA: 10 mg/m ³ total mist TWA: 5 mg/m ³ respirable mist

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Personal Protective Equipment

Eye/face Protection.

If exposed to airborne mist, or if splashing is possible, appropriate safety glasses with side-shields or safety goggles are recommended.

Skin and Body Protection

Oil resistant gloves are recommended. Appropriate body protection should be selected based on activity and possible exposure. Also take into consideration the specific local conditions under which the product is used.

Respiratory Protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Dark

Physical State

Liquid

Odor

Typical

Odor Threshold

Not applicable

pH

Not applicable

Flash Point

Greater than 254 °C

Autoignition Temperature

Not auto-flammable

Boiling point

Not applicable

Melting/Freezing Point

Not applicable

Decomposition temperature

No information available

Oxidizing Properties

Not expected to be oxidizing

Water Solubility

Insoluble

Solubility(ies)

Soluble in many organic solvents

Evaporation Rate

No information available

Vapor Pressure

No information available

Vapor Density

No information available

Specific Gravity / Relative Density

Approx. 0.9 (H₂O=1)

Partition Coefficient

No information available

(n-octanol/water)

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials No materials to be especially mentioned.

Hazardous Decomposition Products Thermal decomposition leads to formation of acrolein, Carbon monoxide (CO), Carbon dioxide (CO₂), Smoke, Fumes.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity	Based on available data, no evidence of acute toxicity.
Skin corrosion/irritation	Based on available data, not, or only slightly irritating.
Serious eye damage/eye irritation	Based on available data, no evidence of serious eye damage / irritation.
Respiratory or skin sensitisation	Based on available data, not expected to be a skin or respiratory sensitiser.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, no evidence of carcinogenicity.
Reproductive toxicity	Based on available data, no evidence of reproductive toxicity
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, no known aspiration hazard.

Potential health effects

Eyes	Not expected to pose health issues for the eye.
Skin	Prolonged or excessive contact with skin may result in mild irritation, however, significant health injuries are not expected under normal use.
Inhalation	Health injuries are not known or expected under normal use. When in the form of an airborne mist, refer to section 8 of this sheet for exposure limits pertaining to "vegetable oil mist". Excessive inhalation of mist may result in respiratory irritation.
Ingestion	Health injuries are not known or expected under normal use. Overexposure may cause: Gastrointestinal disturbance.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not classified for aquatic toxicity.

Persistence/Degradability

Readily biodegradable.

Mobility

The product is insoluble and floats on water.

13. DISPOSAL CONSIDERATIONS

Whenever possible, as rules and regulations allow, please recycle or manage materials to minimize waste.

Waste Disposal Methods

Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion.

Contaminated Packaging

Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

Domestic transport regulations (USA)

DOT Not regulated

Domestic transport regulations (Canada)

TDG Not regulated

Domestic transport regulations (Mexico)

MEX Not regulated

International transport regulations

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION**International Inventories**

The components of this product are reported in the following inventories:

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	AICS	ENCS ISHL	CHINA	PICCS	KECL	NZIoC
Lecithin	Yes	Yes	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes

USA**Federal Regulations****Ozone Depleting Substances:**

No Class I or Class II material is known to be used in the manufacture of, or contained in, this product.

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not known to contain any chemicals which are subject to the reporting requirements of the Act or regulations contained in 40 CFR 372.

CERCLA/SARA 103-302

Sections 103-302 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not known to contain any chemicals which are subject to the reporting requirements of the Act or regulations contained in 40 CFR 103-302.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 63)

This product is not known to contain any HAPS.

State Regulations**California Proposition 65**

Proposition 65 chemicals are not expected to be found in this product above those naturally present in their agricultural source. Proposition 65 exempts naturally occurring listed chemicals from an obligation to label.

State Right-to-Know**Component Information.**

Chemical Name	Weight %	Massachusetts	Minnesota	New Jersey	Pennsylvania
Lecithin	99-100	No	No	No	Yes

Canada**WHMIS Product Classification**

Not a WHMIS controlled product.

WHMIS Ingredient Disclosure List IDL

No known component is listed on the WHMIS ingredients disclosure list.

(NPRI) Canadian National Pollutant Release Inventory

No known component is listed on NPRI.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Mexico**Mexico - Grade**

Slight risk, Grade 1

16. OTHER INFORMATION**Prepared By:** Columbus Vegetable Oils**Original Preparation Date:** 14-May-2015**Revision Date:** 30-January-2024**Revision Number:** 1.4**Reason for revision:** Regulatory Update**Abbreviations and acronyms**

ACGIH TLV - American Conference of Governmental Industrial Hygienists Threshold Limit Values

AICS - Australian Inventory of Chemical Substances (Australia)

CAS - Chemical Abstract Service

CHINA - Chinese Inventory of Existing Chemical Substances (China)

DOT - U.S. Department of Transportation

DSL - Domestic Substance List (Canada)

EINECS - European Inventory of Existing Commercial Chemical Substances (EU)

ELINCS - European List of Notified Chemical Substances (EU)

ENCS - Existing and New Chemical Substances (Japan) / ISHL - Industrial Health and Safety Law (Japan)

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IATA - International Air Transport Association Dangerous Goods Regulations

ICL - In Commerce List (Canada)

IMDG - International Maritime Dangerous Goods Code

IMO - International Maritime Organization

KECL - Korean Existing and Evaluated Chemical Substances (Korea)

LC50 - Lethal concentration that produces fatalities in 50% of a given test population

LD50 - Median lethal dose of a given test population

MEX - NOM-002-SCT/2003 List of Hazardous Substances and Materials Most Commonly Transported

MEXICO - Mexico Occupational Exposure Limits

NDSL - Non Domestic Substances List (Canada)

NFPA - National Fire Protection Association

NIOSH - National Institute of Occupational Safety and Health

NZIoC - New Zealand Inventory of Chemicals (New Zealand)

OSHA - Occupational Safety & Health Administration

OSHA PEL - Occupational Safety and Health Administration Permissible Exposure Limits

PICCS - Inventory of Chemicals and Chemical Substances (Philippines)

STOT - Specific Target Organ Toxicity

TDG - Transportation of Dangerous Goods (Transport Canada)

TSCA - Toxic Substances Control Act, Section 8(b) Inventory (USA)

TWA - Time Weighted Average: Average concentration that should not be exceeded during a work day (usually 8-hours)

WHMIS - Workplace Hazardous Materials Information System

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.



SAFETY DATA SHEET (SDS)

1 - IDENTIFICATION

LS-K-306

Chemical family: Petroleum Hydrocarbon

Recommended use: Threading Lubricant

Tower Metalworking Fluids

4300 South Tripp Ave.

Chicago, IL 60632

Information telephone #: (773) 927-6161 (7:30 AM to 4 PM, CST, Monday to Friday)

24 Hr. emergency telephone #: CHEMTREC: (800) 424-9300

2 - HAZARDS IDENTIFICATION

OSHA/HCS Status: This material is classified as non-hazardous under OSHA regulations (29 CFR 1910.1200) (Hazcom 2012)

Classification of chemical/mixture: Not Classified

Signal word: None required.

Hazard Pictogram: None required.

Hazard statement: None required.

Precautionary statement: None required.

3 - COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical name	CAS #	Concentration
Ingredients classified as non-hazardous under OSHA regulations (29CFR 1900-1200) (Hazcom 2012)		

4 - FIRST-AID MEASURES

Description of first aid measures:

Inhalation: If overcome by fumes from hot product, move to fresh air. Get medical attention.

Ingestion: Do not induce vomiting. Get medical attention.

Skin: Wash with warm water and mild soap. Remove contaminated clothing.

Eye: Remove contact lenses, if present and easy to do. Flush with water for 15 minutes or until irritation subsides.

Symptoms and effects, both acute and delayed:

Acute: Possible skin and transient eye irritation. Low order of oral and dermal toxicity.

Chronic: Repeated or prolonged skin contact may remove natural oils, resulting in development of dermatitis.

5 - FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable: Use water fog or spray, foam, dry chemicals, or carbon dioxide (CO₂) to extinguish flames.

Unsuitable: Do not use straight streams of water, as this will spread the fire.

Specific hazards and combustion products: Products may include and are not limited to oxides of carbon, sulfur, and phosphorus upon combustion.

Special protective equipment and precautions for fire-fighters: Use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel. If a spill has not ignited, use water spray to disperse vapors.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: All persons dealing with the spill should wear appropriate personal protective equipment. Keep others away from spill. Restrict access to area until the spill has been cleaned up. Extinguish all sources of ignition.

Methods and materials for containment and cleaning up: Extinguish all sources of ignition. Contain spill and transfer to suitable containers or soak up in absorbent medium. If spill enters sewer, notify proper authorities.

7 - HANDLING AND STORAGE

Precautions for safe handling: Minimize breathing oil mists. Avoid prolonged or repeated skin contact. Wash thoroughly before meals and at end of work periods. Launder or dry-clean soiled clothing before reuse. Personnel in close vicinity of oil mists above TLV limit should wear approved breathing devices.

Conditions for safe storage: Keep containers closed when not in use. Do not handle or store near heat, sparks, flame, or strong oxidants.

Incompatible materials: Strong oxidizing agents.

8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure limits: No exposure standards have been established for this material.

Engineering controls: None required under normal use conditions

Individual protection measures and personal protective equipment: Splash goggles, face shield, oil and chemical resistant gloves, impervious apron if needed to avoid prolonged skin contact.

TLV: 5mg/m³ as oil mist in air over an 8 hour daily exposure (ACGIH)

9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Dark Amber Liquid
Odor:	Bland Petroleum
Odor threshold:	Data currently unavailable
Product pH:	N/A
Freezing point:	Data currently unavailable
Boiling point:	IBP $\approx$ 490°F (254°C)
Flash point:	Typical >340°F (171°C) COC
Evaporation rate:	< 0.01 (BA=1)
Flammability:	Data currently unavailable
Upper/lower flammability limits:	LEL: 0.9% UEL: 7.0%
Vapor pressure:	< 0.01 mm Hg @ 25°C
Vapor density:	> 5 (Air = 1)
Relative density:	0.92 (Water = 1)
Solubility:	Insoluble in water.
Partition coefficient (n-octanol/water):	Information not available.
Auto-ignition temperature:	Information not available.
Decomposition temperature:	Information not available.
Viscosity:	Typical 220 SUS @ 100°F
Percent volatile by volume:	Negligible

10 - STABILITY AND REACTIVITY

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Material does not decompose at ambient temperatures. Decomposition products may include and are not limited to oxides of carbon, sulfur, and phosphorus upon combustion.

11 - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Inhalation: Yes

Ingestion: Yes

Skin: Yes

Eye: Yes

Potential Symptoms of exposure:

Inhalation: May cause irritation of respiratory tract. Avoid breathing vapors or mist of this product. Prolonged inhalation may be harmful.

Ingestion: Do not ingest. Small amounts swallowed during normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury.

Skin: Minimally toxic under normal use. May be mildly irritating with prolonged and/or repeated skin contact.

Eye: Contact with eyes may cause irritation. Injuries not expected under normal use.

Toxicological data: No data available.

NTP, IARC or OSHA carcinogen: None of the constituents of this product have been identified as possible or proven carcinogens by NTP, IARC, or OSHA.

12 - ECOLOGICAL INFORMATION

Ecotoxicity: Data not available.

Persistence and degradability: Not available

Bioaccumulative potential: Data not available.

Mobility in soil: Data not available.

Other adverse effects: None known.

13 - DISPOSAL CONSIDERATIONS

Waste disposal method: Dispose of in accordance with federal, state and local regulations.

14 - TRANSPORT INFORMATION

DOT Shipping: Not regulated by the U.S. Department of Transportation as a hazardous material.
DOT Hazard class: Not Regulated.
UN/NA Number: Not Regulated.

15 - REGULATORY INFORMATION

Sara III (Superfund Amendment and Reauthorization Act of 1986) 40 CFR Part 372 and 40 CFR Part 355

Sections 302, 304 and 40 CFR Part 355 – Extremely Hazardous Substances:

Component	%	RQ (lbs.)	TPQ (lbs.)	CAS#
NONE	–	–	–	–

Sections 311, 312 and 40 CFR Part 355 – Hazard Categories:

ACCUTE(IMMEDIATE HEALTH HAZARD):	YES	FIRE HAZARD:	YES
CHRONIC (DELATED HEALTH HAZARD):	NO	REACTIVE HAZARD:	NO
SUDDEN PRESSURE RELEASE:	NO		

Sections 313 and 40 CFR Part 372 – Toxic Chemicals:

Component	%	CAS#
NONE	–	–

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act)

Section 102 and 40 CFR Part 302 – Hazardous Substances:

Component	%	RQ (lbs.)	CAS#
NONE	–	–	–

CLEAN WATER ACT

Under section 311 (b) (4) of this act, contamination of surface waters by petroleum products must be reported immediately to the National Response Center. SECTION 311 (b) (4) DOES APPLY TO LS-K-306

California Proposition 65: None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All components of this formula are listed in the TSCA inventory.

16 - OTHER INFORMATION

Preparation Date: May 7, 2015

Revision Date: June 12, 2017

The information appearing in this document is based upon data obtained from raw material manufacturers and/or recognized technical sources. While this information is believed to be correct, TOWER METALWORKING FLUIDS makes no representations as to its accuracy or sufficiency, usage, or the hazards connected with the use of this material. Since this product may be applied under conditions unfamiliar to us or beyond our control, we claim no responsibility for the results of its use, and users are responsible for the verification of this information under their own operation conditions to determine whether the product is suitable for their particular purposes, and these users assume all risks of their use, handling, and disposal of the product. This information relates only to the product designated above and does not relate to its use in combination with any other material in any other process.