



Be Right™

SAFETY DATA SHEET

Issue Date 06-Dec-2019

Revision Date 09-Jan-2020

Version 7.4

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® Calibration Vial with RFID-Tag

Other means of identification

Product Code(s) LZY837

Safety data sheet number M01360

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

EN / AGHS

Page 1 / 16

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 2 / 16

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

Aqueous solution of organic salts and polymers.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion

May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.

Hazardous combustion products This material will not burn.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Formaldehyde CAS#: 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 5 / 16

Physical state Liquid
Appearance Turbid solution
Odor Odorless

Color Milky white
Odor threshold Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	Not applicable	
pH	8.14	
Melting point/freezing point	0 °C / 32 °F	
Boiling point / boiling range	100 °C / 212 °F	
Evaporation rate	1 (water = 1)	
Vapor pressure	17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F	
Vapor density (air = 1)	0.62	
Specific gravity (water = 1 / air = 1)	1.02	
Partition Coefficient (n-octanol/water)	No data available	
Soil Organic Carbon-Water Partition Coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion Rate No data available
Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content
No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	Not applicable	X

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 6 / 16

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	X
Diammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limit Not applicable
Lower explosion limit Not applicable

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit No data available
Lower flammability limit No data available

Oxidizing properties

No data available.

Bulk density

Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Product Acute Toxicity Data

No data available.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD ₅₀	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC ₅₀	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 8 / 16

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
---------------	-------------	---------	---------	--

1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)
Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD _{Lo}	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Man TD _{Lo}	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	Rat	350 mg/m ³	21 days	Kidney, Ureter, or Bladder	RTECS (Registry of Toxic

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 10 / 16

lo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	TC _{Lo}			Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC _{Lo}	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	-	-	-	-
Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	X
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo	Cytogenetic	Human HeLa Cell	1 mmol/L	None	Positive test result for	RTECS (Registry

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 11 / 16

lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	analysis			reported	mutagenicity	of Toxic Effects of Chemical Substances)
---	----------	--	--	----------	--------------	--

Product Germ Cell Mutagenicity *in vivo* Data

No data available.

Ingredient Germ Cell Mutagenicity *in vivo* Data

No data available.

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	Mouse TD _{Lo}	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or effects	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Product Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 12 / 16

No data available.

Ingredient Ecological Data

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	<i>Oncorhynchus mykiss</i>	LC ₅₀	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	<i>Daphnia magna</i>	EC ₅₀	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC ₅₀	5.8 mg/L	PEEN (Pan European Ecological Network)
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Product Biodegradability Data

No data available.

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

No data available

Mobility

Soil Organic Carbon-Water Partition Coefficient

No data available

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 13 / 16

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122

14. TRANSPORT INFORMATION

DOT
Special Provisions Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Does not comply
IECSC Complies
KECL Complies
PICCS Does not comply
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 14 / 16

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Diammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen



WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 15 / 16

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Sodium sulfate 7757-82-6	-	X	X
Formaldehyde 50-00-0	X	X	X
Diammonium sulfate 7783-20-2	-	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (Fi)	0.1 %
Formaldehyde 50-00-0	Declarable Substance (LR) Prohibited Substance (LR) Declarable Substance (Fi) Prohibited Substance (Fi)	0 % 0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are

Product Code(s) LZY837
Issue Date 06-Dec-2019
Version 7.4

Product Name STABLCAL® Calibration Vial with RFID-Tag
Revision Date 09-Jan-2020
Page 16 / 16

for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 06-Dec-2019

Revision Date 09-Jan-2020

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2019

End of Safety Data Sheet