

Lloyds Laboratories Inc.

Manufacturers of Environmentally Responsible Lubricants

613 Neal Drive, Peterborough, Ontario, Canada K9J 6X7

Tel: (705) 876-9997 Toll Free 1-800 361-6766 Fax: (705) 876-6467

MATERIAL SAFETY DATA SHEET**SECTION 1 – MATERIAL IDENTIFICATION AND USE**

MATERIAL NAME/IDENTIFIER FOOTAGE TOOLS: PNEUMATIC TOOL LUBRICANT			
MANUFACTURER'S NAME LLOYDS LABORATORIES INC.		SUPPLIER'S NAME LLOYDS LABORATORIES INC.	
STREET ADDRESS 613 NEAL DRIVE		STREET ADDRESS 613 NEAL DRIVE	
CITY PETERBOROUGH	PROVINCE ONTARIO	CITY PETERBOROUGH	PROVINCE ONTARIO
POSTAL CODE K9J 6X7	EMERGENCY TELEPHONE NO. 1-800-361-6766	POSTAL CODE K9J 6X7	EMERGENCY TELEPHONE NO. 1-800-361-6766
FAX NO. 705 876-6467	CHEMICAL NAME AIR TOOL OIL		CHEMICAL FORMULA BLENDED CHEMICAL
MOLECULAR WEIGHT		MATERIAL USE AIR TOOL LUBRICANT	

SECTION 2 – HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	UN. NA. OR CAS NUMBER	LD ₅₀ OF MATERIAL (SPECIFY SPECIES AND ROUTE)	LC ₅₀ OF MATERIAL (SPECIFY SPECIES)
NONE				
ALL INGREDIENTS: WHMIS – NON CONTROLLED OSHA – NON HAZARDOUS				
WHMIS-NONCONTROLLED				

SECTION 3 – PHYSICAL DATA

PHYSICAL STATE LIQUID	ODOUR AND APPEARANCE ODOURLESS, CLEAR WITH SLIGHT YELLOW OR FLUORESCENT PINK TINT			ODOUR THRESHOLD (PPM) N/AP
VAPOUR PRESSURE (mm Hg) N/AP	VAPOUR DENSITY (AIR=1) N/AP	EVAPORATION RATE (nBuAc=1) N/AP	BOILING POINT (°C) 450°C	FREEZING POINT (°C) -50°C
% VOLATILE (BY VOLUME) NOT VOLATILE	SOLUBILITY IN WATER (20°C) NONE	pH N/AP	SPECIFIC GRAVITY .8548	COEFF. WATER/OIL DIST. N/AP

SECTION 4 – FIRE AND EXPLOSION DATA

FLAMMABILITY NO	IF YES, UNDER WHICH CONDITIONS?			
MEANS OF EXTINCTION	WATER, FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.			
SPECIAL PROCEDURES	FIRE FIGHTER SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.			
FLAME PROJECTION N/AP	UPPER EXPLOSION LIMIT (% BY VOLUME) N/AP		LOWER EXPLOSION LIMIT (% BY VOLUME) N/AP	
AUTO IGNITION TEMPERATURE (°C) N/AP	TDG FLAMMABILITY CLASSIFICATION N/AP	U.N. NUMBER N/AP	HAZARDOUS COMBUSTION PRODUCTS N/AP	
EXPLOSION DATA N/AP	SENSITIVITY TO IMPACT N/AP	RATE OF BURNING N/AP	FLASH POINT N/AP	SENSITIVITY TO STATIC DISCHARGE N/AP

SECTION 5 – REACTIVITY DATA

CHEMICAL STABILITY YES	IF NO, UNDER WHICH CONDITIONS
INCOMPATIBILITY WITH OTHER SUBSTANCES NO	IF SO, WHICH ONES
REACTIVITY AND UNDER WHAT CONDITIONS CONTAINER DISTORTION +55°C	
HAZARDOUS DECOMPOSITION PRODUCTS BURNING LIBERATES CO, CO₂, AND UNDETERMINED PYROLYTIC (SMOKE) DECOMPOSITION PRODUCTS.	

PAGE 2 OF FOOTAGE TOOLS: PNEUMATIC TOOL LUBRICANT

SECTION 6 – TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY			
☐ SKIN CONTACT ☐ SKIN ABSORPTION ☐ EYE CONTACT ☒ INHALATION ACUTE ☐ INHALATION CHRONIC ☐ INGESTION			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL			
NONE			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL			
LD ₅₀ OF MATERIAL	LC ₅₀ OF MATERIAL	EXPOSURE LIMIT OF MATERIAL (TLV)	IRRITANCY OF MATERIAL
N/AP	N/AP	NONE	N/AP
SENSITIZATION OF MATERIAL	CARCINOGENICITY OF MATERIAL	REPRODUCTIVE EFFECTS OF MATERIAL	SYNERGISTIC MATERIALS
N/AP	NEGATIVE	NONE	N/AP

SECTION 7 – PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT		
GLOVES	RESPIRATOR	EYE
OIL RESISTANT	NATURAL, LOCAL VENTILATION	SAFETY GLASSES
FOOTWEAR	CLOTHING	OTHER
OIL RESISTANT	SHOP COAT	NONE
ENGINEERING CONTROLS		
NATURAL OR MECHANICAL VENTILATION		
LEAK AND SPILL PROCEDURES		
SALVAGE IN METAL CONTAINERS, SOAK UP SMALL SPILLS WITH EARTH OR SAND. WASH AREA WITH DETERGENT AND WATER.		
WASTE DISPOSAL		
INCINERATION OR SANITARY LAND FILL IN ACCORDANCE WITH ALL APPLICABLE LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.		
HANDLING PROCEDURES AND EQUIPMENT		
WASH SKIN WITH SOAP AND WATER AFTER CONTACT. REMOVE CONTAMINATED CLOTHING.		
STORAGE REQUIREMENTS		
DO NOT STORE CONTAINER NEAR STOVES, RADIATORS OR OTHER SOURCES OF HEAT. DO NOT STACK OVER 6 CASES HIGH. STORE IN UPRIGHT POSITION.		
SPECIAL PRECAUTIONS		

SECTION 8 – FIRST AID MEASURES

EYES
FLUSH WITH WATER FOR 15 MINUTES. CALL A PHYSICIAN.
SKIN
WASH WITH SOAP AND WATER.
INHALATION
REMOVE TO FRESH AIR. CALL A PHYSICIAN.
INGESTION
DO NOT INDUCE VOMITING. CALL A PHYSICIAN.
OTHER INFORMATION

SECTION 9 – PREPARATION DATE OF MSDS

PREPARED BY (GROUP, DEPARTMENT, ETC.)	DATE PREPARED	SUPERSEDE MSDS DATED
TECHNICAL SERVICES: 1-800 361-6766	JUNE 28, 2005	DECEMBER 20, 2002

LEGEND: N/AP – NOT APPLICABLE

N/D – NO DATA AVAILABLE