Safety Data Sheet



SECTION 1: Product and company identification

Product name : Lemon Sewer Sweetener

Use of the substance/mixture : Deodorant Product code : 0371

Company : Total Solutions P.O. Box 240014

Milwaukee. WI 53224 - USA

T (414) 354-6417

Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 3 H226 Eye Dam. 1 H318 Skin Sens. 1 H317

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)







GHS07

GHS02 GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Flammable liquid and vapor May cause an allergic skin reaction

Causes serious eye damage

Precautionary statements (GHS-US) : Keep away from heat, open flames, sparks. - No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment Use explosion-proof electrical, lighting equipment

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing mist, spray.

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves.

If on skin: Wash with plenty of water

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Immediately call a doctor, a POISON CENTER

Specific treatment (see First aid measures on this label)
If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

V-2: 1			
Name	Product identifier	%	GHS-US classification
2-propanol	(CAS-No.) 67-63-0	3-7	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3. H336

Date of issue: 2/9/2018 Revision date: 02/02/2018 Version: 1.1 P GHS SDS Page 1 of 6

Safety Data Sheet



Name	Product identifier	%	GHS-US classification
Linear Alcohol Ethoxylate	(CAS-No.) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
(+)-limonene	(CAS-No.) 5989-27-5	0.5-1.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes serious eye damage. May cause an allergic skin reaction.

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause slight irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Gastrointestinal complaints. Nausea. Vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor.

Reactivity : Thermal decomposition may produce oxides of carbon and nitrogen.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk. No flames, no sparks. Eliminate all sources of

ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

Date of issue: 2/9/2018 Revision date: 02/02/2018 Version: 1.1 P GHS SDS Page 2 of 6

Safety Data Sheet



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Keep away from sources of ignition - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Avoid breathing mist, spray.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Ground/bond container and receiving equipment. Use only non-

sparking tools.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

Incompatible products : Oxidizing agents.

Incompatible materials : Sources of ignition. Heat sources.

Storage area : Meet the legal requirements. Store in a cool area. Store in a dry area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

(+)-limonene (5989-27-5)

Not applicable

Linear Alcohol Ethoxylate (34398-01-1)

Not applicable

8.2. Exposure controls

Personal protective equipment

: Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear to hazy liquid. Yellow liquid.

Odor : lemon-like

Odor threshold : No data available

pH : 7 - 8.5

Melting point No data available Freezing point : No data available No data available **Boiling point** 108 °F Closed Cup Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) No data available **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties No data available Vapor pressure : No data available

Date of issue: 2/9/2018 Revision date: 02/02/2018 Version: 1.1 P GHS SDS Page 3 of 6

Safety Data Sheet



Relative density : No data available Relative vapor density at 20 °C : No data available Specific gravity / density 0.99 g/ml Solubility : Soluble in water. Log Pow : No data available Log Kow No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available VOC content : < 10 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition may produce oxides of carbon and nitrogen.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Overheating. Open flame.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

2-propanol (67-63-0)		
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value)	
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value)	
LC50 inhalation rat (ppm)	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male/female, Experimental value)	
ATE CLP (oral)	5840 mg/kg body weight	
(+)-limonene (5989-27-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence)	
Linear Alcohol Ethoxylate (34398-01-1)		
LD50 oral rat	> 1400 mg/kg	

Skin corrosion/irritation : Not classified

pH: 7 - 8.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 7 - 8.5

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified
Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause slight irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Date of issue: 2/9/2018 Revision date: 02/02/2018 Version: 1.1 P GHS SDS Page 4 of 6

Safety Data Sheet



Symptoms/effects after ingestion : Gastrointestinal complaints. Nausea. Vomiting.

Likely routes of exposure : Skin and eye contact

SECTION 12: Ecological information

12.1. Toxicity	
2-propanol (67-63-0)	
LC50 fish 1	9640 - 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
(+)-limonene (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
Linear Alcohol Ethoxylate (34398	i-01-1)
LC50 fish 1	< 10 mg/l
EC50 Daphnia 1	< 10 mg/l
ErC50 (algae)	< 10 mg/l

12.2. Persistence and degradability

2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.4 g O₂/g substance	
(+)-limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O₂/g substance	

12.3. Bioaccumulative potential

2-propanol (67-63-0)		
Log Pow	0.05 (Weight of evidence approach, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
(+)-limonene (5989-27-5)		
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)	
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose in a safe manner in accordance with local/national regulations.

recommendations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

: When transported by ground in non-bulk containers, this product utilizes the exception found under Other information 49 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further

intended, different shipping names and labeling may be required.

ADR

No additional information available

No additional information available

Air transport

No additional information available

Date of issue: 2/9/2018 Revision date: 02/02/2018 Version: 1.1 P GHS SDS Page 5 of 6

Safety Data Sheet



SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol	CAS-No. 67-63-0	3-7%
2-propanol (67-63-0)		
Subject to reporting requirements of United State	s SARA Section 313	
Linear Alechal Etherustate (24200 04.4)		
Linear Alcohol Ethoxylate (34398-01-1)		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Highly flammable liquid and vapor	
Flammable liquid and vapor	
Harmful if swallowed	
May be fatal if swallowed and enters airways	
Causes skin irritation	
May cause an allergic skin reaction	
Causes serious eye damage	
Causes serious eye irritation	
May cause drowsiness or dizziness	

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all

ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 2/9/2018
 Revision date: 02/02/2018
 Version: 1.1
 P GHS SDS
 Page 6 of 6