

# Diamond blades Husqvarna VARI-CUT PLUS

Silver



### Optimal

Reinforced concrete, Concrete, Brick, Roof tile, Green concrete (abrasive) hard, Green concrete (abrasive) soft, Cured concrete medium, Cured concrete soft

### Fits to

K 760

K 2500

K 40



### Good

Concrete hard, Concrete medium, Concrete soft, Dry concrete, Block, Abrasive, Asphalt hard, Asphalt soft, Asphalt, Cured concrete hard

FS 413

FS 513

FS 524

FS 520



### Acceptable

Natural stone

FS 309



Article Number : 585 58 08-02

# \$309.06

Excl Tax

## FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

### Easy-fit centre hole

Our 'Easy-fit' system allows the expansion of the bore hole from 20.0 to 25.4 mm. This enables you to mount the blade on different types of machines (power cutter, table saw, floor saw). Applies to blade diameters up to 400 mm.

### Undercut protection

Recessed or lowered segments as undercut protection, preventing wear on the steel core.

### Ideal for asphalt

Thanks to protection against undercutting.

### Wide application window

Designed to cover a wide window of applications with a very good performance.

- Smooth and free-cutting start
- Good balance between performance and cost
- Safety
- Stability
- Easy cuts in abrasive materials and asphalt
- More comfortable cutting
- Ideal for concrete and abrasive materials
- Specially designed blade
- Stable operation
- High speed in universal construction materials

## RECOMMENDED MATERIALS FOR VARI-CUT PLUS

### ●●● Optimal

Reinforced concrete Concrete Brick Roof tile Green concrete (abrasive) hard Green concrete (abrasive) soft  
Cured concrete medium Cured concrete soft

### ●● Good

Concrete hard Concrete medium Concrete soft Dry concrete Block Abrasive Asphalt hard Asphalt soft  
Asphalt Cured concrete hard

### ● Acceptable

Natural stone

**Fits to**

**K 760**

**K 2500**

**K 40**

**FS 413**

**FS 513**

**FS 524**

**FS 520**

**FS 309**