Diamond blades Husqvarna VARI-CUT

Silver

JFO ABOUT VARI-CUT SERIES

•••	Fits to
Optimal	MS 360
Reinforced concrete, Concrete, Brick, Roof tile, Cured concrete hard, Cured concrete medium, Cured concrete soft	MS 360G
	K 760
Good	K 2500
Concrete hard, Concrete medium, Concrete soft, Flint concrete hard, Granite, Marble, Natural stone, Block, Abrasive, Iron, Ductile iron	K 40
	FS 413
•	FS 309
Acceptable	



Ceramic tiles, Green concrete (abrasive) hard, Green concrete (abrasive) soft, Asphalt

Article Number : 542 75 13-58



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Easy-fit centre hole

Our 'Easy-fit' system allows the expansion of the bore hole from 20.0 to 25.4 mm. This enables you to mount the blade on different types of machines (power cutter, table saw, floor saw). Applies to blade diameters up to 350 mm.

Good balance between performance and cost

This diamond tool has a good performance/price ratio thanks to the high performance output in relation to the tool investment.

Universal

Developed for fast cutting in (reinforced) concrete, bricks and blocks. It allows you to cut a very wide range of materials with no need to change blades.

- Safety
- Stability
- More comfortable cutting
- High-quality finishing of cut
- Ideal for hard stone, concrete and iron

- Ideal for concrete and abrasive materials
- Specially designed blade
- Stable operation
- High speed in universal construction materials
- Wide application window

RECOMMENDED MATERIALS FOR VARI-CUT



Smooth and free-cutting start

The design of the segment provides a reduced contact surface in the concrete. This gives a quick start in a controlled manner, when applying a new blade. Ceramic tiles Green concrete (abrasive) hard Green concrete (abrasive) soft Asphalt

Fits to

MS 360	MS 360G	K 760	K 2500
K 40	FS 413	FS 309	