



Be Right™

# SAFETY DATA SHEET

Issue Date 01-Oct-2019

Revision Date 07-Oct-2019

Version 7.6

Page 1 / 15

## 1. IDENTIFICATION

### Product identifier

**Product Name** Molybdate 3 Reagent for Silica

### Other means of identification

**Product Code(s)** 199532

**Safety data sheet number** M00187

**UN/ID no** UN3264

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory reagent. Silica determination.

**Uses advised against** Consumer use.

**Restrictions on use** For Laboratory Use Only.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

#### **Emergency telephone number**

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

#### **Hazards not otherwise classified (HNOC)**

Not applicable

#### **Label elements**

##### **Signal word**

Danger

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 2 / 15



#### Hazard statements

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage  
H372 - Causes damage to organs through prolonged or repeated exposure

#### Precautionary statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P270 - Do not eat, drink or smoke when using this product  
P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage

#### Other Hazards Known

Toxic to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

#### Chemical Family

Mixture.

#### Chemical nature

Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	7 - 13%	-
Sulfuric acid, sodium salt (1:1)	7681-38-1	7 - 13%	-
Molybdate (MoO4 <sup>2-</sup> ), dihydrogen, (T-4)-	7782-91-4	5 - 10%	-

### 4. FIRST AID MEASURES

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous combustion products</b>	Sulfur oxides. Sodium oxides.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

#### Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Flammability class** Class IIIB

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic particulate matter	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Molybdate (MoO4 <sup>2-</sup> ), dihydrogen,	TWA: 0.5 mg/m <sup>3</sup> Mo	TWA: 5 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> Mo

Product Code(s) 199532  
 Issue Date 01-Oct-2019  
 Version 7.6

Product Name Molybdate 3 Reagent for Silica  
 Revision Date 07-Oct-2019  
 Page 5 / 15

(T-4)- CAS#: 7782-91-4	respirable particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup>	
---------------------------	-------------------------------	------------------------------------	--

**Appropriate engineering controls**

**Engineering Controls**  
 Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** Wear suitable gloves. Impervious gloves.

**Eye/face protection** Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**General Hygiene Considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

**Thermal hazards** None under normal processing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

**Physical state** Liquid  
**Appearance** clear  
**Color** Colorless to light yellow  
**Odor** Odorless  
**Odor threshold** Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Molecular weight</b>	Not applicable	
<b>pH</b>	< 2	
<b>Melting point/freezing point</b>	~ -13 °C / 8.6 °F	
<b>Boiling point / boiling range</b>	~ 100 °C / 212 °F	
<b>Evaporation rate</b>	1.17 (water = 1)	
<b>Vapor pressure</b>	22.127 mm Hg / 2.95 kPa at 25 °C / 77 °F	
<b>Vapor density (air = 1)</b>	0.62 (Air = 1)	
<b>Specific gravity (water = 1 / air = 1)</b>	1.2	
<b>Partition Coefficient (n-octanol/water)</b>	Not applicable	
<b>Soil Organic Carbon-Water Partition Coefficient</b>	Not applicable	
<b>Autoignition temperature</b>	No data available	

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 6 / 15

**Decomposition temperature** No data available  
**Dynamic viscosity** No data available  
**Kinematic viscosity** No data available

**Solubility(ies)**

**Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

**Solubility in other solvents**

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

**Other Information**

**Metal Corrosivity**

Classified as corrosive to metal according to GHS criteria

**Steel Corrosion Rate**

151.6 mm/yr / 5.97 in/yr

**Aluminum Corrosion Rate**

No data available /

**Volatile Organic Compounds (VOC) Content**

<b>Chemical name</b>	<b>CAS No.</b>	<b>Volatile organic compounds (VOC) content</b>	<b>CAA (Clean Air Act)</b>
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, sodium salt (1:1)	7681-38-1	No data available	-
Molybdate (MoO4 <sup>2-</sup> ), dihydrogen, (T-4)-	7782-91-4	Not applicable	-

**Explosive properties**

**Upper explosion limit**

No data available

**Lower explosion limit**

No data available

**Flammable properties**

**Flash point**

> 100 °C / 212 °F

**Method**

CC (closed cup)

**Flammability Limit in Air**

**Upper flammability limit**

No data available

**Lower flammability limit**

No data available

**Oxidizing properties**

Not classified according to GHS criteria.

**Bulk density**

No data available

**10. STABILITY AND REACTIVITY**

**Reactivity**

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 7 / 15

Not applicable.

**Chemical stability**

Stable under normal conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

Exposure to air or moisture over prolonged periods.

**Incompatible materials**

Oxidizing agent. Acids. Bases.

**Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**11. TOXICOLOGICAL INFORMATION**

**Information on Likely Routes of Exposure**

**Product Information**

**Inhalation**

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

**Eye contact**

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact**

May cause irritation.

**Ingestion**

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms**

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Acute toxicity**

Based on available data, the classification criteria are not met

**Product Acute Toxicity Data**

Test data reported below.

**Oral Exposure Route**

<u>Endpoint type</u>	<u>Reported dose</u>	<u>Exposure time</u>	<u>Toxicological effects</u>	<u>Key literature references and sources for data</u>
Rat LD <sub>50</sub>	7099 mg/kg	None reported	None reported	Outside testing

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 8 / 15

### Inhalation (Gas) Exposure Route

#### Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	Rat LD <sub>50</sub>	2490 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Molybdate (MoO4 <sup>2-</sup> ), dihydrogen, (T-4)- (5 - 10%) CAS#: 7782-91-4	Rat LD <sub>50</sub>	2689 mg/kg	None reported	None reported	Vendor SDS

#### Unknown Acute Toxicity

8.33% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	No information available
<b>ATEmix (dermal)</b>	30,012.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	No information available
<b>ATEmix (inhalation-vapor)</b>	No information available
<b>ATEmix (inhalation-gas)</b>	No information available

#### Skin corrosion/irritation

Causes severe burns.

#### Product Skin Corrosion/Irritation Data

Test data reported below.

Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
United States Department of Transportation (DOT) Skin Corrosion Test	Rabbit	0.5 mL	4 hours	Not corrosive to skin	Internal Data Outside testing

#### Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

#### Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

#### Product Serious Eye Damage/Eye Irritation Data

No data available.



Product Code(s) 199532  
 Issue Date 01-Oct-2019  
 Version 7.6

Product Name Molybdate 3 Reagent for Silica  
 Revision Date 07-Oct-2019  
 Page 9 / 15

**Ingredient Eye Damage/Eye Irritation Data**

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	Standard Draize Test	Rabbit	100 mg	None reported	Eye irritant	ECHA (The European Chemicals Agency)

**Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

**Product Sensitization Data**

No data available.

**Ingredient Sensitization Data**

No data available.

**STOT - single exposure**

Based on available data, the classification criteria are not met.

**Product Specific Target Organ Toxicity Single Exposure Data**

No data available.

**Ingredient Specific Target Organ Toxicity Single Exposure Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Human TD <sub>Lo</sub>	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

**STOT - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

**Product Specific Target Organ Toxicity Repeat Dose Data**

No data available.

**Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Human TC <sub>Lo</sub>	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Product Carcinogenicity Data**

No data available.

**Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
---------------	---------	-------	------	-----	------

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 10 / 15

Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, sodium salt (1:1)	7681-38-1	-	-	-	-
Molybdate (MoO4 <sup>2-</sup> ), dihydrogen, (T-4)-	7782-91-4	A3	-	-	-

**Legend**

<b>ACGIH (American Conference of Governmental Industrial Hygienists)</b>	A2 - Suspected Human Carcinogen A3 - Animal Carcinogen
<b>IARC (International Agency for Research on Cancer)</b>	Group 1 - Carcinogenic to Humans
<b>NTP (National Toxicology Program)</b>	Known - Known Carcinogen
<b>OSHA (Occupational Safety and Health Administration of the US Department of Labor)</b>	X - Present

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Product Germ Cell Mutagenicity invitro Data**

No data available.

**Ingredient Germ Cell Mutagenicity invitro Data**

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

**Product Germ Cell Mutagenicity invivo Data**

No data available.

**Ingredient Germ Cell Mutagenicity invivo Data**

No data available.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Product Reproductive Toxicity Data**

No data available.

**Ingredient Reproductive Toxicity Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Rabbit TC <sub>Lo</sub>	0.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Unknown aquatic toxicity**

8.33% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 11 / 15

#### Product Ecological Data

**Aquatic Acute Toxicity**  
No data available.

**Aquatic Chronic Toxicity**  
No data available.

#### Ingredient Ecological Data

**Aquatic Acute Toxicity**  
No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	190 mg/L	IUCLID (The International Uniform Chemical Information Database)

**Aquatic Chronic Toxicity**  
No data available.

#### Persistence and degradability

**Product Biodegradability Data**  
No data available.

#### Bioaccumulation

**Product Bioaccumulation Data**  
No data available.

**Partition Coefficient (n-octanol/water)** Not applicable

#### Mobility

**Soil Organic Carbon-Water Partition Coefficient** Not applicable

#### Other adverse effects

No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** D002

**Special instructions for disposal** Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of

chemicals.

## 14. TRANSPORT INFORMATION

### DOT

UN/ID no	UN3264
Proper shipping name	Corrosive Liquid, Acidic, Inorganic, N.O.S.
DOT Technical Name	Sulfuric acid
Hazard Class	8
Packing Group	III
Reportable Quantity (RQ)	Sulfuric acid: RQ kg= 3588.42
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III, RQ
Emergency Response Guide Number	154

### TDG

UN/ID no	UN3264
Proper shipping name	Corrosive Liquid, Acidic, Inorganic, N.O.S.
TDG Technical Name	Sulfuric acid
Hazard Class	8
Packing Group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III

### IATA

UN/ID no	UN3264
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
IATA Technical Name	Sulfuric acid
Hazard Class	8
Packing Group	III
ERG Code	8L
Special precautions for user	A3, A803

### IMDG

UN/ID no	UN3264
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
IMDG Technical Name	Sulfuric acid
Hazard Class	8
Packing Group	III
EmS-No	F-A, S-B
Special precautions for user	223, 274
Marine pollutant	No

### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

### National Inventories

TSCA	Complies
DSL/NDL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

### International Inventories

Product Code(s) 199532  
 Issue Date 01-Oct-2019  
 Version 7.6

Product Name Molybdate 3 Reagent for Silica  
 Revision Date 07-Oct-2019  
 Page 13 / 15

EINECS/ELINCS Complies  
 ENCS Complies  
 IECS Complies  
 KECL Complies  
 PICCS Complies  
 TCSI Complies  
 AICS Complies  
 NZIoC Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECS** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TCSI** - Taiwan Chemical Substances Inventory  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard Yes  
 Chronic Health Hazard Yes  
 Fire hazard No  
 Sudden release of pressure hazard No  
 Reactive Hazard No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

#### U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries)

### US State Regulations

#### California Proposition 65

EN / AGHS	Page 13 / 15
-----------	--------------

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 14 / 15

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen



**WARNING:** This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

**IMERC:** Not applicable

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X

**U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Sulfuric acid, sodium salt (1:1)	180.0920	-

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

**Special Comments**

None

**Additional information**

**Global Automotive Declarable Substance List (GADSL)**

Not applicable

**NFPA and HMIS Classifications**

<b>NFPA</b>	<b>Health hazards - 3</b>	<b>Flammability - 1</b>	<b>Instability - 0</b>	<b>Physical and chemical properties -</b>
<b>HMIS</b>	<b>Health hazards - 3</b> - *	<b>Flammability - 1</b>	<b>Physical hazards - 0</b>	<b>Personal protection -</b> X

**Key or legend to abbreviations and acronyms used in the safety data sheet**

*NIOSH IDLH*

*Immediately Dangerous to Life or Health*

*ACGIH*

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*NDF*

*no data*

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are

**Product Code(s)** 199532  
**Issue Date** 01-Oct-2019  
**Version** 7.6

**Product Name** Molybdate 3 Reagent for Silica  
**Revision Date** 07-Oct-2019  
**Page** 15 / 15

for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

**Prepared By** Hach Product Compliance Department

**Issue Date** 01-Oct-2019

**Revision Date** 07-Oct-2019

**Revision Note** None

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY©2019

**End of Safety Data Sheet**