



**Be Right™**

# SAFETY DATA SHEET

Issue Date 01-Sep-2020

Revision Date  
01-Sep-2020

Version 2.6

Page 1 / 17

## 1. IDENTIFICATION

### Product identifier

**Product Name** Sulfuric Acid 1.600 ± 0.008 N

### Other means of identification

**Product Code(s)** 1438901

**Safety data sheet number** M00299

**UN/ID no** UN3264

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory Use. Alkalinity determination.

**Uses advised against** None.

**Restrictions on use** None.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

#### **Emergency telephone number**

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### **Hazards not otherwise classified (HNOC)**

Not applicable

#### **Label elements**

##### **Signal word**

Danger



#### Hazard statements

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

#### Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves, protective clothing, eye protection, and face protection  
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant  
P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage

#### Other Hazards Known

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	5 - 10%	-
Formaldehyde	50-00-0	<0.1%	-
Methanol	67-56-1	<0.1%	-

### 4. FIRST AID MEASURES

#### Description of first aid measures

##### General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

##### Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Burning sensation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

**5. FIRE-FIGHTING MEASURES**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous combustion products</b>	This material will not burn.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. ACCIDENTAL RELEASE MEASURES**

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Flammability class** Not applicable

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic particulate matter	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Formaldehyde CAS#: 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Methanol CAS#: 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) SKN*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** Wear suitable gloves. Impervious gloves.

**Eye/face protection** Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**General Hygiene Considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

**Thermal hazards** None under normal processing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Color</b>	colorless
<b>Appearance</b>	aqueous solution	<b>Odor threshold</b>	1 mg/m <sup>3</sup>
<b>Odor</b>	Acidic		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Molecular weight</b>	No data available	
<b>pH</b>	< 0.5	
<b>Melting point/freezing point</b>	~ -6 °C / 21 °F	
<b>Boiling point / boiling range</b>	~ 102 °C / 216 °F	
<b>Evaporation rate</b>	0.53 (water = 1)	
<b>Vapor pressure</b>	17.177 mm Hg / 2.29 kPa at 20 °C / 68 °F	
<b>Vapor density (air = 1)</b>	0.62	
<b>Specific gravity (water = 1 / air = 1)</b>	1.047	
<b>Partition Coefficient (n-octanol/water)</b>	Not applicable	
<b>Soil Organic Carbon-Water Partition Coefficient</b>	Not applicable	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>Dynamic viscosity</b>	~ 2 cP (mPa s) at 20 °C / 68 °F	

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 6 / 17

**Kinematic viscosity** ~ 1.91 cSt (mm<sup>2</sup>/s) at 20 °C / 68 °F

**Solubility(ies)**

**Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

**Solubility in other solvents**

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

**Other Information**

**Metal Corrosivity**

Classified as corrosive to metal according to GHS criteria

**Steel Corrosion Rate**

2.44 mm/yr / 0.1 in/yr

**Aluminum Corrosion Rate**

~ 0.44 mm/yr / ~ 0.02 in/yr

**Volatile Organic Compounds (VOC) Content**

See ingredients information below

<b>Chemical name</b>	<b>CAS No.</b>	<b>Volatile organic compounds (VOC) content</b>	<b>CAA (Clean Air Act)</b>
Sulfuric acid	7664-93-9	No data available	-
Formaldehyde	50-00-0	No data available	X
Methanol	67-56-1	100%	X

**Explosive properties**

**Upper explosion limit**

No data available

**Lower explosion limit**

No data available

**Flammable properties**

**Flash point**

No data available

**Flammability Limit in Air**

**Upper flammability limit**

No data available

**Lower flammability limit**

No data available

**Oxidizing properties**

No data available.

**Bulk density**

No data available

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not applicable.

**Chemical stability**

Stable under normal conditions.

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 7 / 17

#### **Explosion data**

**Sensitivity to Mechanical Impact** None.  
**Sensitivity to Static Discharge** None.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous polymerization**

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Oxidizing agent. Acids. Bases.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

### **Information on Likely Routes of Exposure**

#### **Product Information**

##### **Inhalation**

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

##### **Eye contact**

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

##### **Skin contact**

May cause irritation.

##### **Ingestion**

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

#### **Symptoms**

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

#### **Acute toxicity**

Based on available data, the classification criteria are not met

#### **Product Acute Toxicity Data**

No data available.

#### **Ingredient Acute Toxicity Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 8 / 17

	type	dose	time		sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	0.578 mg/L	4 hours	None reported	LOLI

**Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

**Acute Toxicity Estimations (ATE)**

<b>ATEmix (oral)</b>	No information available
<b>ATEmix (dermal)</b>	No information available
<b>ATEmix (inhalation-dust/mist)</b>	No information available
<b>ATEmix (inhalation-vapor)</b>	No information available
<b>ATEmix (inhalation-gas)</b>	No information available

**Skin corrosion/irritation**

Causes severe burns.

**Product Skin Corrosion/Irritation Data**

No data available.

**Ingredient Skin Corrosion/Irritation Data**

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method	Rabbit	None reported	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

**Serious eye damage/irritation**

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

**Product Serious Eye Damage/Eye Irritation Data**

No data available.

**Ingredient Eye Damage/Eye Irritation Data**

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)



**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 9 / 17

Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method	Rabbit	0.05 mL	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)

**Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

**Product Sensitization Data**

No data available.

**Ingredient Sensitization Data**

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)
Methanol (<0.1%) CAS#: 67-56-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)
Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

**STOT - single exposure**

Based on available data, the classification criteria are not met.

**Product Specific Target Organ Toxicity Single Exposure Data**

No data available.

**Ingredient Specific Target Organ Toxicity Single Exposure Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD <sub>Lo</sub>	70 mg/kg	None reported	<b>Gastrointestinal Kidney, Ureter, or Bladder Liver</b> Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methanol (<0.1%) CAS#: 67-56-1	Human LD <sub>Lo</sub>	143 mg/kg	None reported	<b>Lungs, Thorax, or Respiration</b> Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Human TD <sub>Lo</sub>	0.144 mg/L	5 minutes	<b>Lungs, Thorax, or Respiration</b> Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Methanol (<0.1%) CAS#: 67-56-1	Human TC <sub>Lo</sub>	300 mg/L	None reported	<b>Lungs, Thorax, or Respiration</b> Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

**STOT - repeated exposure**

Based on available data, the classification criteria are not met.

**Product Specific Target Organ Toxicity Repeat Dose Data**

No data available.

**Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Monkey	2340 mg/kg	3 days	None reported	ECHA (The European Chemicals Agency)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Human TC <sub>Lo</sub>	0.003 mg/L	168 days	<b>Musculoskeletal</b> Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC <sub>Lo</sub>	0.017 mg/L	0.5 days	<b>Eye</b> <b>Lungs, Thorax, or Respiration</b> Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Product Carcinogenicity Data**

No data available.

**Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Formaldehyde	50-00-0	A1	Group 1	Known	X
Methanol	67-56-1	-	-	-	-

**Legend**

<b>ACGIH (American Conference of Governmental Industrial Hygienists)</b>	A2 - Suspected Human Carcinogen
<b>IARC (International Agency for Research on Cancer)</b>	Group 1 - Carcinogenic to Humans
<b>NTP (National Toxicology Program)</b>	Known - Known Carcinogen
<b>OSHA (Occupational Safety and Health Administration of the US Department of Labor)</b>	X - Present

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	<b>Olfaction</b> Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Product Germ Cell Mutagenicity invitro Data**

No data available.

**Ingredient Germ Cell Mutagenicity invitro Data**

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and
---------------	------	-------------	---------------	---------------	---------	-------------------------------

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 11 / 17

						<b>sources for data</b>
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Methanol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

**Product Germ Cell Mutagenicity** *in vivo* Data

No data available.

**Ingredient Germ Cell Mutagenicity** *in vivo* Data

No data available.

<b>Chemical name</b>	<b>Test</b>	<b>Species</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Results</b>	<b>Key literature references and sources for data</b>
Methanol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
<b>Chemical name</b>	<b>Test</b>	<b>Species</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Results</b>	<b>Key literature references and sources for data</b>
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Product Reproductive Toxicity Data**

No data available.

**Ingredient Reproductive Toxicity Data**

No data available.

<b>Chemical name</b>	<b>Endpoint type</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Toxicological effects</b>	<b>Key literature references and sources for data</b>
Methanol (<0.1%) CAS#: 67-56-1	Rat TD <sub>Lo</sub>	4118 mg/kg	10 days	<b>Effects on Embryo or Fetus Specific Developmental Abnormalities</b> Ear Eye Fetotoxicity (except death e.g. stunted fetus) Urogenital System	RTECS (Registry of Toxic Effects of Chemical Substances)
<b>Chemical name</b>	<b>Endpoint type</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Toxicological effects</b>	<b>Key literature references and sources for data</b>
Methanol (<0.1%) CAS#: 67-56-1	Rat TC <sub>Lo</sub>	0.0026 mg/L	22 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)
<b>Chemical name</b>	<b>Endpoint type</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Toxicological effects</b>	<b>Key literature references and sources for data</b>
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Rabbit TC <sub>Lo</sub>	0.02 mg/L	7 hours	<b>Specific Developmental Abnormalities</b> Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)
<b>Chemical name</b>	<b>Endpoint type</b>	<b>Reported dose</b>	<b>Exposure time</b>	<b>Toxicological effects</b>	<b>Key literature references and sources for data</b>
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	40 mg/L	14 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

#### Product Ecological Data

##### Aquatic Acute Toxicity

No data available.

##### Aquatic Chronic Toxicity

No data available.

#### Ingredient Ecological Data

##### Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC <sub>50</sub>	6.7 mg/L	PEEN (Pan European Ecological Network)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecological Network)

##### Aquatic Chronic Toxicity

No data available.

#### Persistence and degradability

##### Product Biodegradability Data

No data available.

#### Bioaccumulation

##### Product Bioaccumulation Data

No data available.

##### Partition Coefficient (n-octanol/water)

Not applicable

#### Mobility

##### Soil Organic Carbon-Water Partition Coefficient

Not applicable

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 13 / 17

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** D002, U154 U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methanol 67-56-1	-	Included in waste stream: F039	-	U154

**Special instructions for disposal** Work in an approved fume hood. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

## 14. TRANSPORT INFORMATION

### DOT

**UN/ID no** UN3264  
**Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
**DOT Technical Name** < 10% Sulfuric Acid Solution  
**Hazard Class** 8  
**Packing Group** II  
**Emergency Response Guide Number** 154

### TDG

**UN/ID no** UN3264  
**Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
**TDG Technical Name** < 10% Sulfuric Acid Solution  
**Hazard Class** 8  
**Packing Group** II

### IATA

**UN/ID no** UN3264  
**Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
**IATA Technical Name** < 10% Sulfuric Acid Solution  
**Hazard Class** 8  
**Packing Group** II  
**ERG Code** 154

### IMDG

**UN/ID no** UN3264  
**Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
**IMDG Technical Name** < 10% Sulfuric Acid Solution  
**Hazard Class** 8  
**Packing Group** II

**Note:** No special precautions necessary.

### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 14 / 17

If the item is not in a reagent set or kit, the classification given above applies.  
 If the item is part of a reagent set or kit the classification would change to the following:  
 UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.  
 If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

### National Inventories

**TSCA** Complies  
**DSL/NDSL** Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### International Inventories

**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**Existing substances** Complies  
**PICCS** Complies  
**TCSI** Complies  
**AICS** Complies  
**NZIoC** Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TCSI** - Taiwan Chemical Substances Inventory  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1
Methanol (CAS #: 67-56-1)	1.0

#### SARA 311/312 Hazard Categories

**Acute health hazard** Yes  
**Chronic Health Hazard** Yes  
**Fire hazard** No  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Formaldehyde	100 lb	-	-	X

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 15 / 17

50-00-0			
---------	--	--	--

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methanol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues**

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

**U.S. - DEA (Drug Enforcement Administration) List I & List II**

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (5 - 10%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methanol (CAS #: 67-56-1)	Developmental



**WARNING:** This product can expose you to chemicals including Formaldehyde, Methyl alcohol, Sulfuric acid, which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to <http://www.P65Warnings.ca.gov>

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Formaldehyde 50-00-0	X	X	X
Methanol 67-56-1	X	X	X

**U.S. EPA Label Information**

Product Code(s) 1438901  
 Issue Date 01-Sep-2020  
 Version 2.6

Product Name Sulfuric Acid 1.600 ± 0.008 N  
 Revision Date 01-Sep-2020  
 Page 16 / 17

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Methanol	180.0910	-

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

**Special Comments**

None

**Additional information**

**Global Automotive Declarable Substance List (GADSL)**

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (FI) Declarable Substance (LR) Prohibited Substance (LR)	0 % 0.1 %
Methanol 67-56-1	Declarable Substance (FI) Prohibited Substance (FI) Declarable Substance (LR) Prohibited Substance (LR)	0.6 % 0.1 %

**NFPA and HMIS Classifications**

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X

**Key or legend to abbreviations and acronyms used in the safety data sheet**

NIOSH IDLH *Immediately Dangerous to Life or Health*  
 ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)  
 NDF *no data*

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 01-Sep-2020



**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 2.6

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 01-Sep-2020  
**Page** 17 / 17

**Revision Date** 01-Sep-2020

**Revision Note** None

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY©2019

**End of Safety Data Sheet**