

SAFETY DATA SHEET

Issue Date 18-Nov-2020	Revision Date 27-Oct-2021	Version 4.4	Page 1 / 14			
1. IDENTIFICATION						
<u>Product identifier</u> Product Name	Ammonia ULR TNT Reagent Vial					
Other means of identification Product Code(s)	TNT830R					
Safety data sheet number	M02442					
UN/ID no	UN3316					
Recommended use of the chemical and restrictions on use						
Recommended Use	Laboratory reagent. Determination	of ammonium nitrogen.				
Uses advised against	Consumer use.					
Restrictions on use	For Laboratory Use Only.					
Details of the supplier of the safety data sheet						
Manufacturer Address Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050						

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 2 / 14



Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P280 - Wear protective gloves, protective clothing, eve protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical Family Chemical nature Mixture. Aqueous solution of organic and inorganic salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sodium hydroxide	1310-73-2	1 - 5%	-

4. FIRST AID MEASURES

Description of first aid measures

 General advice
 Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

 Inhalation
 Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Product Code(s) TNT830R Issue Date 18-Nov-2020 Version 4.4	Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 3 / 14		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.		
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	Burning sensation.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.		

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Sodium oxides.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Product Code(s) TNT830R Issue Date 18-Nov-2020 Version 4.4	Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 4 / 14			
Other Information	Refer to protective measures listed in Sections 7 and 8.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			
	7. HANDLING AND STORAGE			
Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.			
Conditions for safe storage, includ	ing any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from			

moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
CAS#: 1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

<u>Appropriate engineering controls</u> Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual	protection measures	, such as	personal	protectiv	e equi	pment	_
	-			-			-

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.				
Hand Protection	Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to				

Product Code(s) TNT830R Issue Date 18-Nov-2020 Version 4.4	Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 5 / 14			
	satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.			
Eye/face protection	Face protection shield.			
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.			
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.			
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.			
Thermal hazards	None under normal processing.			
	9. PHYSICAL AND CHEMICAL PROPERTIES			

Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Odorless	Liquid		Color Odor threshold	light yellow Not applicat	ble
Property			Values			Remarks • Method
Molecular weight	:		No data availa	ble		
рН			12.6			@ 20 °C
Melting point/free	ezing point		~ -6 °C / 2	1.2 °F		
Boiling point / bo	iling range		~ 102 °C /	215.6 °F		
Evaporation rate			1.1 (water = 1)			
Vapor pressure			23.177 mm Hg) / 3.09 kPa at 2	5 °C / 77 °F	=
Relative vapor de	ensity		0.62			
Specific gravity (water = 1 / air = 1)		1.23			
Partition Coeffici	ent (n-octanol/wate	er)	Not applicable			
Soil Organic Carl	bon-Water Partition		Not applicable			
Autoignition tem	perature		No data availa	ble		
Decomposition te	emperature		No data availa	ble		
Dynamic viscosi	y		No data availa	ble		
Kinematic viscos	ity		No data availa	ble		
Solubility(ies)						
Water solubility						

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate	> 6.25 mm/yr / > 0.25 in/yr
Aluminum Corrosion Rate	> 6.25 mm/yr / > 0.25 in/yr

Volatile Organic Compounds (VOC) Content Not applicable

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium hydroxide	1310-73-2	No data available	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

EN / AGHS

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Corrosive. Causes severe burns. Avoid contact with skin and clothing.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data No data available.

Unknown Acute Toxicity

8.92% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	10,426.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 8/14

Causes severe burns.

Product Skin Corrosion/Irritation Data No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium hydroxide (1 - 5%) CAS#: 1310-73-2	Patch test	Human	20 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium hydroxide	Standard Draize	Rabbit	0.05 mg	24 hours	Corrosive to eyes	RTECS (Registry of
(1 - 5%)	Test					Toxic Effects of
CAS#: 1310-73-2						Chemical Substances)

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

Test data reported below.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sodium hydroxide	1310-73-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Product Germ Cell Mutagenicity invivo Data

No data available.

Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

	12. ECOLOGICAL INFORMATION
Ecotoxicity	Based on available data, the classification criteria are not met.
Unknown aquatic toxicity	0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.
Product Ecological Data	
Aquatic Acute Toxicity No data available.	
Aquatic Chronic Toxicity No data available.	
Ingredient Ecological Data	

EN / AGHS

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium hydroxide (1 - 5%)	96 hours	Oncorhynchus mykiss	LC ₅₀	45.4 mg/L	IUCLID (The International Uniform Chemical Information
CAS#: 1310-73-2					Database)

Crustacea

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data
Sodium hydroxide (1 - 5%)	48 Hours	Daphnia sp.	EC ₅₀	40.4 mg/L	IUCLID (The International Uniform Chemical Information
CAS#: 1310-73-2					Database)

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Product Biodegradability Data No data available.

Product Bioaccumulation Data No data available.

Partition Coefficient (n-octanol/water)

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Not applicable

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D002
Special instructions for disposal	Working in small batches, dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Otherwise. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 11 / 14

DOT UN/ID no Proper shipping name Transport hazard class(es) Description Emergency Response Guide Number	UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9 171
<u>TDG</u> UN/ID no Proper shipping name Transport hazard class(es) Description	UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group ERG Code Description	UN3316 Chemical kit 9 II 9L UN3316, Chemical kit, 9
IMDG UN number or ID number Proper shipping name Transport hazard class(es) EmS-No Special precautions for user Description	UN3316 CHEMICAL KIT 9 F-A, S-P 251, 340 UN3316, CHEMICAL KIT, 9

Additional information

This product forms part of a kit. Information in this section relates to the kit as a whole. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories EINECS/ELINCS Complies Complies ENCS IECSC Complies **KECL - Existing substances** Complies Complies PICCS Complies TCSI Complies AICS NZIOC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory **AICS** - Australian Inventory of Chemical Substances **NZIOC** - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ
UC State Degulations			

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide	Х	X	Х
1310-73-2			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sodium hydroxide	180.0910	21 CFR 184.1763

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - I - X

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	Immediately Dangerous to Life or Health
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	ization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliand	ce Department	
Issue Date		18-Nov-2020		
Revision Date		27-Oct-2021		
Revision Note		None		

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations. THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. HACH COMPANY©2022

Product Name Ammonia ULR TNT Reagent Vial Revision Date 27-Oct-2021 Page 14 / 14

End of Safety Data Sheet