Page 1 Date Printed 11/4/15 MSDS No. M01808

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nickel TNT Reagent A

Catalog Number: TNT856A

Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050

MSDS Number: M01808 Chemical Name: Not applicable

CAS Number:

Additional CAS No. (for hydrated forms): Not applicable

Chemical Formula: Not applicable Chemical Family: Not applicable Intended Use: Laboratory Reagent

Emergency Telephone Numbers: (Medical and Transportation) (303) 623-5716 24 Hour Service (515)232-2533 8am - 4pm CST

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Corrosive to Metals: Met. Corr. 1 Skin Corrosion/Irritation: Skin Corr. 1A

GHS Label Elements: DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage. Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing.

HMIS:

Health: 3 Flammability: 0 Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3 Flammability: 0

Reactivity: 0

Symbol: Not applicable

IVHMIS Hazard Classification: Class E - Corrosive material

WHMIS Symbols: Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sodium Hydroxide

Page 2 Date Printed 11/4/15 MSDS No: M01808

CAS Number: 1310-73-2 Chemical Formula: NaOH

GHS Classification: Met. Corr.1, H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): 15.0 - 25.0 Percent Range Units: weight / weight

PEL: 2 mg/m³
TLV: Not established

WHMIS Symbols: Acute PoisonCorrosive

Dimethylgiyoxime

CAS Number: 95-45-4 Chemical Formula: C₄H₁N₂O₂

GHS Classification: Flam. Sol. 2, H228; Acute tox. 4 - Orl, H302

Percent Range (Trade Secret): < 0.5 Percent Range Units: weight / weight

PEL: Not established TLV: Not established

WHMIS Symbols: Acute Poison
Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5 Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 75.0 - 85.0 Percent Range Units: weight / weight

PEL: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Do not induce vomiting, Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire/Explosion Hazards: May react violently with: strong acids flammable liquids organic materials

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Page 3 Date Printed 11/4/15 MSDS No: M01808

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike the spill to contain material for later disposal.

Clean-up Technique: If permitted by regulation, Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: acids flammable liquids organic material Store in a cool, dry place. Keep container tightly closed when not in use.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eve Protection: chemical splash goggles

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly

after handling. Keep away from: acids/acid fumes organic materials

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

 ${\it Odor\ Threshold:}$

pH: 14 at 20 °C

Metal Corrosivity:

Corrosivity Classification:

Steel: Not determined

Aluminum: Not determined

Specific Gravity/Relative Density (water = 1; air =1): 1.2

Viscosity:

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water):

Page 4
Date Printed 11/4/15
MSDS No: M01808

Coefficient of Water / Oil: Not applicable

Melting Point: -17 °C (1 °F)

Decomposition Temperature:

Boiling Point: 145 °C (293 °F)

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Material will not burn.

Flash Point: Not applicable

Flash Point: Not applicable Method: Not applicable Flammability Limits:

Lower Explosion Limits: Not applicable Upper Explosion Limits: Not applicable Autoignition Temperature: Not applicable

Explosive Properties: Oxidizing Properties: Reactivity Properties: Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported Static Discharge: None reported.

Reactivity / Incompatibility: May react violently in contact with: strong acids flammable liquids aluminum tin

zinc nitromethane nitro compounds halogenated organic compounds

Hazardous Decomposition: None reported

Conditions to Avoid: Heat Evaporation Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: Harmful Causes: severe burns Can cause: rapid pulse and respirations vomiting shock collapse

Inhalation: Causes: burns
Skin Absorption: None Reported
Chronic Effects: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

12. ECOLOGICAL INFORMATION

Page 5 Date Printed 11/4/15 MSDS No: M01808

Product Ecological Information: -No ecological data available for this product.
Ingredient Ecological Information: --

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T. Proper Shipping Name: Sodium Hydroxide Solution Hazard Class: 8 Subsidiary Risk: NA ID Number: UN1824 Packing Group: II T.D.G.: Proper Shipping Name: Sodium Hydroxide Solution Hazard Class: 8 Subsidiary Risk: NA UN Number/PIN: 1824 Packing Group: II I.C.A.O. Proper Shipping Name: Sodium Hydroxide Solution Hazard Class: 8 Subsidiary Risk: NA ID Number: UN1824 Packing Group: II I.M.O.: Proper Shipping Name: Sodium Hydroxide Solution Hazard Class: 8 Subsidiary Risk: NA ID Number: UN1824 Packing Group: II Marine Pollutant:

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

Page 6 Date Printed 11/4/15 MSDS No: M01808

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting

requirements of Section 313 of Title III of SARA. 302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Sodium Hydroxide 1000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Sodium Hydroxide - RQ = 1000 lbs. (454 kgs.)

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s):

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number:

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status:

New Zealand Inventory (NZIoC) Status:

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Complete Text of H phrases referred to in Section 3: H228 Flammable solid. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H290 May be corrosive to metals.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 07

Month: February

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable w/w - weight/weight
ND - Not Determined w/v - weight/volume
NV - Not Available v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

1.4

Page 7
Date Printed 11/4/15
MSDS No; M01808

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015