

# SAFETY DATA SHEET

Issue Date 01-Sep-2020	Revision Date 17-Jan-2024	Version 3.1	<b>Page</b> 1 / 18	
	1. IDENTIFICATI	ION		
Product identifier Product Name	Sulfuric Acid 1.600 ± 0.008 N			
Other means of identification Product Code(s)	1438901			
Safety data sheet number	M00299			
UN/ID no	UN3264			
Recommended use of the chemical and restrictions on useRecommended UseLaboratory Use. Alkalinity determination.Uses advised againstConsumer use.Restrictions on useFor Laboratory Use Only.				
Details of the supplier of the safety data sheet				
Manufacturer Address Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050				

### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

### Classification

### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

Signal word Danger

Product NameSulfuric Acid 1.600 ± 0.008 NRevision Date17-Jan-2024Page2 / 18



### Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

### **Precautionary statements**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

### Other Hazards Known

None

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance Not applicable

**Mixture** 

Chemical Family Chemical nature Mixture. aqueous solution.

### Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	12	-
Formaldehyde	50-00-0	<0.1%	-
Methanol	67-56-1	<0.1%	-

### 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

Product Code(s) 1438901 Issue Date 01-Sep-2020 Version 3.1	Product Name Sulfuric Acid 1.600 ± 0.008 N Revision Date 17-Jan-2024 Page 3 / 18		
	should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.		
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Burning sensation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		

Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	This material will not burn.

Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
fire-fighters	Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

### Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal<br/>protective equipment as required. Attention! Corrosive material. Evacuate personnel to<br/>safe areas. Keep people away from and upwind of spill/leak.

Product Code(s) 1438901 Issue Date 01-Sep-2020 Version 3.1	Product Name Sulfuric Acid 1.600 ± 0.008 N Revision Date 17-Jan-2024 Page 4 / 18		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Reference to other sections	See section 8 for more information. See section 13 for more information.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.		

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> thoracic	TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Formaldehyde	dermal sensitizer;respiratory	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	sensitizer	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
	STEL: 0.3 ppm	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
	TWA: 0.1 ppm	(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
CAS#: 67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	
		(vacated) SKN*	

Appropriate engineering controls Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su Respiratory protection	<u>ch as personal protective equipment</u> No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.
Hand Protection	Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.
Eye/face protection	Face protection shield.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Acidic	_iquid		Color Odor threshold	colorless 1 mg/m <sup>3</sup>	
Property_			Values			Remarks • Method
Molecular weight	:		No data availal	ble		
рН			< 0.5			@ 20 °C
Melting point / fre	ezing point		~ -6 °C / 2	1.2 °F		
Initial boiling point and boiling range		~ 102 °C / 215.6 °F				
Evaporation rate			0.53 (water = 1	)		
Vapor pressure			17.177 mm Hg	/ 2.29 kPa at 2	0 °C / 68 °F	-
Relative vapor de	ensity		0.62			
Specific gravity -	VALUE 1		1.047			
Partition coefficie	ent		Not applicable			
Soil Organic Carl Coefficient	oon-Water Partition		Not applicable			

Product Code(s) 1438901	Product Name Sulfuric Acid 1.600 ± 0.008 N
Issue Date 01-Sep-2020	Revision Date 17-Jan-2024
Version 3.1	Page 6 / 18
Autoignition temperature	No data available

0	
Decomposition temperature	No data available
Dynamic viscosity	~ 2 cP (mPa s) at 20 °C / 68 °F
Kinematic viscosity	$\sim$ 1.91 cSt (mm²/s) at 20 °C / 68 °F

### Solubility(ies)

### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

### Solubility in other solvents

Chemical Name	Solubility classification	Solubility_	Solubility Temperature	
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F	

### **Other information**

### Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate Aluminum Corrosion Rate 2.44 mm/yr / 0.1 in/yr ~ 0.44 mm/yr / ~ 0.02 in/yr

### Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Formaldehyde	50-00-0	No data available	Х
Methanol	67-56-1	100%	Х

### **Explosive properties**

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

### **10. STABILITY AND REACTIVITY**

### Reactivity

Corrosive on contact with water. Corrosive to metal.

### Chemical stability

Stable under normal conditions.

### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Possibility of hazardous reactions

None under normal processing.

### Hazardous polymerization

None under normal processing.

### Conditions to avoid

Exposure to air or moisture over prolonged periods.

### Incompatible materials

Oxidizing agent. Acids. Bases.

### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

### **Product Information**

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Corrosive. Causes severe burns. Avoid contact with skin and clothing.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.
Acute toxicity	

Based on available data, the classification criteria are not met

### Mixture

No data available.

### Ingredient Acute Toxicity Data

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and

	type	dose	time		sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅o	100 mg/kg	None reported	None reported	GESTIS

### Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS

### Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC₅₀	0.578 mg/L	4 hours	None reported	LOLI

### Inhalation (Vapor) Exposure Route

### Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

### Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

### **Skin corrosion/irritation**

Causes severe burns.

#### Mixture

No data available.

### Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method	Rabbit	None reported	20 hours	Not corrosive or irritating to skin	ECHA

### Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

### Mixture

No data available.

### Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method		0.05 mL	24 hours	Not corrosive or irritating to eyes	ECHA

### **Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

### Mixture

No data available.

### **Ingredient Sensitization Data**

Test data reported below.

### **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA
Methanol (<0.1%) CAS#: 67-56-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

### **Respiratory Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

## Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD⊾₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	Human LDLo	143 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS

### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Human TD∟₀	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS
Methanol (<0.1%) CAS#: 67-56-1	Human TC∟₀	300 mg/L	None reported	Lungs, Thorax, or Respiration Other changes	RTECS

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

### Mixture

No data available.

### Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Monkey	2340 mg/kg	3 days	None reported	ECHA

### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Human TC∟₀	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### Mixture

No data available.

### Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	Х
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Methanol	67-56-1	-	-	-	-

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Mixture invitro Data

No data available.

### Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Methanol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS

### Mixture invivo Data

No data available.

### Substance invivo Data

Test data reported below.

### **Oral Exposure Route**

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS

### Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
EN / AGHS						Page 11 / 18

Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS
(<0.1%)					mutagenicity	
CAS#: 50-00-0						

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

### Ingredient Reproductive Toxicity Data

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Rat TD∟₀	4118 mg/kg	10 days	Effects on Embryo or Fetus Specific Developmental Abnormalities Ear Eye Fetotoxicity (except death e.g. stunted fetus) Urogenital System	RTECS

### Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCLO	_	-	Fetotoxicity (except death e.g.	
CAS#: 67-56-1				stunted fetus)	

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Rabbit TC∟₀	0.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC∟	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS

### Aspiration hazard

Based on available data, the classification criteria are not met.

### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

### <u>Mixture</u>

Aquatic Acute Toxicity No data available.

### **Aquatic Chronic Toxicity**

Product Name Sulfuric Acid 1.600 ± 0.008 N Revision Date 17-Jan-2024 Page 13 / 18

No data available.

### **Substance**

### Aquatic Acute Toxicity

Test data reported below.

### Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC <sub>50</sub>	6.7 mg/L	PEEN

### Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN

### **Aquatic Chronic Toxicity**

No data available.

### Persistence and degradability

Mixture No data available.

Mixture No data available.

#### Partition coefficient

### Mobility

### Soil Organic Carbon-Water Partition Coefficient

Not applicable

Not applicable

### Other adverse effects

No information available

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

#### US EPA Waste Number U154 U122 D002

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		
Methanol	-	Included in waste stream:	-	U154
67-56-1		F039		

**Special instructions for disposal** Work in an approved fume hood. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

### **14. TRANSPORT INFORMATION**

DOT UN/ID no Proper shipping name DOT Technical Name Transport hazard class(es) Packing Group Emergency Response Guide Number	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Sulfuric acid 8 II 154
TDG UN/ID no Proper shipping name TDG Technical Name Transport hazard class(es) Packing Group	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Sulfuric acid 8 II
IATA UN number or ID number Proper shipping name IATA Technical Name Transport hazard class(es) Packing group ERG Code Description	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. Sulfuric acid 8 II 8L UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, II
IMDG UN number or ID number Proper shipping name IMDG Technical Name Transport hazard class(es) Packing Group EmS-No Special Provisions Description	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Sulfuric acid 8 II F-A, S-B 274 UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid), 8, II
Note:	No special precautions necessary.

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

### **15. REGULATORY INFORMATION**

Co
Co

Complies

Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1
Methanol (CAS #: 67-56-1)	1.0

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	Х
Formaldehyde 50-00-0	100 lb	-	-	Х

### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

Methanol	5000 lb	-	RQ 5000 lb final RQ	
67-56-1			RQ 2270 kg final RQ	
U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues				

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde	Release - Toxic (solution)
(<0.1%) CAS#: 50-00-0	

### U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (<10%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methanol (CAS #: 67-56-1)	Developmental

WARNING: This product can expose you to chemicals including Formaldehyde, Methanol, Sulfuric acid, which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to <a href="http://www.P65Warnings.ca.gov">http://www.P65Warnings.ca.gov</a>

### IMERC: Not applicable

### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	Х
Formaldehyde 50-00-0	X	X	Х
Methanol 67-56-1	X	X	Х

### U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Methanol	180.0910	-

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### Special Comments

None

### Additional information

### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Formaldehyde 50-00-0	Prohibited Substance (FI) Prohibited Substance (LR) Declarable Substance (LR) Declarable Substance (FI)	0.1 %
Methanol 67-56-1	Declarable Substance (FI) Declarable Substance (LR) Prohibited Substance (FI) Prohibited Substance (LR)	0.6 %

### **NFPA and HMIS Classifications**

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X
				- 1

### Key or legend to abbreviations and acronyms used in the safety data sheet

ATSDR CCRIS	ACGIH (American Conference of Governmental Industrial Hygienists) ATSDR (Agency for Toxic Substances and Disease Registry) CCRIS (Chemical Carcinogenesis Research Information System)		
CDC	CDC (Center for Disease Control)		
CEPA	CEPA (Canadian Environmental Protection Agency)		
CICAD	CICAD (Concise International Chemical Assessment Documents)		
ECHA	ECHA (The European Chemicals Agency)		
EEA	EEA (European Environment Agency)		
EPA	EPA (Environmental Protection Agency)		
ERMA	ERMA (New Zealands Environmental Risk Management Authority)		
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™		
FDA	FDA (Food & Drug Administration)		
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident		
	Insurance)		
HSDB	HSDB (Hazardous Substances Data Bank)		
INERIS	INERIS (The National Industrial Environment and Risks Institute)		
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)		
IUCLID	IUCLID (The International Uniform Chemical Information Database)		
NITE	Japan National Institute of Technology and Evaluation (NITE)		
NIH	NIH (National Institutes of Health)		
NIOSH	NIOSH (National Institute for Occupational Safety and Health)		
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)		
NDF	no data		
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)		
NIOSH IDLH	Immediately Dangerous to Life or Health		
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)		
PEEN	PEEN (Pan European Ecological Network)		
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)		
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals		
SYKE	The Finnish Environment Institute (SYKE)		
USDA	USDA (United States Department of Agriculture)		
USDC	USDC (United States Department of Commerce)		

WHO	WHO WHO (World Health Organization)				
Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)		
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value		
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.		
SKN*	Skin designation	SKN+	Skin sensitization		
RSP+ C	Respiratory sensitization Carcinogen	** R	Hazard Designation Reproductive toxicant		
M	mutagen				
Prepared By	Hach Product Com	Hach Product Compliance Department			
Issue Date 01-Sep-2020					
<b>Revision Date</b>	17-Jan-2024	in-2024			
<b>Revision Note</b>	None				

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet