



Be Right™

SAFETY DATA SHEET

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 1 / 17

1. IDENTIFICATION

Product identifier

Product Name Ferrous Ethylenediammonium Sulfate, 0.00564N

Other means of identification

Product Code(s) 2292301

Safety data sheet number M00895

UN/ID no UN3082

Recommended use of the chemical and restrictions on use

Recommended Use Standard solution. Water Analysis.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Mutagenicity	Category 2
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 2 / 17



Hazard statements

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P271 - Use only outdoors or in a well-ventilated area

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P201 - Obtain special instructions before use

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P273 - Avoid release to the environment

P391 - Collect spillage

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

Aqueous solution of organic acids.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Cadmium	7440-43-9	<10%	-
Acetic acid	64-19-7	3 - 7%	-
Sulfuric acid, iron(2+) salt (2:1), compound with 1,2-ethanediamine (1:1)	63589-59-3	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Immediate medical attention is required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 4 / 17

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not breathe vapor or mist.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Do not breathe vapor or mist.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
---------------	-----------	----------	-------

Cadmium CAS#: 7440-43-9	TWA: 0.01 mg/m ³ TWA: 0.002 mg/m ³ respirable particulate matter	TWA: 5 µg/m ³ (vacated) STEL: 0.3 ppm Ceiling: 0.3 mg/m ³ Ceiling: 0.6 mg/m ³	IDLH: 9 mg/m ³ dust
Acetic acid CAS#: 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
Sulfuric acid, iron(2+) salt (2:1), compound with 1,2-ethanediamine (1:1) CAS#: 63589-59-3	TWA: 1 mg/m ³ Fe	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³ Fe

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe vapor or mist.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance aqueous solution
Odor Vinegar

Color colorless
Odor threshold No data available

Property Values Remarks • Method

Molecular weight Not applicable

pH 2.4 @ 20 °C

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 6 / 17

Melting point / freezing point ~ 95 °C / 203 °F
Initial boiling point and boiling range ~ 100 °C / 212 °F
Evaporation rate 0.93 (water = 1)
Vapor pressure 17.252 mm Hg / 2.3 kPa at 20 °C / 68 °F
Relative vapor density 0.68
Specific gravity - VALUE 1 1.0020
Partition coefficient No data available
Soil Organic Carbon-Water Partition Coefficient No data available
Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity ~ 1.2 cP (mPa s) at 20 °C / 68 °F
Kinematic viscosity ~ 1.198 cSt (mm²/s) at 20 °C / 68 °F

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Most Polar Organic Solvents	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate

No data available

Aluminum Corrosion Rate

No data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Cadmium	7440-43-9	Not applicable	-
Acetic acid	64-19-7	No data available	X
Sulfuric acid, iron(2+) salt (2:1), compound with 1,2-ethanediamine (1:1)	63589-59-3	No data available	-

Explosive properties

Upper explosion limit

Not applicable

Product Code(s) 2292301

Issue Date 03-Jun-2020

Version 2.5

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Revision Date 26-Jan-2024

Page 7 / 17

Lower explosion limit

Not applicable

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit:

No data available

Lower flammability limit:

No data available

Oxidizing properties

No data available.

Bulk density

Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials

Acids. Bases. Oxidizing agent.

Hazardous decomposition products

Sulfur oxides. Nitrogen oxides. Ammonia. Cadmium oxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. Toxic by inhalation.

Eye contact

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact

Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity

Toxic if inhaled

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Rat LD ₅₀	225 mg/kg	None reported	None reported	ERMA
Acetic acid (3 - 7%) CAS#: 64-19-7	Rat LD ₅₀	3310 mg/kg	None reported	None reported	Vendor SDS
Sulfuric acid, iron(2+) salt (2:1), compound with 1,2-ethanediamine (1:1) (<1%) CAS#: 63589-59-3	Rat LD ₅₀	> 5454.3160252 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Rat LC ₅₀	0.025 mg/L	None reported	None reported	LOLI

Unknown Acute Toxicity

7.67695% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	0.65 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 9 / 17

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Acetic acid (3 - 7%) CAS#: 64-19-7	Standard Draize Test	Rabbit	0.050 mg	None reported	Corrosive to skin	HSDB

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Rabbit TD _{Lo}	70 mg/kg	None reported	None reported	RTECS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Human LC _{Lo}	39 mg/m ³	20 minutes	Vascular Thrombosis distant from injection site Lungs, Thorax, or Respiration Respiratory depression	RTECS

STOT - repeated exposure

EN / AGHS	Page 9 / 17
-----------	-------------

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 10 / 17

Causes damage to organs through prolonged or repeated exposure.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Rat TD _{Lo}	37.5 mg/kg	30 days	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (other enzymes) Blood Other changes Kidney, Ureter, or Bladder Other changes in urine composition	RTECS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Man TD _{Lo}	0.000088 mg/L	8.6 years	Kidney, Ureter, or Bladder Proteinuria	RTECS

Carcinogenicity

Classification based on data available for ingredients. Contains a known or suspected carcinogen.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Cadmium	7440-43-9	A2	Group 1	Known	X
Acetic acid	64-19-7	-	-	-	-
Sulfuric acid, iron(2+) salt (2:1), compound with 1,2-ethanediamine (1:1)	63589-59-3	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Human	0.129 mg/L	20 years	Lungs, Thorax, or Respiration Tumors	RTECS

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 11 / 17

Germ cell mutagenicity

Classification based on data available for ingredients. Contains a known or suspected mutagen. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	DNA damage	Human lymphocyte	0.25 mmol/L	1 hours	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	Rat TD _{Lo}	23 mg/kg	22 days	Specific Developmental Abnormalities Blood and lymphatic systems (including spleen and marrow)	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance**Aquatic Acute Toxicity**

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	96 hours	<i>Morone saxatilis</i>	LC ₅₀	0.019 mg/L	PEEN
Acetic acid (3 - 7%) CAS#: 64-19-7	96 hours	<i>Pimephales promelas</i>	LC ₅₀	79 mg/L	GESTIS

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	48 Hours	None reported	EC ₅₀	0.58 mg/L	PEEN
Acetic acid (3 - 7%) CAS#: 64-19-7	48 Hours	None reported	LC ₅₀	90.1 mg/L	GESTIS

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	72 Hours	None reported	EC ₅₀	0.132 mg/L	PEEN

Aquatic Chronic Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	7 days	<i>Epinephelus coioides</i>	NOEC	0.03333 mg/L	ECHA

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium (<10%) CAS#: 7440-43-9	21 days	<i>Ctenodrilus serratus</i>	NOEC	0.001 mg/L	ECHA

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Cadmium	3 days	<i>Chaetoceros compressum</i>	EC ₁₀	0.00183 mg/L	ECHA

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 13 / 17

(<10%) CAS#: 7440-43-9					
-------------------------------	--	--	--	--	--

Persistence and degradability

Mixture

No data available.

Bioaccumulation

There is no data for this product

Mixture

No data available.

Partition coefficient

No data available

Mobility

Soil Organic Carbon-Water Partition Coefficient

No data available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

D006

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Cadmium 7440-43-9	-	Included in waste streams: F006, F039, K061, K069, K100	1.0 mg/L regulatory level	-

Special instructions for disposal

If permitted by regulation. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3082
 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.
 DOT Technical Name Cadmium
 Transport hazard class(es) 9
 Packing Group III
 Reportable Quantity (RQ) Cadmium: RQ kg= 59.14
 Emergency Response Guide Number 171

TDG

UN/ID no UN3082
 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.
 TDG Technical Name Cadmium

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 14 / 17

Transport hazard class(es) 9
Packing Group III

IATA

UN number or ID number UN3082
Proper shipping name Environmentally hazardous substance, liquid, n.o.s.
IATA Technical Name Cadmium
Transport hazard class(es) 9
Packing group III
ERG Code 9L
Special Provisions A97, A158

IMDG

UN number or ID number UN3082
Proper shipping name Environmentally hazardous substance, liquid, n.o.s.
IMDG Technical Name Cadmium
Transport hazard class(es) 9
Packing Group III
EmS-No F-A, S-F
Special Provisions 274, 335

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
TCSI Complies
AICS Does not comply
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate, 0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 15 / 17

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Cadmium (CAS #: 7440-43-9)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Cadmium 7440-43-9	-	X	X	-
Acetic acid 64-19-7	5000 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Cadmium 7440-43-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
Acetic acid 64-19-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Cadmium (CAS #: 7440-43-9)	Carcinogen Developmental Male Reproductive



WARNING: This product can expose you to chemicals including Cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Cadmium 7440-43-9	X	X	X

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 16 / 17

Acetic acid 64-19-7	X	X	X
Sulfuric acid, iron(2+) salt (2:1), compound with 1,2-ethanediamine (1:1) 63589-59-3	-	-	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Acetic acid	180.0551	21 CFR 184.1005

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Cadmium 7440-43-9	Declarable Substance (LR) Prohibited Substance (LR)	0.002 % 0.01 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)

Product Code(s) 2292301

Product Name Ferrous Ethylenediammonium Sulfate,
0.00564N

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Version 2.5

Page 17 / 17

NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 03-Jun-2020

Revision Date 26-Jan-2024

Revision Note SDS sections updated
2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet