

SAFETY DATA SHEET

Issue Date 04-May-2021 **Revision Date** 26-Jan-2024 **Version** 4.1 **Page** 1 / 14

1. IDENTIFICATION

Product identifier

Product Name Potassium Hydroxide Solution 8 N

Other means of identification

Product Code(s) 28232H

Safety data sheet number M00216

UN/ID no UN1814

Recommended use of the chemical and restrictions on use

Recommended Use Calcium determination. Hardness determination. Buffer. Water Analysis.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

EN / AGHS Page 1/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 2/14



Hazard statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

Precautionary statements

P270 - Do not eat, drink or smoke when using this product

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Potassium hydroxide	1310-58-3	40 - 50%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

EN / AGHS Page 2/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 3/14

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

chemical

can lead to release of irritating gases and vapors.

Hazardous combustion products This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

EN / AGHS Page 3/14

Product Name Potassium Hydroxide Solution 8 N

Revision Date 26-Jan-2024

Page 4/14

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Potassium hydroxide CAS#: 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

EN / AGHS Page 4/14

Product Name Potassium Hydroxide Solution 8 N

Revision Date 26-Jan-2024

Page 5/14

exceeded or irritation is experienced, ventilation and evacuation may be required. Wear

breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The

selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or

nitrile rubber category III according to EN 374-1:2016.

Eye/face protection Face protection shield.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Odor

Liquid

Appearance aqueous solution

Irritating

Color colorless

Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

pH 14 @ 20 °C

Melting point / freezing point \sim -45 °C / -49 °F

Initial boiling point and boiling range ~ 112 °C / 233.6 °F

Evaporation rate 0.18 (water = 1)

Vapor pressure 450.495 mm Hg / 60.06 kPa at 100 °C /

212 °F

Relative vapor density 0.62

Specific gravity - VALUE 1 1.3

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Dynamic viscosity 12.51 cP (mPa s) at $0 \, ^{\circ}\text{C}$ / $32 \, ^{\circ}\text{F}$ **Kinematic viscosity** 9.623 cSt (mm²/s) at $0 \, ^{\circ}\text{C}$ / $32 \, ^{\circ}\text{F}$

Solubility(ies)

EN / AGHS Page 5/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 6/14

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature_
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature_
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate
Aluminum Corrosion Rate

No data available 541 mm/yr / 21.3 in/yr

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Potassium hydroxide	1310-58-3	No data available	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Corrosive on contact with water. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

EN / AGHS Page 6/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 7 / 14

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium hydroxide (40 - 50%) CAS#: 1310-58-3	Rat LD₅o	333 mg/kg	None reported	None reported	Vendor SDS

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	821.00 mg/kg
-	

EN / AGHS Page 7/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 8 / 14

ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (40 - 50%) CAS#: 1310-58-3	Standard Draize Test	Human	50 mg	24 hours	Corrosive to skin	RTECS

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (40 - 50%) CAS#: 1310-58-3	Existing human experience	Human	None reported	None reported	Corrosive to eyes	ERMA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
otassium hydroxide (40 - 50%) CAS#: 1310-58-3	Intracuteaneus Test	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

EN / AGHS Page 8/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Potassium hydroxide	1310-58-3	-	-	=	-

Page 9/14

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (40 - 50%) CAS#: 1310-58-3	Cytogenetic analysis	Rat ascites tumor	1800 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

EN / AGHS Page 9/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 10 / 14

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Potassium hydroxide (40 - 50%) CAS#: 1310-58-3	96 hours	Gambusia affinis	LC50	80 mg/L	ERMA

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002

Special instructions for disposal Dilute material with excess water making a weaker than 5% solution. Adjust to a pH

between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Flush system with plenty of water. Check with local municipal and state authorities and waste contractors for

pertinent local information regarding the proper disposal of chemicals.

EN / AGHS Page 10/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 11/14

14. TRANSPORT INFORMATION

DOT

UN/ID no UN1814

Proper shipping name Potassium Hydroxide, Solution

Transport hazard class(es) 8
Packing Group | |

Reportable Quantity (RQ) Potassium hydroxide: RQ kg= 1119.61

Emergency Response Guide 154

Number

TDG

UN/ID no UN1814

Proper shipping name Potassium hydroxide solution

Transport hazard class(es) 8
Packing Group | |

IATA

UN number or ID number UN1814

Proper shipping name Potassium hydroxide solution

Transport hazard class(es) 8
Packing group II
ERG Code 8L
Special Provisions A3, A803

IMDG

UN number or ID number UN1814

Proper shipping name Potassium hydroxide solution

Transport hazard class(es) 8
Packing Group II
EmS-No F-A, S-B

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

Complies **EINECS/ELINCS ENCS** Complies Complies **IECSC** Complies **KECL** Complies **PICCS** Complies TCSI **AICS** Complies Complies **NZIoC**

EN / AGHS Page 11/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 12 / 14

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb	-	-	X
1310-58-3				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide	X	X	X
1310-58-3			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Potassium hydroxide	180.0910	21 CFR 184.1631

EN / AGHS Page 12/14

Product Name Potassium Hydroxide Solution 8 N

Revision Date 26-Jan-2024

Page 13 / 14

16. OTHER INFORMATION. INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
		-	-	X
				-1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed

EN / AGHS Page 13/14

Product Name Potassium Hydroxide Solution 8 N **Revision Date** 26-Jan-2024

Page 14 / 14

in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 04-May-2021

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet

EN / AGHS Page 14/14



SAFETY DATA SHEET

Issue Date 16-Jun-2021 Revision Date 08-Feb-2023 Version 4.5 Page 1 / 14

1. IDENTIFICATION

Product identifier

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Other means of identification

Product Code(s) 42632

Safety data sheet number M00582

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Hardness determination.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

None

Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

EN / AGHS Page 1/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Revision Date 08-Feb-2023

Page 2/14

Substance Not applicable

Mixture

Chemical Family Mixture.

Chemical nature aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
1,2-Propanediol	57-55-6	20 - 30%	ı
Hydrochloric acid	7647-01-0	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice No hazards which require special first aid measures. Use first aid treatment according to the

nature of the injury.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

EN / AGHS Page 2/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Revision Date 08-Feb-2023

Page 3 / 14

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrochloric acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
CAS#: 7647-01-0		(vacated) Ceiling: 7 mg/m ³	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m ³
		Ceiling: 7 mg/m ³	

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

EN / AGHS Page 3/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Revision Date 08-Feb-2023

Page 4/14

Hand Protection Wear suitable gloves.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionNo special protective equipment required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Odor

Liquid

Appearance aqueous solution

None

Color colorless

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

pH 5.0 @ 20 ℃

Melting point / freezing point \sim -24 °C / -11.2 °F Initial boiling point and boiling range \sim 100 °C / 212 °F

Evaporation rate 0.63 (water = 1)

Vapor pressure 21.902 mm Hg / 2.92 kPa at 25 °C / 77 °F

Relative vapor density 0.62

Specific Gravity 1.026

Partition coefficient Not applicable

Soil Organic Carbon Water Partition Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature No data available

Decomposition temperatureNo information available

Dynamic viscosity

No data available

Kinematic viscosity No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature_	
Soluble	> 1000 mg/L	25 °C / 77 °F	

Solubility in other solvents

EN / AGHS Page 4/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Revision Date 08-Feb-2023

Page 5/14

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,2-Propanediol	57-55-6	No data available	Χ
Hydrochloric acid	7647-01-0	Not applicable	-

Explosive properties

Upper explosion limitNo information availableLower explosion limitNo information available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No data available
No data available

Oxidizing properties
No data available.

Bulk density Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

EN / AGHS Page 5/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA **Revision Date** 08-Feb-2023

Page 6/14

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied.

Skin contact No known effect based on information supplied.

Ingestion No known effect based on information supplied.

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,2-Propanediol (20 - 30%)	Rat	20000 mg/kg	None reported	None reported	RTECS
(20 - 30%) CAS#: 57-55-6	LD ₅₀				

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,2-Propanediol (20 - 30%)	Rabbit LD ₅₀	20800 mg/kg	None reported	None reported	IUCLID
CAS#: 57-55-6					

Inhalation (Dust/Mist) Exposure Route

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

EN / AGHS Page 6/14

Product Name Titrant Solution Hardness 3 0.015 M EDTARevision Date 08-Feb-2023Page 7 / 14

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Hydrochloric acid (<0.1%) CAS#: 7647-01-0	Existing human experience	Human	None reported	None reported	Corrosive to skin	RTECS

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Hydrochloric acid (<0.1%) CAS#: 7647-01-0	Existing human experience	Human	None reported	None reported	Corrosive to eyes	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Hydrochloric acid	Man	2.857 mg/kg	None reported	Vascular	RTECS
(<0.1%)	LDLo			BP lowering not characterized in	
CAS#: 7647-01-0				autonomic section	
				Lungs, Thorax, or	
				Respiration	
				Respiratory depression	

EN / AGHS Page 7/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA **Revision Date** 08-Feb-2023

Page 8 / 14

	Gastrointestinal Other changes	

Inhalation (Vapor) Exposure Route

	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ī	Hydrochloric acid	Human	0.05 mg/L	None reported	Lungs, Thorax, or	RTECS
-	(<0.1%)	TCLo			Respiration	
	CAS#: 7647-01-0				Cough	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,2-Propanediol	Rat	2.180 mg/L	90 days	Behavioral	RTECS
(20 - 30%)	TCLo			Food intake	
CAS#: 57-55-6				Biochemical	
				Enzyme inhibition, induction, or	
				change in blood or tissue levels	
				(dehydrogenases)	
				Endocrine	
				Changes in spleen weight	
Hydrochloric acid	Rat	0.000685	84 days	Behavioral	RTECS
(<0.1%)	TCLo	mg/L		Muscle contraction or spasticity	
CAS#: 7647-01-0				Biochemical	
				Enzyme inhibition, induction, or	
				change in blood or tissue levels	
				(true cholinesterase)	
				Kidney, Ureter, or Bladder	
				Other changes in urine	
				composition	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
1,2-Propanediol	57-55-6	-	-	-	-
Hydrochloric acid	7647-01-0	-	Group 3	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

EN / AGHS Page 8/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA **Revision Date** 08-Feb-2023 **Page** 9 / 14

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,2-Propanediol (20 - 30%) CAS#: 57-55-6	Cytogenetic analysis	Hamster fibroblast	32000 mg/L	None reported	Positive test result for mutagenicity	RTECS
Hydrochloric acid (<0.1%) CAS#: 7647-01-0	Cytogenetic analysis	Hamster lung	30 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydrochloric acid (<0.1%) CAS#: 7647-01-0	Rat TC∟₀	0.450 mg/L	1 hours	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus) Specific Developmental Abnormalities Homeostasis	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

EN / AGHS Page 9/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA **Revision Date** 08-Feb-2023

Page 10 / 14

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,2-Propanediol (20 - 30%) CAS#: 57-55-6	96 hours	Pimephales promelas	LC50	51400 mg/L	IUCLID

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,2-Propanediol (20 - 30%) CAS#: 57-55-6	48 Hours	Daphnia magna	LC50	34400 mg/L	IUCLID

Algae

Chemical	name	Exposure	Species	Endpoint	Reported dose	Key literature references and
		time		type		sources for data
1,2-Propa (20 - 30 CAS#: 57	0%)	96 hours	Selenastrum capricornutum	EC50	19000 mg/L	IUCLID

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

EN / AGHS Page 10/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA Revision Date 08-Feb-2023

Page 11 / 14

US EPA Waste Number Not applicable

Special instructions for disposal

Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Complies **IECSC** Complies **KECL - Existing substances** Complies **PICCS** Complies **TCSI** Complies Complies **AICS** Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Hydrochloric acid (CAS #: 7647-01-0)	1.0

SARA 311/312 Hazard Categories

EN / AGHS Page 11/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Revision Date 08-Feb-2023

Page 12 / 14

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid 7647-01-0	5000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Hydrochloric acid (<0.1%) CAS#: 7647-01-0	Release - Toxic (concentration >=37%); Release - Toxic (anhydrous); Theft - Weapons of Mass Effect (anhydrous)

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor	U.S DEA (Drug Enforcement Administration) - List II or Essential
	Chemicals	Chemicals
Hydrochloric acid (<0.1%) CAS#: 7647-01-0	Not Listed	0.0 kg Domestic Sales Weight (listed under anhydrous Hydrogen chloride); 50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b)); 27 kg Export Weight (exports, transshipments and
		international transactions to designated countries given in 1310.08(b), listed under anhydrous Hydrogen chloride)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,2-Propanediol	X	-	X
57-55-6			

EN / AGHS Page 12/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA

Revision Date 08-Feb-2023

Page 13 / 14

Hydrochloric acid	X	X	X
7647-01-0			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,2-Propanediol	180.0910	21 CFR 184.1666
·	180.0930	
Hydrochloric acid	180.0910	21 CFR 182.1057

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 0	Flammability - 0	Physical hazards - 0	Personal protection -
				X
				- I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists) ATSDR (Agency for Toxic Substances and Disease Registry) **ATSDR** CCRIS (Chemical Carcinogenesis Research Information System) CCRIS

CDC CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency) **CEPA**

CICAD (Concise International Chemical Assessment Documents) CICAD

ECHA (The European Chemicals Agency) **ECHA** EEA EEA (European Environment Agency) EPA (Environmental Protection Agency) **EPA**

ERMA (New Zealands Environmental Risk Management Authority) **ERMA**

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA (Food & Drug Administration) **FDA**

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank) **HSDB**

INERIS (The National Industrial Environment and Risks Institute) **INERIS IPCS INCHEM** IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) **IUCLID** Japan National Institute of Technology and Evaluation (NITE) NITE

NIH (National Institutes of Health) NIH

NIOSH (National Institute for Occupational Safety and Health) NIOSH LOLI (List of Lists - An International Chemical Regulatory Database) LOLI

NDF

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) **NICNAS**

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor) **OSHA**

PEEN (Pan European Ecological Network) **PEEN**

RTECS (Registry of Toxic Effects of Chemical Substances) **RTECS**

EN / AGHS Page 13/14

Product Name Titrant Solution Hardness 3 0.015 M EDTA Revision Date 08-Feb-2023

Page 14 / 14

SIDS SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

<u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 16-Jun-2021

Revision Date 08-Feb-2023

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet

EN / AGHS Page 14/14



SAFETY DATA SHEET

Issue Date 17-10-2019 **Revision Date** 26-Jan-2024 **Version** 4.9 **Page** 1 / 17

1. IDENTIFICATION

Product identifier

Product Name ManVer® Hardness Indicator

Other means of identification

Product Code(s) 42532

Safety data sheet number M00635

UN/ID no UN2924

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis. Laboratory reagent. Indicator for hardness.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

EN / AGHS Page 1/17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 2 / 17



Hazard statements

H226 - Flammable liquid and vapor

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P201 - Obtain special instructions before use

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Other Hazards Known

May be harmful if swallowed

Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

EN / AGHS Page 2/17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 3 / 17

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
1,2-Propanediol	57-55-6	90 - 100%	-
Hydroxylamine, hydrochloride	5470-11-1	1 - 5%	-
Isopropyl alcohol	67-63-0	1 - 5%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause

EN / AGHS Page 3/17

Product Name ManVer® Hardness Indicator

Revision Date 26-Jan-2024

Page 4 / 17

sensitization by skin contact.

Hazardous combustion products Carbon monoxide, Carbon dioxide. Chlorides. Hydrogen chloride.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention!

Corrosive material.

Other Information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains. Should not be released into the

environment. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up

mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to

EN / AGHS Page 4/17

Product Name ManVer® Hardness Indicator

Revision Date 26-Jan-2024

Page 5 / 17

package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Protect from moisture. Store locked up. Keep out

of the reach of children. Store away from other materials. Store in accordance with

particular national and local regulations.

Flammability class Class IC

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
CAS#: 67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	-

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection

Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection Face protection shield.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow

EN / AGHS Page 5/17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 6 / 17

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Odor

Property

aqueous solution

Color dark red
Odor threshold No data available

Fruity

Remarks • Method

Molecular weight

No data available

Values

рΗ

1.09

@ 20 °C

Melting point / freezing point

No data available

Initial boiling point and boiling range

118 °C / 244.4 °F

Evaporation rate

0.05 (water = 1)

Vapor pressure

1.35 mm Hg $\,/\,$ 0.18 kPa at 20 °C $\,/\,$ 68 °F

Relative vapor density

2.08

1.01

Specific gravity - VALUE 1

Partition coefficient

Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature

No data available

Decomposition temperature

No data available

Dynamic viscosity

No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature_
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature_
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate7.32 mm/yr/ 0.29 in/yrAluminum Corrosion Rate0.03 mm/yr/ 0 in/yr

Volatile Organic Compounds (VOC) Content

EN / AGHS Page 6/17

Product Name ManVer® Hardness Indicator Revision Date 26-Jan-2024

Page 7 / 17

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,2-Propanediol	57-55-6	No data available	Χ
Hydroxylamine, hydrochloride	5470-11-1	No data available	-
Isopropyl alcohol	67-63-0	100%	Χ

Explosive properties

No data available **Upper explosion limit** Lower explosion limit No data available

Flammable properties

26 °C / 78.8 °F Flash point Method CC (closed cup)

Flammability Limit in Air

No data available **Upper flammability limit:** No data available Lower flammability limit:

No data available. **Oxidizing properties**

Bulk density No data available

10. STABILITY AND REACTIVITY

Reactivity

Corrosive on contact with water. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

EN / AGHS Page 7/17

Product Name ManVer® Hardness Indicator Revision Date 26-Jan-2024

Page 8 / 17

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Corrosive. Causes severe burns. Avoid contact

with skin and clothing.

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May Ingestion

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,2-Propanediol (90 - 100%) CAS#: 57-55-6	Rat LD50	20000 mg/kg	None reported	None reported	RTECS
Hydroxylamine, hydrochloride (1 - 5%) CAS#: 5470-11-1	Rat LD ₅₀	141 mg/kg	None reported	None reported	Vendor SDS
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LD50	4710 mg/kg	None reported	Behavioral General anesthetic	OECD 429: Skin Sensitization: Local Lymph Node Assay
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,2-Propanediol (90 - 100%) CAS#: 57-55-6	Rabbit LD50	20800 mg/kg	None reported	None reported	IUCLID
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rabbit LD50	4059 mg/kg	None reported	None reported	LOLI
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LC50	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS

EN / AGHS Page 8 / 17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 9 / 17

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,168.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS

Respiratory or skin sensitization

May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay

STOT - single exposure

Based on available data, the classification criteria are not met.

EN / AGHS Page 9/17

Product Name ManVer® Hardness Indicator Revision Date 26-Jan-2024

Page 10 / 17

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Isopropyl alcohol	Human	223 mg/kg	None reported	Behavioral	RTECS
(1 - 5%)	TDLo			Hallucinations, Distorted	
CAS#: 67-63-0				perceptions	
				Cardiac	
				Pulse rate decrease with fall in	
				BP	
				Vascular	
				BP lowering not characterized in	
				autonomic section	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Isopropyl alcohol	Human	35 mg/L	4 hours	Cardiac	RTECS
(1 - 5%)	TCLo			Pulse rate decrease with fall in	
CAS#: 67-63-0				BP	
				Lungs, Thorax, or	
				Respiration	
				Other changes	

STOT - repeated exposure

May cause damage to organs.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydroxylamine,	Rat	2478 mg/kg	6 days	Behavioral	NIOSH
hydrochloride	LDLo		, .	Food intake	
(1 - 5%)				Blood	
CAS#: 5470-11-1				Changes in blood leukocyte	
				count	
				Nutritional and Gross	
				Metabolic	
				Weight loss or decreased weight	
				gain	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
1,2-Propanediol	Rat	2.180 mg/L	90 days	Behavioral	RTECS
(90 - 100%)	TCLo			Food intake	
CAS#: 57-55-6				Biochemical	
				Enzyme inhibition, induction, or	
				change in blood or tissue levels	
				(dehydrogenases)	
				Endocrine	
				Changes in spleen weight	

CarcinogenicityClassification based on data available for ingredients. Contains a known or suspected carcinogen.

Mixture

No data available.

Page 10/17 EN / AGHS

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 11 / 17

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
1,2-Propanediol	57-55-6	-	-	-	-
Hydroxylamine, hydrochloride	5470-11-1	-	-	-	-
Isopropyl alcohol	67-63-0	-	Group 3	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,2-Propanediol (90 - 100%) CAS#: 57-55-6	Cytogenetic analysis	Hamster fibroblast	32000 mg/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo **Data** No data available.

Substance invivo Data

No data available.

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Isopropyl alcohol	Rat	32.4 mg/kg	None reported	Effects on Embryo or Fetus	RTECS
(1 - 5%)	TD_Lo			Fetal death	
CAS#: 67-63-0					
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data

EN / AGHS Page 11/17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 12 / 17

Isopropyl alcohol	Rat	7000 mg/L	19 days	Specific Developmental	RTECS
(1 - 5%)	TCLo			Abnormalities	
CAS#: 67-63-0				Musculoskeletal system	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity
No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,2-Propanediol (90 - 100%) CAS#: 57-55-6	96 hours	Pimephales promelas	LC50	51400 mg/L	IUCLID
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	96 hours	Pimephales promelas	LC50	4200 mg/L	IUCLID
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,2-Propanediol (90 - 100%) CAS#: 57-55-6	48 Hours	Daphnia magna	LC50	34400 mg/L	IUCLID
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	48 Hours	None reported	LC50	1400 mg/L	IUCLID
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,2-Propanediol (90 - 100%) CAS#: 57-55-6	96 hours	Selenastrum capricornutum	EC50	19000 mg/L	IUCLID
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	72 Hours	Scenedesmus subspicatus	EC50	> 1000 mg/L	IUCLID

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

EN / AGHS Page 12/17

Product Name ManVer® Hardness Indicator Product Code(s) 42532

Issue Date 17-10-2019 Revision Date 26-Jan-2024

Version 4.9 Page 13 / 17

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

products regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

US EPA Waste Number D001, D002

Special instructions for disposal Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an

alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly

pour the reacted material to the drain.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN2924

Flammable liquids, corrosive, n.o.s. Proper shipping name

Hydroxylamine, hydrochloride, Isopropyl alcohol **DOT Technical Name**

Transport hazard class(es) **Subsidiary class** 8 Ш **Packing Group Emergency Response Guide** 132

Number

TDG UN/ID no

UN2924

Flammable liquid, corrosive, n.o.s. Proper shipping name

TDG Technical Name Hydroxylamine, hydrochloride, Isopropyl alcohol

Transport hazard class(es) **Subsidiary class** 8 Ш **Packing Group**

IATA

UN2924 **UN** number or ID number

Proper shipping name Flammable liquid, corrosive, n.o.s.

IATA Technical Name Hydroxylamine, hydrochloride, Isopropyl alcohol

Transport hazard class(es) Subsidiary hazard class 8 **Packing group** Ш **ERG Code** 3C **Special Provisions** A3, A803

IMDG

UN number or ID number UN2924

Proper shipping name Flammable liquid, corrosive, n.o.s.

Page 13/17 EN / AGHS

Product Name ManVer® Hardness Indicator Revision Date 26-Jan-2024

Page 14 / 17

Hydroxylamine, hydrochloride, Isopropyl alcohol **IMDG Technical Name**

Transport hazard class(es) Subsidiary hazard class 8 **Packing Group** Ш **EmS-No** F-E, S-C **Special Provisions** 223, 274

No special precautions necessary. Note:

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies **DSL/NDSL** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Complies **IECSC** Complies Complies **KECL PICCS** Complies TCSI Complies **AICS** Complies Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

Page 14/17 EN / AGHS

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 15 / 17

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,2-Propanediol 57-55-6	X	-	X
Isopropyl alcohol 67-63-0	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,2-Propanediol	180.0910	21 CFR 184.1666
	180.0930	
Isopropyl alcohol	180.0950	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 3	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 3	Flammability - 3	Physical hazards - 0	Personal protection -
	- *	-	-	X
				- [

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
FCHA	FCHA (The European Chemicals Agency)

EN / AGHS Page 15/17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 16 / 17

EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERISINERIS (The National Industrial Environment and Risks Institute)IPCS INCHEMIPCS INCHEM (International Programme on Chemical Safety)IUCLIDIUCLID (The International Uniform Chemical Information Database)NITEJapan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 17-10-2019

Revision Date 26-Jan-2024

Revision Note SDS sections updated

2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE

EN / AGHS Page 16/17

Product Name ManVer® Hardness Indicator **Revision Date** 26-Jan-2024

Page 17 / 17

OBTAINED FROM THE USE THEREOF.

HACH COMPANY@2023

End of Safety Data Sheet

EN / AGHS Page 17/17



SAFETY DATA SHEET

Issue Date04-May-2021Revision DateVersion2.5Page1 / 11

10-Aug-2021

1. IDENTIFICATION

Product identifier

Product Name CalVer® 2 Calcium Indicator

Other means of identification

Product Code(s) 28101H

Safety data sheet number M00005

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Calcium determination.

Uses advised against Consumer use.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

None

Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Other Hazards Known

May be harmful if swallowed

EN / AGHS Page 1/11

Product Name CalVer® 2 Calcium Indicator

Revision Date 10-Aug-2021

Page 2/11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature Mixture of inorganic salts.

4. FIRST AID MEASURES

Description of first aid measures

General advice No hazards which require special first aid measures. Use first aid treatment according to

the nature of the injury.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products No information available.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Outside of the US, only persons properly qualified according to state or local regulations

EN / AGHS Page 2/11

Product Name CalVer® 2 Calcium Indicator

Revision Date 10-Aug-2021

Page 3 / 11

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations

Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous

substance at the specific workplace.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. Ensure

adequate ventilation.

Hand Protection Wear suitable gloves. Barrier creams may help to protect the exposed areas of skin.

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical

resistant gloves made of butyl rubber or nitrile rubber category III according to EN

374-1:2016.

EN / AGHS Page 3/11

Product Name CalVer® 2 Calcium Indicator

Revision Date 10-Aug-2021

Page 4/11

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionNo special protective equipment required. Avoid contact with eyes, skin and clothing.

Wash contaminated clothing before reuse.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

Solid

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

AppearancepowderColorLight pink to lavenderOdorAmineOdor thresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight Not applicable

pH 7.9 5% Solution

Melting point/freezing point 274 °C / 525.2 °F

Boiling point / boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density

No data available

Specific gravity (water = 1 / air = 1) 2.13

Partition Coefficient (n-octanol/water) No data available

Soil Organic Carbon-Water Partition

Autoignition temperature

Coefficient

No data available

No data available

Decomposition temperature 273.9 °C / 525 °F

Dynamic viscosity Not applicable

Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

EN / AGHS Page 4/11

Product Name CalVer® 2 Calcium Indicator

Revision Date 10-Aug-2021

Page 5/11

Chemical Name Solubility classifica		<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion RateNot applicableAluminum Corrosion RateNot applicable

Volatile Organic Compounds (VOC) Content

Not applicable

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

None known based on information supplied.

EN / AGHS Page 5/11

Product Name CalVer® 2 Calcium Indicator **Revision Date** 10-Aug-2021

Page 6 / 11

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied.

Skin contact No known effect based on information supplied.

Ingestion No known effect based on information supplied.

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Product Acute Toxicity Data

No data available.

Ingredient Acute Toxicity Data

No data available.

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,023.00 mg/kg	
ATEmix (dermal)	No information available	
ATEmix (inhalation-dust/mist)	No information available	
ATEmix (inhalation-vapor)	No information available	
ATEmix (inhalation-gas)	No information available	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

EN / AGHS Page 6/11

Product Name CalVer® 2 Calcium Indicator **Revision Date** 10-Aug-2021

Page 7 / 11

Product Sensitization Data

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

No data available.

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Product Germ Cell Mutagenicity invivo Data

No data available.

Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

EN / AGHS Page 7/11

Product Name CalVer® 2 Calcium Indicator **Revision Date** 10-Aug-2021

Page 8 / 11

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Product Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Ingredient Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Product Biodegradability Data

No data available.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

No data available

Mobility

Soil Organic Carbon-Water Partition Coefficient No data available

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

EN / AGHS Page 8/11

Product Name CalVer® 2 Calcium Indicator Revision Date 10-Aug-2021

Page 9/11

US EPA Waste Number Not applicable

Special instructions for disposal Dilute to 3 to 5 times the volume with cold water. If permitted by regulation. Open cold water

tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies Complies **ENCS** Complies **IECSC KECL - Existing substances** Complies **PICCS** Complies **TCSI** Complies **AICS** Complies Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No Chronic Health Hazard No

EN / AGHS Page 9/11

Product Code(s) 28101H Issue Date 04-May-2021

Revision Date 10-Aug-2021 Version 2.5 Page 10 / 11

Fire hazard No Sudden release of pressure hazard No **Reactive Hazard** No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Product Name CalVer® 2 Calcium Indicator

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

	NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical properties -
	HMIS	Health hazards - 1	Flammability - 0	Physical hazards - 0	Personal protection -
-			-		X
-					- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

STEL **TWA** TWA (time-weighted average) STEL (Short Term Exposure Limit)

Maximum Allowable Concentration MAC Ceiling Ceiling Limit Value

Χ Listed Vacated These values have no official status. The only

> binding levels of contaminants are those listed in the final OSHA PEL. These lists are

EN / AGHS Page 10/11

Product Name CalVer® 2 Calcium Indicator

Revision Date 10-Aug-2021

Page 11 / 11

SKN+

R

for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

Skin sensitization

Hazard Designation

Reproductive toxicant

SKN* Skin designation
RSP+ Respiratory sensitization
C Carcinogen

mutagen

Issue Date 04-May-2021

Revision Date 10-Aug-2021

Revision Note None

Disclaimer

Μ

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

End of Safety Data Sheet

EN / AGHS Page 11/11