

# SAFETY DATA SHEET

**Issue Date** 11-Nov-2019 **Revision Date** 26-Jan-2024 **Version** 1.5 **Page** 1 / 15

# 1. IDENTIFICATION

**Product identifier** 

Product Name Chromium TNT Reagent Vial

Other means of identification

Product Code(s) TNT854R

Safety data sheet number M02443

UN/ID no UN3316

Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory reagent. Determination of chromium.

Uses advised against Consumer use.

**Restrictions on use** For Laboratory Use Only.

Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

# 2. HAZARDS IDENTIFICATION

### Classification

### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

### Signal word

Danger

EN / AGHS Page 1/15

Product Name Chromium TNT Reagent Vial

Revision Date 26-Jan-2024

**Page** 2 / 15



#### **Hazard statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

### **Precautionary statements**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

### Other Hazards Known

None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable

### **Mixture**

**Chemical Family** 

Mixture.

**Chemical nature** 

Aqueous solution of inorganic acids and salts.

### Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Phosphoric acid	7664-38-2	20 - 30%	1
Molybdate (Mo7O246-), hexaammonium	12027-67-7	<0.1%	-
Silver	7440-22-4	<0.01%	-

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

EN / AGHS Page 2/15

Product Name Chromium TNT Reagent Vial

Revision Date 26-Jan-2024

**Page** 3 / 15

should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

**Hazardous combustion products** This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak.

EN / AGHS Page 3/15

Product Name Chromium TNT Reagent Vial

Revision Date 26-Jan-2024

**Page** 4 / 15

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Not applicable

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Phosphoric acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
CAS#: 7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m³
		(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
Molybdate (Mo7O246-),	TWA: 0.5 mg/m <sup>3</sup> Mo	TWA: 5 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> Mo
hexaammonium	respirable particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup>	
CAS#: 12027-67-7			
Silver	TWA: 0.1 mg/m <sup>3</sup> dust and	TWA: 0.01 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> dust
CAS#: 7440-22-4	fume	(vacated) TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> dust
			TWA: 0.9 μg/m³
			nanoparticles <100 nm

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations

EN / AGHS Page 4/15

Product Name Chromium TNT Reagent Vial

Revision Date 26-Jan-2024

**Page** 5 / 15

Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** 

Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**General Hygiene Considerations** 

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Environmental exposure controls** 

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

None under normal processing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Thermal hazards

aqueous solution

Color colorless

Odor Acidic

Odor threshold No data available

Property Values Remarks • Method

Molecular weight

No data available

pH

< 1 @ 20 °C

Melting point / freezing point

~ -19 °C / -2.2 °F

Initial boiling point and boiling range

~ 106 °C / 222.8 °F

**Evaporation rate** 

1.08 (water = 1)

Vapor pressure

22.577 mm Hg / 3.01 kPa at 25 °C / 77 °F

Relative vapor density

0.03

Specific gravity - VALUE 1

1.3

Partition coefficient

Not applicable

Soil Organic Carbon-Water Partition

Not applicable

Coefficient
Autoignition temperature

No data available

EN / AGHS Page 5/15

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024

Page 6 / 15

Decomposition temperature Dynamic viscosity

No data available No data available

Kinematic viscosity

No data available

### Solubility(ies)

### Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
Completely soluble	> 10000 mg/L	25 °C / 77 °F

### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature_
None reported	No information available	No data available	No information available

### **Other information**

### **Metal Corrosivity**

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate
Aluminum Corrosion Rate

No data available No data available

### **Volatile Organic Compounds (VOC) Content**

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Phosphoric acid	7664-38-2	Not applicable	-
Molybdate (Mo7O246-),	12027-67-7	No data available	-
hexaammonium			
Silver	7440-22-4	No data available	-

### **Explosive properties**

Upper explosion limitNo data availableLower explosion limitNo data available

# Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No data available
No data available

Oxidizing properties
No data available.

The data available

Bulk density No data available

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not applicable. Corrosive to metal.

EN / AGHS Page 6/15

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024

**Page** 7 / 15

#### **Chemical stability**

Stable under normal conditions.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous polymerization**

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Oxidizing agent. Acids. Bases.

#### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** Corrosive. Causes severe burns. Avoid contact with skin and clothing.

**Ingestion** Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

### **Acute toxicity**

Based on available data, the classification criteria are not met

#### **Mixture**

No data available.

#### **Ingredient Acute Toxicity Data**

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Molybdate	Rat	333 mg/kg	None reported	None reported	Vendor SDS

EN / AGHS Page 7/15

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024

**Page** 8 / 15

(Mo7O246-),	LD <sub>50</sub>		
hexaammonium			
(<0.1%)			
CAS#: 12027-67-7			

### **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

### **Acute Toxicity Estimations (ATE)**

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

Causes severe burns.

#### **Mixture**

No data available.

# Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid (20 - 30%) CAS#: 7664-38-2	Standard Draize Test	Rabbit	800 mg	None reported	Corrosive to skin	ECHA

### Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

#### **Mixture**

No data available.

### Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid (20 - 30%) CAS#: 7664-38-2	Standard Draize Test	Rabbit	199 mg	None reported	Corrosive to eyes	RTECS

# Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

### **Ingredient Sensitization Data**

No data available.

# STOT - single exposure

EN / AGHS Page 8/15

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024 **Page** 9 / 15

Based on available data, the classification criteria are not met.

### **Mixture**

No data available.

### Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

### Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

# **Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Phosphoric acid	7664-38-2	ı	=	•	•
Molybdate (Mo7O246-), hexaammonium	12027-67-7	A3	-	-	1
Silver	7440-22-4	-	-	-	-

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

# Mixture invitro Data

No data available.

### Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid (20 - 30%) CAS#: 7664-38-2	Mutation in microorganisms	Salmonella typhimurium	5 mg/plate	3 days	Negative	ECHA

### Mixture invivo Data

No data available.

# Substance invivo Data

No data available.

EN / AGHS Page 9/15

Product Name Chromium TNT Reagent Vial Revision Date 26-Jan-2024 Page 10 / 15

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

# **Ingredient Reproductive Toxicity Data**

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Phosphoric acid (20 - 30%) CAS#: 7664-38-2	Rat NOAEL	>= 500 mg/kg	6 weeks	No reproductive or developmental toxic effects observed	ECHA

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Based on available data, the classification criteria are not met.

**Unknown aquatic toxicity** 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

### **Mixture**

**Aquatic Acute Toxicity** 

No data available.

**Aquatic Chronic Toxicity** 

No data available.

### **Substance**

# **Aquatic Acute Toxicity**

Test data reported below.

### Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate (Mo7O246-), hexaammonium (<0.1%) CAS#: 12027-67-7	96 hours	Oncorhynchus mykiss	LC50	320 mg/L	Vendor SDS

### Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate (Mo7O246-), hexaammonium (<0.1%) CAS#: 12027-67-7	48 Hours	Daphnia magna	EC <sub>50</sub>	140 mg/L	Vendor SDS
Silver (<0.01%)	48 Hours	None reported	EC <sub>50</sub>	.0092 mg/L	EPA

EN / AGHS Page 10/15

Product Name Chromium TNT Reagent Vial

Revision Date 26-Jan-2024

Page 11 / 15

CAS#: 7440-22-4

### Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate (Mo7O246-), hexaammonium (<0.1%) CAS#: 12027-67-7	72 Hours	Desmodesmus subspicatus	EC <sub>50</sub>	41 mg/L	Vendor SDS

# **Aquatic Chronic Toxicity**

No data available.

# Persistence and degradability

Mixture

No data available.

**Bioaccumulation** 

MATERIAL DOES NOT BIOACCUMULATE

**Mixture** 

No data available.

Partition coefficient Not applicable

**Mobility** 

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

**US EPA Waste Number** D002, D011

Chemical name	RCRA	RCRA - Basis for Listing RCRA - D Series Wastes RCRA - U Series Wast	es
Silver	-	Included in waste stream: 5.0 mg/L regulatory level -	П
7440-22-4		F039	

### Special instructions for disposal

Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

# 14. TRANSPORT INFORMATION

DOT

UN/ID no UN3316

Page 11/15 EN / AGHS

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024

Page 12 / 15

Proper shipping name CHEMICAL KITS

Transport hazard class(es) 9
Emergency Response Guide 171

Number

**TDG** 

UN/ID no UN3316
Proper shipping name CHEMICAL KIT

Transport hazard class(es) 9
Packing Group | |

**IATA** 

UN number or ID number UN3316
Proper shipping name UN3316

Transport hazard class(es) 9 ERG Code 9L

**IMDG** 

UN number or ID number UN3316
Proper shipping name CHEMICAL KIT

Transport hazard class(es)

**EmS-No** F-A, S-P **Special Provisions** 251, 340

### **Additional information**

This product forms part of a kit. Information in this section relates to the kit as a whole.

# 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**International Inventories** 

Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies **TCSI** Complies Complies **AICS NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

**AICS** - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

EN / AGHS Page 12/15

Product Code(s) TNT854R Issue Date 11-Nov-2019

Version 1.5

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024

Page 13 / 15

	-
Chemical name	SARA 313 - Threshold Values %
Silver (CAS #: 7440-22-4)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No

No

No

# Reactive Hazard CWA (Clean Water Act)

Sudden release of pressure hazard

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb	-	-	X
Silver 7440-22-4	-	Х	Х	-

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ
Silver	1000 lb	-	RQ 1000 lb final RQ
7440-22-4	1 lb		RQ 454 kg final RQ
			RQ 1 lb final RQ
			RQ 0.454 kg final RQ

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid 7664-38-2	X	X	X
Silver 7440-22-4	X	X	X

### **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Phosphoric acid	180.0910	21 CFR 182.1073

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

EN / AGHS Page 13/15

Product Code(s) TNT854R Issue Date 11-Nov-2019

Version 1.5

Product Name Chromium TNT Reagent Vial

Revision Date 26-Jan-2024

Page 14 / 15

#### **Special Comments**

None

#### **Additional information**

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Silver 7440-22-4	Declarable Substance (LR) Prohibited Substance (LR)	None reported

### **NFPA and HMIS Classifications**

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - I

### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)

ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

# <u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

EN / AGHS Page 14/15

**Product Name** Chromium TNT Reagent Vial **Revision Date** 26-Jan-2024

Page 15 / 15

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 11-Nov-2019

Revision Date 26-Jan-2024

Revision Note None

### Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

**HACH COMPANY©2023** 

**End of Safety Data Sheet** 

EN / AGHS Page 15/15



# SAFETY DATA SHEET

Issue Date 02-Dec-2020 Revision Date 02-Feb-2024 Version 1.7 Page 1 / 15

### 1. IDENTIFICATION

**Product identifier** 

Product Name Chromium TNT Reagent A

Other means of identification

Product Code(s) TNT854A

Safety data sheet number M02444

UN/ID no UN3316

Recommended use of the chemical and restrictions on use

**Recommended Use** Water Analysis. Determination of chromium.

Uses advised against Consumer use.

**Restrictions on use** For Laboratory Use Only.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

# 2. HAZARDS IDENTIFICATION

### Classification

### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

# Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

#### Signal word

Danger

EN / AGHS Page 1/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024 Page 2 / 15



#### **Hazard statements**

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H361 Suspected of damaging fertility or the unborn child

#### **Precautionary statements**

- P270 Do not eat, drink or smoke when using this product
- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P330 Rinse mouth
- P501 Dispose of contents/ container to an approved waste disposal plant
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P362 Take off contaminated clothing and wash before reuse
- P280 Wear protective gloves, protective clothing, eye protection, and face protection
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical attention
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P285 In case of inadequate ventilation wear respiratory protection
- P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- P272 Contaminated work clothing should not be allowed out of the workplace
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P201 Obtain special instructions before use
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P405 Store locked up
- P271 Use only outdoors or in a well-ventilated area
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed

#### Other Hazards Known

Harmful to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# <u>Substance</u>

Not applicable

#### **Mixture**

Chemical FamilyOxidizing Agents.Chemical natureNo information available.

Percent ranges are used where confidential product information is applicable.

	Cnemical name	CAS NO.	Percent	HIMI	KIC#
EN / AGHS			D.	age	2/15
EN / AGIG			Г	aye	2/13

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024

**Page** 3 / 15

		Range	
Sodium persulfate	7775-27-1	70 - 80%	-
Boric acid (HBO2), sodium salt, tetrahydrate	10555-76-7	20 - 30%	-
Lithium sulfate monohydrate	10102-25-7	<10%	-

# 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

**Skin contact** May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. May produce an allergic reaction.

Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**May cause sensitization in susceptible persons. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

**Unsuitable Extinguishing Media** Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

**Hazardous combustion products** Sulfur oxides. Boron compounds.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# **6. ACCIDENTAL RELEASE MEASURES**

**U.S. Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

EN / AGHS Page 3/15

**Product Name** Chromium TNT Reagent A **Revision Date** 02-Feb-2024

Page 4 / 15

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

# Personal precautions, protective equipment and emergency procedures

**Personal precautions**Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid breathing

vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

Flammability class Not applicable

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium persulfate	TWA: 0.1 mg/m³ Persulfate	NDF	NDF
CAS#: 7775-27-1	-		
Boric acid (HBO2), sodium salt,	TWA: 2 mg/m³ inhalable	NDF	NDF
tetrahydrate	particulate matter		
CAS#: 10555-76-7	STEL: 6 mg/m³ inhalable		
	particulate matter		

EN / AGHS Page 4/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024

**Page** 5 / 15

Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed

areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN

374-1:2016.

**Eye/face protection** Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear

safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately

after handling the product.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

Solid

Appearance powder

Color white

Odor Odorless Odor threshold No information available

Property Values Remarks • Method

Molecular weight No data available

pH ~ 3.65 10% @ 20°C

Melting point / freezing point No data available

Initial boiling point and boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density

No data available

Specific gravity - VALUE 1 No data available

Partition coefficient No data available

Soil Organic Carbon-Water Partition

Coefficient

No data available

EN / AGHS Page 5/15

Product Code(s) TNT854A Issue Date 02-Dec-2020

Version 1.7

Product Name Chromium TNT Reagent A

Revision Date 02-Feb-2024

**Page** 6 / 15

Autoignition temperature No data available

**Decomposition temperature**No data available

Dynamic viscosity Not applicable

Kinematic viscosity Not applicable

Solubility(ies)

### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature	
Completely soluble	> 10000 mg/L	20 °C / 68 °F	

### Solubility in other solvents

	Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature_	
ſ	None reported	No information available	No data available	No information available	

### **Other information**

# **Metal Corrosivity**

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

### **Volatile Organic Compounds (VOC) Content**

Not applicable

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium persulfate	7775-27-1	Not applicable	-
Boric acid (HBO2), sodium salt, tetrahydrate	10555-76-7	No data available	-
Lithium sulfate monohydrate	10102-25-7	No data available	_

#### **Explosive properties**

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density No data available

# 10. STABILITY AND REACTIVITY

EN / AGHS Page 6/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024 Page 7 / 15

Reactivity

Not applicable.

**Chemical stability** 

Stable under normal conditions.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

**Hazardous polymerization** 

No information available.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Sulfur oxides. Sodium oxides. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** May cause sensitization in susceptible persons. May cause irritation of respiratory tract.

**Eye contact** Irritating to eyes. Causes serious eye irritation.

**Skin contact** Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause sensitization by skin contact. Causes skin irritation.

Ingestion May cause additional affects as listed under "Inhalation". Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and

tearing of the eyes.

**Acute toxicity** 

Harmful if swallowed

**Mixture** 

No data available.

**Ingredient Acute Toxicity Data** 

Test data reported below.

### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium persulfate (70 - 80%)	Rat LD <sub>50</sub>		None reported	None reported	NITE

EN / AGHS Page 7/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024 Page 8 / 15

CAS#: 7775-27-1					
Boric acid (HBO2), sodium salt, tetrahydrate (20 - 30%) CAS#: 10555-76-7	Rat LD₅o	2330 mg/kg	None reported	None reported	HSDB
Lithium sulfate monohydrate (<10%) CAS#: 10102-25-7	Rat LD <sub>50</sub>	613 mg/kg	None reported	None reported	Vendor SDS

#### **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

### **Acute Toxicity Estimations (ATE)**

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	993.50 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

### Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

### **Mixture**

No data available.

### Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium persulfate (70 - 80%) CAS#: 7775-27-1	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	0.5 mg	4 hours	Skin irritant	ECHA

# Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

### **Mixture**

No data available.

# Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium persulfate (70 - 80%) CAS#: 7775-27-1	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	0.1 mL	72 hours	Eye irritant	ECHA

### Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

### **Mixture**

EN / AGHS Page 8/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024 Page 9 / 15

No data available.

# **Ingredient Sensitization Data**

Test data reported below.

### **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium persulfate (70 - 80%) CAS#: 7775-27-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA

# **Respiratory Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium persulfate (70 - 80%) CAS#: 7775-27-1	Based on human experience	Human	Confirmed to be a respiratory sensitizer	NICNAS

### STOT - single exposure

May cause respiratory irritation.

#### Mixture

No data available.

# Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

### Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium persulfate (70 - 80%)	Rat NOAEL	91 mg/kg	90 days	No toxicological effects observed	ECHA
CAS#: 7775-27-1					

### Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium persulfate (70 - 80%)	Rat NOAEC	10.3 mg/m <sup>3</sup>	90 days	No toxicological effects observed	ECHA
CAS#: 7775-27-1					

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

EN / AGHS Page 9/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024 Page 10 / 15

# **Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sodium persulfate	7775-27-1	-	-	-	-
Boric acid (HBO2), sodium	10555-76-7	-	-	-	-
salt, tetrahydrate					
Lithium sulfate	10102-25-7	-	-	-	-
monohydrate					

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Mixture invitro Data

No data available.

#### Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium persulfate (70 - 80%) CAS#: 7775-27-1	Mutation in microorganisms	Salmonella typhimurium	10 mg/plate	72 hours	Negative	ECHA

### Mixture invivo Data

No data available.

### Substance invivo Data

No data available.

### Reproductive toxicity

Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

#### **Mixture**

No data available.

### **Ingredient Reproductive Toxicity Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium persulfate	Rat	>= 250 mg/kg	Single	No reproductive or	ECHA
(70 - 80%)	NOAEL		generation	developmental toxic effects	
CAS#: 7775-27-1				observed	

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

	12. ECOLOGICAL INFORMATION	
EN / AGHS		Page 10/15

**Product Name** Chromium TNT Reagent A **Revision Date** 02-Feb-2024

Page 11 / 15

**Ecotoxicity** Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

**Mixture** 

**Aquatic Acute Toxicity** 

No data available.

**Aquatic Chronic Toxicity** 

No data available.

**Substance** 

**Aquatic Acute Toxicity** 

Test data reported below.

#### Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium persulfate (70 - 80%)	96 hours	Poecilia reticulata	LC50	76 mg/L	ECHA
CAS#: 7775-27-1					

### **Aquatic Chronic Toxicity**

No data available.

### Persistence and degradability

Mixture

No data available.

**Mixture** 

No data available.

Partition coefficient No data available

**Mobility** 

products

Soil Organic Carbon-Water Partition Coefficient No data available

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

US EPA Waste Number Not applicable

EN / AGHS Page 11/15

Product Name Chromium TNT Reagent A Revision Date 02-Feb-2024 Page 12 / 15

### 14. TRANSPORT INFORMATION

DOT

UN/ID no UN3316

Proper shipping name CHEMICAL KITS

Transport hazard class(es) 9
Emergency Response Guide 171

Number

**TDG** 

UN/ID no UN3316

Proper shipping name CHEMICAL KIT

Transport hazard class(es) 9
Packing Group | |

**IATA** 

UN number or ID number UN3316
Proper shipping name UN3316

Transport hazard class(es) 9 ERG Code 9L

**IMDG** 

UN number or ID number UN3316

Proper shipping name CHEMICAL KIT

Transport hazard class(es) 9

**EmS-No** F-A, S-P **Special Provisions** 251, 340

# **Additional information**

This product forms part of a kit. Information in this section relates to the kit as a whole.

### 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

**EINECS/ELINCS** Complies Does not comply **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies TCSI Complies **AICS** Complies **NZIoC** 

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

EN / AGHS Page 12/15

**Product Name** Chromium TNT Reagent A **Revision Date** 02-Feb-2024

**Page** 13 / 15

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium persulfate	X	-	-
7775-27-1			
Boric acid (HBO2), sodium salt,	X	-	-
tetrahydrate			
10555-76-7			

#### **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Boric acid (HBO2), sodium salt, tetrahydrate	180.1121	-

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### **Special Comments**

None

#### **Additional information**

Global Automotive Declarable Substance List (GADSL)

Not applicable

**NFPA and HMIS Classifications** 

EN / AGHS Page 13/15

Product Code(s) TNT854A Issue Date 02-Dec-2020

**Version** 1.7 **Page** 14 / 15

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection - X

Product Name Chromium TNT Reagent A

Revision Date 02-Feb-2024

### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)

ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS
INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM
IPCS INCHEM (International Programme on Chemical Safety)
IUCLID
IUCLID (The International Uniform Chemical Information Database)
NITE
Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STFI	STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

EN / AGHS Page 14/15

Product Code(s) TNT854A Issue Date 02-Dec-2020

Version 1.7

Product Name Chromium TNT Reagent A

Revision Date 02-Feb-2024

Page 15 / 15

Prepared By Kimyasal Değerlendirme Uzmanı: Gözde Goetz

KDÚ01-20-01 08.06.2027

info@onaymuhendislik.com

Issue Date 02-Dec-2020

Revision Date 02-Feb-2024

Revision Note None

### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

**HACH COMPANY ©2024** 

**End of Safety Data Sheet** 

EN / AGHS Page 15/15



# SAFETY DATA SHEET

Issue Date 12-Nov-2019 Revision Date 02-Feb-2024 Version 1.5 Page 1 / 13

# 1. IDENTIFICATION

**Product identifier** 

Product Name Chromium TNT Reagent B

Other means of identification

Product Code(s) TNT854B

Safety data sheet number M02445

UN/ID no UN3316

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Determination of chromium.

Uses advised against Consumer use.

**Restrictions on use** For Laboratory Use Only.

Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

# 2. HAZARDS IDENTIFICATION

# Classification

# **Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Chronic aquatic toxicity Category 3

### Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

### Signal word

None

#### **Hazard statements**

The product contains no substances which at their given concentration, are considered to be hazardous to health

H412 - Harmful to aquatic life with long lasting effects

### **Precautionary statements**

P273 - Avoid release to the environment

EN / AGHS Page 1/13

**Product Name** Chromium TNT Reagent B **Revision Date** 02-Feb-2024

Page 2 / 13

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards Known
May be harmful if swallowed
Causes mild skin irritation

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Substance**

Not applicable

#### **Mixture**

Chemical Family Mixture.

Chemical nature Mixture of organic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Carbonic dihydrazide, 2,2-diphenyl-	140-22-7	3 - 7%	-

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice No hazards which require special first aid measures. Use first aid treatment according to the

nature of the injury.

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Nitrogen oxides. Carbon monoxide, Carbon dioxide. Chlorides.

**Special protective equipment for** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

EN / AGHS Page 2/13

Product Code(s) TNT854B Issue Date 12-Nov-2019

Version 1.5

Product Name Chromium TNT Reagent B

Revision Date 02-Feb-2024

**Page** 3 / 13

**fire-fighters** Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations

Ventilation systems. Technical measures and appropriate working operations should be

given priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

exceeded or irritation is experienced, ventilation and evacuation may be required.

EN / AGHS Page 3/13

Product Name Chromium TNT Reagent B Revision Date 02-Feb-2024

**Page** 4 / 13

**Hand Protection** Wear suitable gloves. Gloves must be inspected prior to use. The selected protective

gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

according to EN 374-1:2016.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**No special protective equipment required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state

Solid

**Appearance** powder Odorless

**Color** white

Odor threshold No data available

Property Values Remarks • Method

Molecular weight No data available

pH No data available

Melting point / freezing point No data available

Initial boiling point and boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density No data available

Specific gravity - VALUE 1 No data available

Partition coefficient No data available

**Soil Organic Carbon-Water Partition** 

Coefficient

No data available

Autoignition temperature No data available

**Decomposition temperature**No data available

Dynamic viscosity Not applicable

Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	20 °C / 68 °F

EN / AGHS Page 4/13

**Product Name** Chromium TNT Reagent B **Revision Date** 02-Feb-2024

**Page** 5 / 13

#### Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature	
None reported	No information available	No data available	No information available	

### Other information

### **Metal Corrosivity**

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

# **Volatile Organic Compounds (VOC) Content**

Not applicable

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Carbonic dihydrazide, 2,2-diphenyl-	140-22-7	No data available	-

### **Explosive properties**

Upper explosion limitNo data availableLower explosion limitNo data available

### Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

# 10. STABILITY AND REACTIVITY

### Reactivity

Not applicable.

# Chemical stability

Stable under normal conditions.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Possibility of hazardous reactions

None under normal processing.

# **Hazardous polymerization**

None under normal processing.

### Conditions to avoid

None known based on information supplied.

EN / AGHS Page 5/13

Product Name Chromium TNT Reagent B Revision Date 02-Feb-2024 Page 6 / 13

### **Incompatible materials**

Strong oxidizing agents, strong acids, and strong bases.

### Hazardous decomposition products

Nitrogen oxides. Carbon dioxide. Carbon monoxide. Hydrogen chloride.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** No known effect based on information supplied.

Eye contact No known effect based on information supplied.

**Skin contact** No known effect based on information supplied.

**Ingestion** No known effect based on information supplied.

**Symptoms** No information available.

### **Acute toxicity**

Based on available data, the classification criteria are not met

#### Mixture

No data available.

### **Ingredient Acute Toxicity Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Carbonic dihydrazide, 2,2-diphenyl- (3 - 7%)	Rat LD <sub>50</sub>	> 500 mg/kg	None reported	None reported	RTECS
CAS#: 140-22-7					

### **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

### **Acute Toxicity Estimations (ATE)**

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,035.00 mg/kg
ATEmix (dermal)	28,645.80 mg/kg
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Mixture**

No data available.

EN / AGHS Page 6/13

Product Name Chromium TNT Reagent B Revision Date 02-Feb-2024 Page 7 / 13

# Ingredient Skin Corrosion/Irritation Data

No data available.

### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

### Ingredient Eye Damage/Eye Irritation Data

No data available.

### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

### **Ingredient Sensitization Data**

No data available.

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

# Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Mixture

No data available.

# **Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Carbonic dihydrazide,	140-22-7	-	-	-	-
2,2-diphenyl-					

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

EN / AGHS Page 7/13

Product Name Chromium TNT Reagent B Revision Date 02-Feb-2024 Page 8 / 13

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Carbonic dihydrazide, 2,2-diphenyl- (3 - 7%) CAS#: 140-22-7	DNA repair	Escherichia coli	0.2 mg/well	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

**Mixture** 

No data available.

**Ingredient Reproductive Toxicity Data** 

No data available.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

**Mixture** 

**Aquatic Acute Toxicity** 

No data available.

**Aquatic Chronic Toxicity** 

No data available.

**Substance** 

**Aquatic Acute Toxicity** 

Test data reported below.

#### Fish

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data
Carbonic dihydrazide, 2,2-diphenyl- (3 - 7%) CAS#: 140-22-7	96 hours	None reported	LC50	6.305 mg/L	ECOSARS

EN / AGHS Page 8/13

**Product Name** Chromium TNT Reagent B **Revision Date** 02-Feb-2024

**Page** 9 / 13

#### Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Carbonic dihydrazide, 2,2-diphenyl- (3 - 7%) CAS#: 140-22-7	48 Hours	None reported	LC <sub>50</sub>	38.214 mg/L	ECOSARS

### Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Carbonic dihydrazide, 2,2-diphenyl- (3 - 7%) CAS#: 140-22-7	96 hours	None reported	EC <sub>50</sub>	1.497 mg/L	ECOSARS

**Aquatic Chronic Toxicity** 

No data available.

### Persistence and degradability

**Mixture** 

No data available.

**Mixture** 

No data available.

Partition coefficient No data available

**Mobility** 

Soil Organic Carbon-Water Partition Coefficient No data available

Other adverse effects
No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

US EPA Waste Number Not applicable

Special instructions for disposal Dilute material with excess water making a weaker than 5% solution. Adjust to a pH

between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water

tap completely, slowly pour the reacted material to the drain.

### 14. TRANSPORT INFORMATION

DOT

UN/ID no UN3316

EN / AGHS Page 9/13

Product Name Chromium TNT Reagent B Revision Date 02-Feb-2024 Page 10 / 13

Proper shipping name CHEMICAL KITS

Transport hazard class(es) 9
Emergency Response Guide 171

Number

**TDG** 

UN/ID no UN3316
Proper shipping name CHEMICAL KIT

Transport hazard class(es) 9
Packing Group | |

IATA

UN number or ID number UN3316
Proper shipping name UN3316
Chemical kit

Transport hazard class(es) 9 ERG Code 9L

**IMDG** 

UN number or ID number UN3316
Proper shipping name UN3316
CHEMICAL KIT

Transport hazard class(es)

**EmS-No** F-A, S-P **Special Provisions** 251, 340

**Note:** No special precautions necessary.

#### **Additional information**

This product forms part of a kit. Information in this section relates to the kit as a whole.

### 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**International Inventories** 

EINECS/ELINCS Complies

**ENCS** Does not comply

IECSCCompliesKECLCompliesPICCSCompliesTCSICompliesAICSCompliesNZIOCComplies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any

EN / AGHS Page 10/13

**Product Name** Chromium TNT Reagent B **Revision Date** 02-Feb-2024

**Page** 11 / 13

chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

# **U.S. EPA Label Information**

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### **Special Comments**

None

#### **Additional information**

#### Global Automotive Declarable Substance List (GADSL)

Not applicable

# **NFPA and HMIS Classifications**

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 1	Flammability - 0	Physical hazards - 0	Personal protection -
				X
				- I

# Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)

EN / AGHS Page 11/13

**Product Name** Chromium TNT Reagent B **Revision Date** 02-Feb-2024

Page 12 / 13

EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS
INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM
IPCS INCHEM (International Programme on Chemical Safety)
IUCLID
IUCLID (The International Uniform Chemical Information Database)
NITE
Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 12-Nov-2019

Revision Date 02-Feb-2024

Revision Note None

# **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

EN / AGHS Page 12/13

Product Name Chromium TNT Reagent B Revision Date 02-Feb-2024 Page 13 / 13

**HACH COMPANY ©2024** 

**End of Safety Data Sheet** 

EN / AGHS Page 13/13