

SAFETY DATA SHEET

Issue Date 04-May-2017 Revision Date 08-Feb-2023

Version 1.4

Page 1/15

	1. IDENTIFICATION	
Product identifier		
Product Name	Nitrogen LR TNT Reagent A	
Other means of identification		
Product Code(s)	TNT826A	
Safety data sheet number	M02447	
UN/ID no	UN3316	
Recommended use of the chem	ical and restrictions on use	
Recommended Use	Water Analysis. Analytical reagent.	
Uses advised against	Consumer use.	
Restrictions on use	For Laboratory Use Only.	

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger Product Code(s) TNT826A Issue Date 04-May-2017 Version 1.4 Product NameNitrogen LR TNT Reagent ARevision Date08-Feb-2023Page2 / 15



Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Not applicable

Mixture

Chemical Family Chemical nature Mixture. Aqueous solution of inorganic salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sodium hydroxide	1310-73-2	1 - 5%	-
Potassium nitrate	7757-79-1	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

 General advice
 Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

 Inhalation
 Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Product Code(s) TNT826A Issue Date 04-May-2017 Version 1.4	Product Name Nitrogen LR TNT Reagent A Revision Date 08-Feb-2023 Page 3 / 15			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.			
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.			
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.			
Most important symptoms and eff	ects, both acute and delayed			
Symptoms	Burning sensation.			
Indication of any immediate medic	al attention and special treatment needed			
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the			

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

	6. ACCIDENTAL RELEASE MEASURES
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
Personal precautions, prote	ective equipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

EN / AGHS

Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.			
Methods and material for containment and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
CAS#: 1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measure	s, such as personal protective equipment
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Product Code(s) TNT826A Issue Date 04-May-2017 Version 1.4	Product Name Nitrogen LR TNT Reagent A Revision Date 08-Feb-2023 Page 5 / 15		
Eye/face protection	Face protection shield.		
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.		
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.		
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.		
Thermal hazards	None under normal processing.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Odorless	Liquid		Color Odor threshold	colorless No data ava	ailable
Property			Values			Remarks • Method
Molecular weight	t		No data availal	ble		
рН			14			@ 20 °C
Melting point / fro	eezing point		~ -1 °C / 3	0.2 °F		
Initial boiling poi	nt and boiling rang	е	~ 100 °C /	212 °F		
Evaporation rate			0 (water = 1)			
Vapor pressure			0 mm Hg / 0	kPa at 20 °C /	68 °F	
Relative vapor de	ensity		No data availa	ble		
Specific Gravity			1.03			
Partition coeffici	ent		Not applicable			
Soil Organic Car Coefficient	bon-Water Partition	ı	Not applicable			
Autoignition tem	perature		No data availal	ble		
Decomposition t	emperature		No data availal	ble		
Dynamic viscosi	ty		No data availal	ble		
Kinematic viscos	sity		No data availal	ble		
• • • • • • • •						

Solubility(ies)

L

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	20 °C / 68 °F

Solubility in other solvents

EN / AGHS

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature	
None reported	No information available	No data available	No information available	

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria Steel Corrosion Rate Aluminum Corrosion Rate

No data available 4.06 mm/yr / 0.16 in/yr

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)	
Sodium hydroxide	1310-73-2	No data available	-	
Potassium nitrate	7757-79-1	No data available	-	

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity

Corrosive on contact with water. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Corrosive. Causes severe burns. Avoid contact with skin and clothing.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium nitrate (<0.01%) CAS#: 7757-79-1	Rat LD₅₀	3015 mg/kg	None reported	None reported	IUCLID

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available		
ATEmix (dermal) No information available			
ATEmix (inhalation-dust/mist)	No information available		
ATEmix (inhalation-vapor)	No information available		
ATEmix (inhalation-gas)	No information available		

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium hydroxide (1 - 5%) CAS#: 1310-73-2	Patch test	Human	20 mg	24 hours	Corrosive to skin	RTECS

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium hydroxide (1 - 5%) CAS#: 1310-73-2	Standard Draize Test	Rabbit	0.05 mg	24 hours	Corrosive to eyes	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium nitrate	Rat	10 mg/kg	None reported	Blood	RTECS
(<0.01%)	TDLo			Methemoglobinemia-Carboxyhe	
CAS#: 7757-79-1				moglobin	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Page	B / 15
	Page 8

Product Code(s) TNT826A Issue Date 04-May-2017 Version 1.4

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data Test data reported below.

Oral Exposure Route

Chem	nical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
(<	sium nitrate 0.01%) : 7757-79-1	Mouse TD⊾₀	36000 mg/kg		Kidney, Ureter, or Bladder Evidence of thyroid hypofunction, Changes in thyroid weight	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sodium hydroxide	1310-73-2	-	-	-	-
Potassium nitrate	7757-79-1	-	Group 2A	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium nitrate (<0.01%) CAS#: 7757-79-1	Gene conversion and mitotic recombination	Escherichia coli	5 mg/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium nitrate (<0.01%) CAS#: 7757-79-1	Rat TD⊾₀	598 mg/kg	21 days	Effects on Newborn Reproductive Behavioral	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium hydroxide (1 - 5%) CAS#: 1310-73-2	96 hours	Oncorhynchus mykiss	LC ₅₀	45.4 mg/L	IUCLID
Potassium nitrate (<0.01%) CAS#: 7757-79-1	96 hours	Gambusia affinis	LC ₅₀	> 100 mg/L	ECHA

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium hydroxide (1 - 5%) CAS#: 1310-73-2	48 Hours	Daphnia sp.	EC ₅₀	40.4 mg/L	IUCLID
Potassium nitrate (<0.01%) CAS#: 7757-79-1	48 Hours	Daphnia magna	EC50	490 mg/L	Vendor SDS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

EN / AGHS

Mixture No data available.	
<u>Bioaccumulation</u> There is no data for this product Mixture No data available.	
Partition coefficient	Not applicable
Mobility	
Soil Organic Carbon-Water Partition Coefficient	Not applicable
Other adverse effects No information available	

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D002

Special instructions for disposal Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

14. TRANSPORT INFORMATION

UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9 171
UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9
UN3316 Chemical kit 9 II 9L UN3316, Chemical kit, 9

IMDG

Product Code(s) TNT826A Issue Date 04-May-2017 Version 1.4 Product NameNitrogen LR TNT Reagent ARevision Date08-Feb-2023Page12 / 15

UN number or ID number	UN3316
Proper shipping name	CHEMICAL KIT
Transport hazard class(es)	9
EmS-No	F-A, S-P
Special precautions for user	251, 340
Description	UN3316, CHEMICAL KIT,

Additional information

This product forms part of a kit. Information in this section relates to the kit as a whole.

15. REGULATORY INFORMATION

9

Complies
Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

Complies
Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Potassium nitrate (CAS #: 7757-79-1)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb	-	-	Х
EN / AGHS				Page 12/15

1310-73-2		
RCLA		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)	
	Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ	
	1310-73-2			RQ 454 kg final RQ	
<u>U</u> .	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues				

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Potassium nitrate (<0.01%) CAS#: 7757-79-1	Theft - Explosives/Improvised Explosive Device Precursors

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	Х	X	Х
Potassium nitrate 7757-79-1	Х	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sodium hydroxide	180.0910	21 CFR 184.1763

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

Global Automotive Declarable Substance List (GADSL) Not applicable **NFPA and HMIS Classifications**

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

None

ricy of legend to		actorigins used in the	salety data silect	
ACGIH ATSDR CCRIS CDC CEPA CICAD ECHA EEA EPA ERMA ECOSARS FDA GESTIS HSDB INERIS IPCS INCHEM IUCLID NITE NIH NIOSH LOLI NDF NICNAS NIOSH IDLH OSHA PEEN RTECS SIDS SYKE USDA USDC WHO		ACGIH (American Conference of Governmental Industrial Hygienists) ATSDR (Agency for Toxic Substances and Disease Registry) CCRIS (Chemical Carcinogenesis Research Information System) CDC (Center for Disease Control) CEPA (Canadian Environmental Protection Agency) CICAD (Concise International Chemical Assessment Documents) ECHA (The European Chemicals Agency) EFA (European Environment Agency) EPA (Environmental Protection Agency) ERMA (New Zealands Environmental Risk Management Authority) Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™ FDA (Food & Drug Administration) GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance) HSDB (Hazardous Substances Data Bank) INERIS (The National Industrial Environment and Risks Institute) IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) Japan National Institute of Technology and Evaluation (NITE) NIH (National Institute of Technology and Evaluation (NITE) NIH (National Institute of Cocupational Safety and Health) LOLI (List of Lists - An International Chemical Regulatory Database) no data Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Immediately Dangerous to Life or Health OSHA (Occupational Safety and Health Administration of the US Department of Labor) PEEN (Pan European Ecological Network) RTECS (Registry of Toxic Effects of Chemical Substances) SIDS (Screening Information Dataset) for High Volume Chemicals The Finnish Environment Institute (SYKE) USDA (United States Department of Agriculture) USDC (United States Department of Agriculture)		
Legend - Section	n 8: EXPOSURE CO	ONTROLS/PERSONAL F	PROTECTION	
TWA	TWA (time-weight	ed average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowat	le Concentration	Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	ization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliar	nce Department	
Issue Date		04-May-2017		
Revision Date		08-Feb-2023		

Revision Note

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet

Page 1 Date Printed 2/19/16 MSDS No: M02448

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nitrogen LR TNT Reagent C *Catalog Number:* TNT826C

Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050 Emergency Telephone Numbers: (Medical and Transportation) (303) 623-5716 24 Hour Service (515)232-2533 8am - 4pm CST

MSDS Number: M02448 Chemical Name: Not applicable CAS Number: Not applicable Additional CAS No. (for hydrated forms): Not applicable Chemical Formula: Not applicable Chemical Family: Not applicable Intended Use: Laboratory Reagent Determination of total nitrogen

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: . Acute Toxicity: Acute Tox. 4-Orl Hazardous to the Aquatic Environment: Aquatic Chronic 3 *GHS Label Elements:*

WARNING



Hazard statements: Harmful if swallowed. . Harmful to aquatic life with long lasting effects. Contact with acids liberates toxic gas.

Precautionary statements: Handle environmental release according to local, state, federal, provincial requirements. Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

HMIS:

Health: 2 Flammability: 0 Reactivity: 0 Protective Equipment: X - See protective equipment, Section 8. NFPA: Health: 2 Flammability: 0 Reactivity: 0 Symbol: Not applicable WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects) WHMIS Symbols: Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS: <u>Sodium Sulfite</u>

CAS Number: 7757-83-7

Page 2 Date Printed 2/19/16 MSDS No: M02448

Chemical Formula: Na₂SO₃
GHS Classification: Acute Tox. 5 -Orl, H303; Acute Tox. 5 -Derm, H313; Acute Tox. 5 -Inh, H333; Aquatic Acute 3, H402;
Percent Range (Trade Secret): 80.0 - 90.0
Percent Range Units: weight / weight
PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust
TLV: 10 mg/m³ as inhalable dust

WHMIS Symbols: Other Toxic Effects <u>Sodium Azide</u>

CAS Number: 26628-22-8
Chemical Formula: NaN₃
GHS Classification: Acute Tox. 2-Orl, H300; Aquatic acute 1, H400; Aquatic chronic 1, H410
Percent Range (Trade Secret): 0.1 - 1.0
Percent Range Units: weight / weight
PEL: Not established
TLV: C: 0.29 mg/m³ as Sodium azide; C 0.11 ppm as Hydrazoic acid vapor

WHMIS Symbols: Acute Poison Hazardous Components according to GHS: No Dextran

> *CAS Number:* 9004-54-0 *Chemical Formula:* (C₆H₁₀O₅). n *GHS Classification:* Non-Haz *Percent Range (Trade Secret):* 10.0 - 20.0 *Percent Range Units:* weight / weight *PEL:* Not established *TLV:* Not established

WHMIS Symbols: Other Toxic Effects

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.
Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Inhalation: Remove to fresh air.
Ingestion (First Aid): Call physician immediately. Give 1-2 glasses of water under medical supervision. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Does not burn, but may melt in a fire, releasing toxic fumes.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire / Explosion Hazards: This product will not burn or explode.
Hazardous Combustion Products: carbon monoxide, carbon dioxide. nitrogen oxides. sulfur oxides.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Page 3 Date Printed 2/19/16 MSDS No: M02448

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals. *Containment Technique:* Stop spilled material from being released to the environment.

Clean-up Technique: Never put unreacted azides down the drain! Avoid contact with spilled material. If permitted by regulation, Sweep up material. Dispose of material in government approved hazardous waste facility. Otherwise, Pick up spill for disposal and place in a closed container Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.Storage: Keep container tightly closed when not in use.Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment: Eye Protection: safety glasses with top and side shields Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. TLV: Not established
PEL: Not established
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Physical State: Solid Molecular Weight: Not applicable Odor: Odorless Odor Threshold: Not applicable *pH*: Solution: *pH* 10 @ 20° C Metal Corrosivity: *Corrosivity Classification:* Not classified as corrosive to metals according to GHS criteria. Steel: Not determined Aluminum: Not determined Specific Gravity/ Relative Density (water = 1; air =1): Not determined Viscosity: Not determined Solubility: Water: Complete Acid: Reactive Other: Not determined Partition Coefficient (n-octanol / water): Not applicable Coefficient of Water / Oil: Not applicable Melting Point: Not determined Decomposition Temperature: Not determined Boiling Point: Not applicable Vapor Pressure: Not determined

Page 4 Date Printed 2/19/16 MSDS No: M02448

World Headquarters Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050

> *Vapor Density (air = 1):* Not determined *Evaporation Rate (water = 1):* Not determined Volatile Organic Compounds Content: 15-20% (non-volatile) *Flammable Properties:* Does not burn, but may melt in a fire, releasing toxic fumes. Flash Point: Not applicable Method: Not applicable Flammability Limits: Lower Explosion Limits: Not determined Upper Explosion Limits: Not determined Autoignition Temperature: Not determined **Explosive Properties:** Not classified according to GHS criteria. **Oxidizing Properties:** Not classified according to GHS criteria. **Reactivity Properties:** Not classifed as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria. Gas under Pressure: Not classified according to GHS criteria. Not determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
 Mechanical Impact: None reported
 Static Discharge: None reported.
 Reactivity / Incompatibility: Incompatible with: acids oxidizers
 Hazardous Decomposition: Heating to decomposition releases: sulfur oxides carbon monoxide carbon dioxide nitrogen oxides
 Conditions to Avoid: Heating to decomposition. Excess moisture

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture. Toxicologically Synergistic Products: None reported Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data ATE Oral Rat LD50 = 1805 mg/kg ATE Dermal Rat LD50 = 3044 mg/kg ATE Inhalation Rat LC50 = 6783.3 mg/lSpecific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met. Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met. Skin Corrosion/Irritation: Based on classification principles, the classification criteria are not met. Based on classification principles, the classification criteria are not met. Eye Damage: Sensitization: Based on classification principles, the classification criteria are not met. CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found. This product does NOT contain any NTP listed chemicals. This product does NOT contain any OSHA listed carcinogens. Symptoms/Effects: Ingestion: May cause: abdominal pain diarrhea colic circulatory disturbances central nervous system depression allergic reaction Inhalation: May cause: respiratory tract irritation sore throat coughing allergic respiratory reaction Skin Absorption: None Reported Chronic Effects: None reported

Medical Conditions Aggravated: Sulfites are strong sensitizers. Inhalation and ingestion may cause allergic respiratory reactions in asthmatics. Persons with respiratory conditions should take special care when working with products that contain sulfites. Pre-existing: Eye conditions Skin conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Mobility in soil: No data available

Ingredient Ecological Information: Sodium sulfite: 96 hr Leuciscus idus LC50 = 170-370 mg/L; 48 hr Daphnia magna EC50 = 18 mg/L; Chlamydomonas reinhardtii EC50 = 63-126 mg/L;

Sodium Azide: 96 hr Oncorhynchus mykiss LC50 = 0.8 mg/L; 96 hr Lepomis macrochirus LC50 = 0.68 mg/L; 48 hr Daphnia pulex EC50 = 4.2 mg/L; 96 hr Selenastrum capricornutum ErC50 = 0.348 mg/L

CEPA Statement: Sodium sulfite: Persistent, not bioaccumulative or inherently toxic to aquatic orgamisms; Sodium azide: Persistent, inherently toxic to aquatic orgamisms, not bioaccumulative.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Never put unreacted azides down the drain! Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Add an excess of 20% sodium nitrite solution and mix well. Slowly acidify the solution with sulfuric acid with constant stirring. Nitrogen oxide gas will evolve until the reaction is complete. Test for complete reaction with starch-iodine paper, it should turn blue. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Verification should be made that such disposal is not inconsistent with any pretreatment agreement your facility may have with the wastewater treatment facility.

Empty Containers: Rinse three times with an appropriate solvent. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Not Currently Regulated
Hazard Class: NA
Subsidiary Risk: NA
ID Number: NA
Packing Group: NA
TDG:
1121011
Proper Shipping Name: Not Currently Regulated
Hazard Class: NA
Subsidiary Risk: NA
UN Number/PIN: NA
Packing Group: NA
I.C.A.O.:
I.C.A.O. Proper Shipping Name: Not Currently Regulated
Hazard Class: NA
Subsidiary Risk: NA
ID Number: NA
Packing Group: NA
I.M.O.:
Proper Shipping Name: Not Currently Regulated
Hazard Class: NA
Subsidiary Risk: NA

Page 6 Date Printed 2/19/16 MSDS No: M02448

ID Number: NA *Packing Group:* NA *Marine Pollutant:* No

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Sodium Azide 500 lbs. *304 CERCLA RQ (40 CFR 302.4):* Sodium azide 1000 lbs. *304 EHS RQ (40 CFR 355):* Sodium Azide - RQ 1000 lbs. *Clean Water Act (40 CFR 116.4):* Not applicable *RCRA:* Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710). CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Complete Text of H phrases referred to in Section 3: H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 01

Month: August

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and

Page 7 Date Printed 2/19/16 MSDS No: M02448

labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable
ND - Not Determined
NV - Not Available

w/w - weight/weight w/v - weight/volume v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2016



SAFETY DATA SHEET

Issue Date 30-Nov-2020 Revision Date 08-Feb-2023

Version 2

Page 1 / 15

1. IDENTIFICATION

<u>Product identifier</u> Product Name	Nitrogen LR TNT Reagent Vial
Other means of identification Product Code(s)	TNT826R
Safety data sheet number	M01749
UN/ID no	UN3316
Recommended use of the chemical	and restrictions on use
Recommended Use	Laboratory reagent. Determination of nitrate.
Uses advised against	Consumer use.

Details of the supplier of the safety data sheet

Manufacturer Address

Restrictions on use

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

For Laboratory Use Only.

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER. Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

Label elements

Signal word

Danger

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2

Product Name Nitrogen LR TNT Reagent Vial Revision Date 08-Feb-2023 Page 2/15



Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P280 - Wear protective gloves, protective clothing, eye protection, and face protection P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

May be harmful if swallowed Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Chemical nature

Mixture. Aqueous solution of inorganic acid.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	50 - 60%	-
Phosphoric acid	7664-38-2	30 - 40%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2	Product Name Nitrogen LR TNT Reagent Vial Revision Date 08-Feb-2023 Page 3 / 15
	advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.		
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.		
Hazardous combustion products	This material will not burn.		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2	Product Name Nitrogen LR TNT Reagent Vial Revision Date 08-Feb-2023 Page 4 / 15		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Reference to other sections	See section 8 for more information. See section 13 for more information.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.		
Conditions for safe storage, includ	ing any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from		

moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
CAS#: 7664-38-2	TWA: 1 mg/m ³	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
	_	(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³

<u>Appropriate engineering controls</u> Engineering Controls

Showers

Eyewash stations

Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Individual protection measures, such as personal protective equipment

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2	Product Name Nitrogen LR TNT Reagent Vial Revision Date 08-Feb-2023 Page 5 / 15
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Impervious gloves.
Eye/face protection	Face protection shield.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.
	9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Acidic	Liquid	Color Odor threshold	colorless No data available	
Property_			Values	<u>Remarks</u> • N	lethod
Molecular weight	:		No data available		
рН			< 1	@ 20 °C	
Melting point / fre	eezing point		~ -4 °C / 24.8 °F		
Initial boiling poi	nt and boiling rang	je	~ 101 °C / 213.8 °F		
Evaporation rate			0 (water = 1)		
Vapor pressure			0 mm Hg / 0 kPa at 20 °C / 6	8 °F	
Relative vapor de	ensity		No data available		
Specific Gravity			1.6		
Partition coefficie	ent		Not applicable		
Soil Organic Carl Coefficient	bon-Water Partition	า	Not applicable		
Autoignition tem	perature		No data available		
Decomposition to	emperature		No data available		
Dynamic viscosit	ty .		No data available		
Kinematic viscos	sity		No data available		
<u>Solubility(ies)</u>					
Water solubility					

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	20 °C / 68 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria Steel Corrosion Rate **Aluminum Corrosion Rate**

No data available No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Phosphoric acid	7664-38-2	Not applicable	_

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity

Corrosive on contact with water. Corrosive to metal.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

EN / AGHS

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Corrosive. Causes severe burns. Avoid contact with skin and clothing.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data No data available.

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

EN / AGHS

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2 Product NameNitrogen LR TNT Reagent VialRevision Date08-Feb-2023Page8 / 15

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (50 - 60%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Phosphoric acid (30 - 40%) CAS#: 7664-38-2	Standard Draize Test	Rabbit	800 mg	None reported	Corrosive to skin	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (50 - 60%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Phosphoric acid (30 - 40%) CAS#: 7664-38-2	Standard Draize Test	Rabbit	199 mg	None reported	Corrosive to eyes	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (50 - 60%) CAS#: 7664-93-9	Human TD∟₀	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
(50 - 60%)	TCLO			Changes in teeth and supporting	
CAS#: 7664-93-9				structures	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	Х
Phosphoric acid	7664-38-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (50 - 60%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Phosphoric acid (30 - 40%) CAS#: 7664-38-2	Mutation in microorganisms	Salmonella typhimurium	5 mg/plate	3 days	Negative	ECHA

Mixture invivo **Data** No data available.

Substance invivo Data No data available.

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Phosphoric acid (30 - 40%)	Rat NOAEL	>= 500 mg/kg	6 weeks	No reproductive or developmental toxic effects	ECHA
CAS#: 7664-38-2				observed	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available
(50 - 60%)	TCLO			Abnormalities	
CAS#: 7664-93-9				Musculoskeletal system	

Aspiration hazard

Based on available data, the classification criteria are not met.

	12. ECOLOGICAL INFORMATION					
Ecotoxicity	Based on available data, the classification criteria are not met.					
Unknown aquatic toxicity	0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.					
<u>Mixture</u>						
Aquatic Acute Toxicity No data available.						
Aquatic Chronic Toxicity No data available.						
Substance						
Aquatic Acute Toxicity No data available.						
Aquatic Chronic Toxicity No data available.						
Persistence and degradability						
Mixture No data available.						
<u>Bioaccumulation</u> There is no data for this product Mixture No data available.						

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2

Partition coefficient

Mobility

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects No information available

Product Name Nitrogen LR TNT Reagent Vial Revision Date 08-Feb-2023 Page 11 / 15

Not applicable

Not applicable

13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers.		
US EPA Waste Number	D002		
Special instructions for disposal	Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.		
	14. TRANSPORT INFORMATION		
DOT UN/ID no Proper shipping name Transport hazard class(es) Description Emergency Response Guide Number	UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9 171		
<u>TDG</u> UN/ID no Proper shipping name Transport hazard class(es) Description	UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9		
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group ERG Code Special precautions for user Description	UN3316 Chemical kit 9 II 9L A3, A803 UN3316, Chemical kit, 9		
IMDG UN number or ID number Proper shipping name Transport hazard class(es) EmS-No	UN3316 CHEMICAL KIT 9 F-A, S-P		

251, 340

UN3316, CHEMICAL KIT, 9

Description

Special precautions for user

Additional information

This product forms part of a kit. Information in this section relates to the kit as a whole.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL - Existing substances	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	Х
Phosphoric acid 7664-38-2	5000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Phosphoric acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (50 - 60%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen	

WARNING: This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	Х	Х	Х
Phosphoric acid 7664-38-2	Х	Х	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Phosphoric acid	180.0910	21 CFR 182.1073

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

EN / AGHS

Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
		-	-	X
				- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ATSDR CCRIS CDC CEPA CICAD ECHA EEA EPA ERMA ECOSARS FDA GESTIS HSDB INERIS IPCS INCHEM IUCLID NITE NIH NIOSH LOLI NDF NICNAS NIOSH IDLH OSHA PEEN RTECS SIDS SYKE USDA USDC WHO	ATSDR (Agency for Tox CCRIS (Chemical Carcii CDC (Center for Diseas CEPA (Canadian Enviro CICAD (Concise Interna ECHA (The European C EEA (European Environ EPA (Environmental Pro ERMA (New Zealands E Estimation through ECO FDA (Food & Drug Adm GESTIS (Information S Insurance) HSDB (Hazardous Subs INERIS (The National In IPCS INCHEM (Internat IUCLID (The Internation Japan National Institute NIH (National Institutes NIOSH (National Institute NIH (National Institutes NIOSH (National Institute COSHA (Occupational Sa PEEN (Pan European E RTECS (Registry of Tox SIDS (Screening Inform The Finnish Environmer USDA (United States De	HSDB (Hazardous Substances Data Bank) INERIS (The National Industrial Environment and Risks Institute) IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) Japan National Institute of Technology and Evaluation (NITE) NIH (National Institutes of Health) NIOSH (National Institute for Occupational Safety and Health) LOLI (List of Lists - An International Chemical Regulatory Database)		
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)	
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value	
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.	
SKN*	Skin designation	SKN+	Skin sensitization	

Product Code(s) TNT826R Issue Date 30-Nov-2020 Version 2 Product NameNitrogen LR TNT Reagent VialRevision Date08-Feb-2023Page15 / 15

RSP+ C M	Respiratory sensit Carcinogen mutagen	tization	** R	Hazard Designation Reproductive toxicant
Prepared By		Hach Product Complian	ce Department	
Issue Date		30-Nov-2020		
Revision Date		08-Feb-2023		
Revision Note		None		

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet



SAFETY DATA SHEET

Issue Date 01-Dec-2020 Revision Date 08-Feb-2023 V

Version 1.5

Page 1/16

1. IDENTIFICATION				
<u>Product identifier</u> Product Name	Nitrogen LR TNT Reagent B			
Other means of identification Product Code(s)	TNT826B			
Safety data sheet number	M01975			
UN/ID no	UN3316			
<u>Recommended use of the chemi</u> Recommended Use Uses advised against Restrictions on use	cal and restrictions on use Laboratory reagent. Determination of total nitrogen. Consumer use. For Laboratory Use Only.			

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Product NameNitrogen LR TNT Reagent BRevision Date08-Feb-2023Page2 / 16



Hazard statements

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H360 May damage fertility or the unborn child

Precautionary statements

- P270 Do not eat, drink or smoke when using this product
- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P330 Rinse mouth
- P501 Dispose of contents/ container to an approved waste disposal plant
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P362 Take off contaminated clothing and wash before reuse
- P280 Wear protective gloves, protective clothing, eye protection, and face protection
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical attention
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P285 In case of inadequate ventilation wear respiratory protection
- P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- P272 Contaminated work clothing should not be allowed out of the workplace
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P201 Obtain special instructions before use
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P405 Store locked up
- P271 Use only outdoors or in a well-ventilated area
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed

Other Hazards Known

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemi	cal	Family
Chemi	cal	nature

Mixture. Mixture of inorganic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent	HMRIC #
			1
		_	

			Range		
	peroxodisulphate	7727-21-1	60 - 70%	-	
Boric acid (HBO2), s	10555-76-7	10 - 20%	-		
Disodiur	n tetraborate	1330-43-4	10 - 20%	-	
	4. FIRST AID MEASUR	RES			
Description of first aid measures					
General advice	Show this safety data sheet to the doc	tor in attendance.			
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention. Remove to fresh air.				
Eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and while rinsing. Do not rub affected area persists.	l easy to do. Continue rin	sing. Keep eye wi	de open	
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.				
Ingestion	May produce an allergic reaction. Get immediate medical advice/attention. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.				
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.				
Most important symptoms and effe	ects, both acute and delayed				
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. Burning sensation.				
Indication of any immediate medic	al attention and special treatment nee	ded			
Note to physicians	May cause sensitization in susceptible	persons. Treat symptom	atically.		
	5. FIRE-FIGHTING MEAS	SURES			
Suitable Extinguishing Media	Use extinguishing measures that are a surrounding environment.	appropriate to local circun	nstances and the		
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.				
Specific hazards arising from the chemical	May cause sensitization by inhalation a May cause sensitization by skin contact		t is or contains a s	ensitizer.	
Hazardous combustion products	Thermal decomposition can lead to rel	lease of irritating and toxi	c gases and vapo	rs.	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.				

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
-------------------------	---

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep out of the reach of children. Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

 Flammability class
 Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Dipotassium peroxodisulphate CAS#: 7727-21-1	TWA: 0.1 mg/m ³ persulfate	NDF	NDF
Boric acid (HBO2), sodium salt, tetrahydrate CAS#: 10555-76-7	STEL: 6 mg/m ³ inhalable particulate matter TWA: 2 mg/m ³ inhalable	NDF	NDF

	particulate matter				
Disodium tetraborate CAS#: 1330-43-4	STEL: 6 mg/m ³ inhalable particulate matter TWA: 2 mg/m ³ inhalable particulate matter	(vacated) TWA: 10 mg/m ³	TWA: 1 mg/m ³		
Appropriate engineering controls					
Appropriate engineering controls Engineering Controls	Showers				
	Eyewash stations Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.				
Individual protection measures, su	ch as personal protective equi	pment			
Respiratory protection		eded under normal use condition enced, ventilation and evacuation			
Hand Protection	Impervious gloves. Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.				
Eye/face protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.				
Skin and body protection	Long sleeved clothing. Wear s	uitable protective clothing.			
General Hygiene Considerations	Wash hands before breaks and skin, eyes or clothing. Wear su smoke when using this produc	ed clothing and gloves, including d immediately after handling the litable gloves and eye/face prote t. The type of protective equipm and amount of the dangerous so	product. Avoid contact with ction. Do not eat, drink or nent must be selected		
Environmental exposure controls	Local authorities should be advised into any sewer, on the ground	vised if significant spillages cann or into any body of water.	ot be contained. Do not allow		
Thermal hazards	None under normal processing.				

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	tablet None	Solid		Color Odor threshold	white No data available
Property_			Values		Remarks • Method
Molecular weigh	nt	l	No data availab	le	
рН		:	5.5		5% Solution
Melting point / f	reezing point	l	No data availab	le	
Initial boiling po	oint and boiling ra	nge	No data availab	le	
Evaporation rate	e	l	Not applicable		
Vapor pressure		l	Not applicable		
Relative vapor d	lensity		No data availat	ble	

Specific Gravity	No data available
Partition coefficient	log K _{ow} ~ -1.09
Soil Organic Carbon-Water Partition Coefficient	log K _{oc} ~ 0
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	20 °C / 68 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility_	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available

Volatile Organic Compounds (VOC) Content Not applicable

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Dipotassium peroxodisulphate	7727-21-1	Not applicable	-
Boric acid (HBO2), sodium salt, tetrahydrate	10555-76-7	No data available	-
Disodium tetraborate	1330-43-4	No data available	_

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	Not applicable
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

None under normal use conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause sensitization in susceptible persons. May cause irritation of respiratory tract.
Eye contact	Irritating to eyes. Causes serious eye irritation.
Skin contact	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.
Ingestion	May cause additional affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity

Harmful if swallowed

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Rat LD₅o	802 mg/kg	None reported	None reported	IUCLID
Boric acid (HBO2), sodium salt, tetrahydrate (10 - 20%) CAS#: 10555-76-7	Rat LD₅o	2330 mg/kg	None reported	None reported	HSDB
Disodium tetraborate (10 - 20%) CAS#: 1330-43-4	Rat LD ₅₀	2660 mg/kg	None reported	None reported	GESTIS

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,064.20 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and
---------------	-------------	---------	---------	-------------------------------

				sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Local Lymph Node Assay	Mouse	Confirmed to be a skin sensitizer	ECHA

STOT - single exposure

May cause respiratory irritation.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Disodium tetraborate	Man	709 mg/kg	None reported	Behavioral	RTECS
(10 - 20%)	LDLO			Convulsions or effect on seizure	
CAS#: 1330-43-4				threshold	
				Cardiac	
				Pulse rate	
				Gastrointestinal	
				Nausea or vomiting	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Rat NOAEL	131.5 mg/kg	28 days	No toxicological effects observed	ECHA
Disodium tetraborate (10 - 20%) CAS#: 1330-43-4	Rat TD⊾₀	70000 mg/kg	90 days	Brain and Coverings Weight loss Chronic Changes in testicular weight Nutritional and Gross Metabolic Weight loss or decreased weight gain	RTECS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Rat NOAEL	91 mg/kg	90 days	No toxicological effects observed	ECHA

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Rat NOAEC	10.3 mg/m ³	90 days	No toxicological effects observed	ECHA

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Dipotassium	7727-21-1	-	-	-	-
peroxodisulphate					
Boric acid (HBO2), sodium	10555-76-7	-	-	-	-
salt, tetrahydrate					
Disodium tetraborate	1330-43-4	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Mutation in microorganisms	Salmonella typhimurium	10 mg/plate	None reported	Negative	ECHA

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
EN / AGHS						Page 10 / 16

Disodium tetraborate	Specific locus test	Drosophila	795 mg/L	None reported	Positive test result for	RTECS
(10 - 20%)		melanogaster	-		mutagenicity	
CAS#: 1330-43-4		-				

Reproductive toxicity

Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	Rat NOAEL	>= 250 mg/kg	Single generation	No reproductive or developmental toxic effects observed	ECHA
Disodium tetraborate (10 - 20%) CAS#: 1330-43-4	Rat TD⊾₀	70000 mg/kg	90 days	Paternal Effects Epididymis Fallopian tubes Ovaries Sperm duct testes Maternal Effects	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

<u>Mixture</u>

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	96 hours	None reported	LC ₅₀	>= 76.3 mg/L	FIFRA

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Dipotassium peroxodisulphate (60 - 70%) CAS#: 7727-21-1	48 Hours	Daphnia magna	EC50	92 mg/L	EPA

log Kow ~ -1.09

log Koc ~ 0

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation MATERIAL DOES NOT BIOACCUMULATE Mixture No data available.

Partition coefficient

<u>Mobility</u>

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects

No information available

	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	Not applicable
Special instructions for disposal	Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system.
	14. TRANSPORT INFORMATION
DOT	
UN/ID no	UN3316

13316
IEMICAL KIT
I3316, CHEMICAL KIT, 9
1

-

TDG UN/ID no Proper shipping name Transport hazard class(es) Description	UN3316 CHEMICAL KIT 9 UN3316, CHEMICAL KIT, 9
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group ERG Code Description	UN3316 Chemical kit 9 II 9L UN3316, Chemical kit, 9
IMDG UN number or ID number Proper shipping name Transport hazard class(es) EmS-No Special precautions for user Description	UN3316 CHEMICAL KIT 9 F-A, S-P 251, 340 UN3316, CHEMICAL KIT, 9

Additional information

This product forms part of a kit. Information in this section relates to the kit as a whole.

15. REGULATORY INFORMATION

Complies
Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL - Existing substances	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIOC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Product Name Nitrogen LR TNT Reagent B Revision Date 08-Feb-2023 Page 14 / 16

Acute health hazard Chronic Health Hazard	Yes Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipotassium peroxodisulphate	Х	Х	Х
7727-21-1			
Boric acid (HBO2), sodium salt,	Х	-	-
tetrahydrate			
10555-76-7			
Disodium tetraborate	Х	Х	Х
1330-43-4			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Boric acid (HBO2), sodium salt, tetrahydrate	180.1121	-
Disodium tetraborate	180.0920	-
	180.1121	

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Disodium tetraborate 1330-43-4	Declarable Substance (LR) Prohibited Substance (LR)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ATSDR CCRIS CDC CEPA CICAD ECHA EEA EPA ERMA ECOSARS FDA GESTIS	ACGIH (American Conference of Governmental Industrial Hygienists) ATSDR (Agency for Toxic Substances and Disease Registry) CCRIS (Chemical Carcinogenesis Research Information System) CDC (Center for Disease Control) CEPA (Canadian Environmental Protection Agency) CICAD (Concise International Chemical Assessment Documents) ECHA (The European Chemicals Agency) EEA (European Environment Agency) EPA (Environmental Protection Agency) ERMA (New Zealands Environmental Risk Management Authority) Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite [™] FDA (Food & Drug Administration) GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
Х	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C	Skin designation Respiratory sensitization Carcinogen	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant

М	mutagen	
Prepared By		Hach Product Compliance Department
Issue Date		01-Dec-2020
Revision Date		08-Feb-2023
Revision Note		None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet



SAFETY DATA SHEET

Issue Date 01-Dec-2020 Revision Date 08-Feb-2023

Version 1.6

Page 1/16

	1. IDENTIFICATION	
Product identifier Product Name	Nitrogen LR TNT Reagent D	
<u>Other means of identification</u> Product Code(s)	TNT826D	
Safety data sheet number	M01920	
UN/ID no	UN3316	
Recommended use of the chemical Recommended Use Uses advised against Restrictions on use	and restrictions on use Determination of nitrate. Consumer use. For Laboratory Use Only.	

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Warning

Product NameNitrogen LR TNT Reagent DRevision Date08-Feb-2023Page2 / 16



Hazard statements H226 - Flammable liquid and vapor H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical attention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

Other Hazards Known

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Not applicable

Mixture

Chemical Family Chemical nature Mixture. Aqueous solution of organic and inorganic salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Isopropyl alcohol	67-63-0	20 - 30%	-
2,6-Dimethylphenol	576-26-1	<1%	-

Isoan	nyl acetate 123-92-2 <1% -			
4. FIRST AID MEASURES				
Description of first aid measures				
General advice	Show this safety data sheet to the doctor in attendance.			
Inhalation	IF exposed or concerned: Get medical advice/attention. Remove to fresh air.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.			
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.			
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing.			
Most important symptoms and effe	ects, both acute and delayed			
Symptoms	Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.			
Indication of any immediate medic	al attention and special treatment needed			
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.			
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.			
Hazardous combustion products	Carbon monoxide, Carbon dioxide.			
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gea Use personal protection equipment.			

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Product Code(s) TNT826D Issue Date 01-Dec-2020 Version 1.6	Product Name Nitrogen LR TNT Reagent D Revision Date 08-Feb-2023 Page 4 / 16
Personal precautions	See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.
	7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Use personal protection equipment. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with particular national and local regulations.
Flammability class	Class IC

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
CAS#: 67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	C C
2,6-Dimethylphenol	dermal sensitizer	NDF	NDF
CAS#: 576-26-1	TWA: 1 ppm inhalable		
	fraction and vapor		
Isoamyl acetate	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
CAS#: 123-92-2	TWA: 50 ppm	TWA: 525 mg/m ³	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 525 mg/m ³
		(vacated) TWA: 525 mg/m ³	5

Appropriate engineering controls Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, su Respiratory protection	<u>ch as personal protective equipment</u> No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Impervious gloves. Wear suitable gloves.
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective clothing. Avoid contact with eyes, skin and clothing.
General Hygiene Considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Aromatic	Liquid		Color Odor threshold	colorless No data avai	lable
Property_			Values			Remarks • Method
Molecular weight			No data availat	ble		
рН			6			@ 20 °C
Melting point / fre	ezing point		~ -3 °C / 20	6.6 °F		

Product Code(s) TNT826D Issue Date 01-Dec-2020 Version 1.6	Product Name Nitrogen LR TNT Reagent D Revision Date 08-Feb-2023 Page 6 / 16
Initial boiling point and boiling range Evaporation rate	82 °C / 179.6 °F 1.03 (water = 1)
Vapor pressure	22.052 mm Hg / 2.94 kPa at 25 °C / 77 °F
Relative vapor density	0.73
Specific Gravity	0.95
Partition coefficient	Not applicable
Soil Organic Carbon-Water Partition Coefficient	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	No data available
Kinematic viscosity	No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	20 °C / 68 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Isopropyl alcohol	67-63-0	100%	Х
2,6-Dimethylphenol	576-26-1	No data available	-
Isoamyl acetate	123-92-2	No data available	Х

Explosive properties

Upper explosion limit Lower explosion limit

Flammable properties

Flash point Method 26 °C / 78.8 °F

No data available

No data available

DIN 51755 Part 1

Flammability Limit in Air

> Upper flammability limit: Lower flammability limit:

Oxidizing properties

Bulk density

Product NameNitrogen LR TNT Reagent DRevision Date08-Feb-2023Page7 / 16

No data available No data available

No data available.

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions None under normal processing.

<u>Hazardous polymerization</u> None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Causes serious eye irritation. May cause redness, itching, and pain.
Skin contact	May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Rat LD₅₀	4710 mg/kg	None reported	Behavioral General anesthetic	OECD 429: Skin Sensitization: Local Lymph Node Assay
2,6-Dimethylphenol (<1%) CAS#: 576-26-1	Rat LD₅₀	296 mg/kg	None reported	None reported	LOLI
Isoamyl acetate (<1%) CAS#: 123-92-2	Rat LD₅₀	16600 mg/kg	None reported	None reported	RTECS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Rabbit LD₅₀	4059 mg/kg	None reported	None reported	LOLI
2,6-Dimethylphenol (<1%) CAS#: 576-26-1	Rabbit LD50	1000 mg/kg	None reported	None reported	LOLI

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Rat LC50	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	15,362.70 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

	Chemical name	Test method	Species	Reported	Exposure	Results	Key literature
Ī							

Product NameNitrogen LR TNT Reagent DRevision Date08-Feb-2023Page9 / 16

			dose	time		references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS
2,6-Dimethylphenol (<1%) CAS#: 576-26-1	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	24 hours	Corrosive to skin	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS
Isoamyl acetate (<1%) CAS#: 123-92-2	Standard Draize Test	Rabbit	None reported	None reported	Eye irritant	ERMA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
lsopropyl alcohol (20 - 30%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay

STOT - single exposure

May cause drowsiness or dizziness.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Human TD∟₀	223 mg/kg	None reported	Behavioral Hallucinations, Distorted perceptions	RTECS

Product NameNitrogen LR TNT Reagent DRevision Date08-Feb-2023Page10 / 16

Cardiac Pulse rate decrease with fall in BP	
Vascular	
BP lowering not characterized in	
autonomic section	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Human TCၬ₀	35 mg/L	4 hours	Cardiac Pulse rate decrease with fall in BP Lungs, Thorax, or Respiration Other changes	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	67-63-0	-	Group 3	-	Х
2,6-Dimethylphenol	576-26-1	A3	-	-	-
Isoamyl acetate	123-92-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro **Data** No data available.

Substance invitro **Data** No data available.

Mixture invivo **Data** No data available.

Substance invivo Data

Test data reported below.

Inhalation (Dust/Mist) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
lsopropyl alcohol (20 - 30%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	Rat TD⊾₀	32.4 mg/kg	None reported	Effects on Embryo or Fetus Fetal death	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (20 - 30%)	Rat TC⊾₀	7000 mg/L	19 days	Specific Developmental Abnormalities	RTECS
CAS#: 67-63-0				Musculoskeletal system	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	96 hours	Pimephales promelas	LC ₅₀	4200 mg/L	IUCLID
2,6-Dimethylphenol (<1%) CAS#: 576-26-1	96 hours	Oryzias latipes	LC₅0	15 mg/L	ECHA

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	48 Hours	None reported	LC50	1400 mg/L	IUCLID
2,6-Dimethylphenol (<1%) CAS#: 576-26-1	48 Hours	Daphina magna	EC₅o	11 mg/L	ECHA

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (20 - 30%) CAS#: 67-63-0	72 Hours	Scenedesmus subspicatus	EC ₅₀	> 1000 mg/L	IUCLID

Aquatic Chronic Toxicity

Test data reported below.

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
2,6-Dimethylphenol (<1%) CAS#: 576-26-1	21 days	Daphina magna	NOEC	0.54 mg/L	ECHA

Persistence and degradability

Mixture

No data available.

Mixture No data available.

Partition coefficient

Mobility

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

Waste treatment methods

Product Code(s) TNT826D Issue Date 01-Dec-2020 Version 1.6	Product Name Nitrogen LR TNT Reagent D Revision Date 08-Feb-2023 Page 13 / 16
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.
US EPA Waste Number	D001
Special instructions for disposal	Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted

14. TRANSPORT INFORMATION

material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

DOT UN/ID no Proper shipping name Transport hazard class(es) Description Emergency Response Guide Number	UN3316 CHEMICAL KIT SOLUTION 9 UN3316, CHEMICAL KIT SOLUTION, 9 171
<u>TDG</u> UN/ID no Proper shipping name Transport hazard class(es) Description	UN3316 CHEMICAL KIT SOLUTION 9 UN3316, CHEMICAL KIT SOLUTION, 9
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group ERG Code Description	UN3316 Chemical kit solution 9 II 9L UN3316, Chemical kit solution, 9
IMDG UN number or ID number Proper shipping name Transport hazard class(es) EmS-No Special precautions for user Description	UN3316 CHEMICAL KIT SOLUTION 9 F-A, S-P 251, 340 UN3316, CHEMICAL KIT SOLUTION, 9, (26°C C.C.)

Additional information

This product forms part of a kit. Information in this section relates to the kit as a whole.

15. REGULATORY INFORMATION

National Inventories	
TSCA	
DSL/NDSL	

Complies Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories EINECS/ELINCS

Complies

Product Name Nitrogen LR TNT Reagent D Revision Date 08-Feb-2023 Page 14 / 16

ENCS	Complies
IECSC	Complies
KECL - Existing substances	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Isoamyl acetate	-	-	-	Х
123-92-2				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Isoamyl acetate	5000 lb	-	RQ 5000 lb final RQ
123-92-2			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	Х	X	Х
Isoamyl acetate 123-92-2	Х	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Isopropyl alcohol	180.0950	-
Isoamyl acetate	180.0910	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 3	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 3	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
	Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health

OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weigh	ted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowal	ole Concentration	Ceiling	Ceiling Limit Value
x	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensi Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Complian	ce Department	
Issue Date		01-Dec-2020		
Revision Date		08-Feb-2023		
Revision Note		None		

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet