



**Be Right™**

# SAFETY DATA SHEET

**Issue Date** 13-May-2019

**Revision Date** 11-Jul-2019

**Version** 1

**Page** 1 / 17

## 1. IDENTIFICATION

**Product identifier**

**Product Name** Cationic Surfactants, sample cuvette

**Other means of identification**

**Product Code(s)** TNT885SV

**Safety data sheet number** M00190

**UN/ID no** UN1888

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Laboratory Use. Solvent.

**Uses advised against** Consumer use.

**Restrictions on use** For Laboratory Use Only.

**Details of the supplier of the safety data sheet**

**Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

**Emergency telephone number**

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

**Classification**

**Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Chronic aquatic toxicity	Category 3

**Hazards not otherwise classified (HNOC)**

Not applicable

**Label elements**

**Signal word**

Danger

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 2 / 17



#### **Hazard statements**

H302 - Harmful if swallowed  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H331 - Toxic if inhaled  
H351 - Suspected of causing cancer  
H361 - Suspected of damaging fertility or the unborn child  
H372 - Causes damage to organs through prolonged or repeated exposure  
H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary statements**

P270 - Do not eat, drink or smoke when using this product  
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
P330 - Rinse mouth  
P501 - Dispose of contents/ container to an approved waste disposal plant  
P271 - Use only outdoors or in a well-ventilated area  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P311 - Call a POISON CENTER or doctor/physician  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P362 - Take off contaminated clothing and wash before reuse  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337 + P313 - If eye irritation persists: Get medical advice/attention  
P201 - Obtain special instructions before use  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P273 - Avoid release to the environment

#### **Other Hazards Known**

Harmful to aquatic life

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substance**

**Chemical Name** Chloroform  
**Chemical Family** Halogenated hydrocarbons.  
**Formula**  $\text{CHCl}_3$   
**CAS No** 67-66-3  
**Chemical nature** Organic solvents and additives.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Chloroform	67-66-3	100%	-

### **4. FIRST AID MEASURES**

### **Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist.

### **Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

### **Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## **5. FIRE-FIGHTING MEASURES**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous combustion products</b>	This material will not burn.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **6. ACCIDENTAL RELEASE MEASURES**

<b>U.S. Notice</b>	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and
--------------------	---

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

#### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

#### **Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

#### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### **7. HANDLING AND STORAGE**

#### **Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

**Flammability class** Not applicable

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

##### **Exposure Guidelines**

<b>Chemical name</b>	<b>ACGIH TLV</b>	<b>OSHA PEL</b>	<b>NIOSH</b>
Chloroform CAS#: 67-66-3	TWA: 10 ppm	(vacated) TWA: 2 ppm (vacated) TWA: 9.78 mg/m <sup>3</sup> Ceiling: 50 ppm Ceiling: 240 mg/m <sup>3</sup>	IDLH: 500 ppm STEL: 2 ppm 60 min STEL: 9.78 mg/m <sup>3</sup> 60 min

#### **Appropriate engineering controls**

**Engineering Controls**  
Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** Wear suitable gloves. Impervious gloves.

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

**Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

**Thermal hazards** None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Color</b>	colorless
<b>Appearance</b>	clear	<b>Odor threshold</b>	200 ppm
<b>Odor</b>	Ether-like		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	119.37 g/mole	
pH	No data available	
Melting point/freezing point	-64 °C / -83.2 °F	
Boiling point / boiling range	61 °C / 141.8 °F	
Evaporation rate	0.6 (ether = 1)	
Vapor pressure	159.016 mm Hg / 21.2 kPa at 20 °C / 68 °F	
Vapor density (air = 1)	4.36	
Specific gravity (water = 1 / air = 1)	1.49	
Partition Coefficient (n-octanol/water)	log K <sub>ow</sub> = 1.97	
Soil Organic Carbon-Water Partition Coefficient	log K <sub>oc</sub> = 1.71	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 6 / 17

**Kinematic viscosity** No data available

**Solubility(ies)**

**Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	8000 mg/L	20 °C / 68 °F

**Solubility in other solvents**

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Ethyl alcohol	Soluble	> 1000 mg/L	25 °C / 77 °F
Benzene	Soluble	> 1000 mg/L	25 °C / 77 °F
Carbon disulfide	Soluble	> 1000 mg/L	25 °C / 77 °F
Carbon tetrachloride	Soluble	> 1000 mg/L	25 °C / 77 °F
Ether	Soluble	> 1000 mg/L	25 °C / 77 °F

**Other Information**

**Metal Corrosivity**

**Steel Corrosion Rate**  
**Aluminum Corrosion Rate**

No data available  
No data available

**Volatile Organic Compounds (VOC) Content**

This Product is by Weight 100% an Individual Pure Chemical Substance See ingredients information below

<b>Chemical name</b>	<b>CAS No.</b>	<b>Volatile organic compounds (VOC) content</b>	<b>CAA (Clean Air Act)</b>
Chloroform	67-66-3	100%	X

**Explosive properties**

**Upper explosion limit**  
**Lower explosion limit**

Not applicable  
Not applicable

**Flammable properties**

**Flash point**

No data available

**Flammability Limit in Air**

**Upper flammability limit**  
**Lower flammability limit**

No data available  
No data available

**Oxidizing properties**

No data available.

**Bulk density**

Not applicable

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not applicable.

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 7 / 17

**Chemical stability**

Stable under normal conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

Excessive heat.

**Incompatible materials**

Strong acids. Strong bases. Strong oxidizing agents.

**Hazardous Decomposition Products**

Phosgene. Hydrogen chloride. Carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

**Information on Likely Routes of Exposure**

**Product Information**

<b>Inhalation</b>	May cause irritation of respiratory tract. Toxic by inhalation.
<b>Eye contact</b>	Irritating to eyes. Causes serious eye irritation.
<b>Skin contact</b>	Causes skin irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

**Symptoms** Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.

**Acute toxicity**

Harmful if swallowed

Toxic if inhaled

**Product Acute Toxicity Data**

If available, see ingredient data below.

**Ingredient Acute Toxicity Data**

Test data reported below.

**Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Rat LD <sub>50</sub>	695 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

**Inhalation (Dust/Mist) Exposure Route**

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 8 / 17

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Rat LC <sub>50</sub>	47.702 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	None reported	None reported	None reported	None reported	No information available

#### Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

Not applicable

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	No information available
<b>ATEmix (dermal)</b>	No information available
<b>ATEmix (inhalation-dust/mist)</b>	No information available
<b>ATEmix (inhalation-vapor)</b>	No information available
<b>ATEmix (inhalation-gas)</b>	No information available

#### Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

#### Product Skin Corrosion/Irritation Data

If available, see ingredient data below.

#### Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Standard Draize Test	Rabbit	None reported	None reported	Skin irritant	ECHA (The European Chemicals Agency)

#### Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

#### Product Serious Eye Damage/Eye Irritation Data

If available, see ingredient data below.

#### Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Standard Draize Test	Rabbit	20 mg	24 hours	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)



**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 9 / 17

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### **Product Sensitization Data**

If available, see ingredient data below.

#### **Ingredient Sensitization Data**

Test data reported below.

#### **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)

#### STOT - single exposure

Based on available data, the classification criteria are not met.

#### **Product Specific Target Organ Toxicity Single Exposure Data**

If available, see ingredient data below.

#### **Ingredient Specific Target Organ Toxicity Single Exposure Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Man LD <sub>Lo</sub>	2514 mg/kg	None reported	<b>Kidney, Ureter, or Bladder</b> Changes in tubules (including acute renal failure, acute tubular necrosis)	RTECS (Registry of Toxic Effects of Chemical Substances)

#### **Inhalation (Vapor) Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Human TC <sub>Lo</sub>	171 mg/L	4 hours	<b>Behavioral</b> Hallucinations, Distorted perceptions	RTECS (Registry of Toxic Effects of Chemical Substances)

#### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Product Specific Target Organ Toxicity Repeat Dose Data**

If available, see ingredient data below.

#### **Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Rat TD <sub>Lo</sub>	540 mg/kg	3 days	<b>Biochemical</b> Intermediary metabolism (other proteins)	RTECS (Registry of Toxic Effects of Chemical Substances)

				<b>Kidney, Ureter, or Bladder</b> Changes in tubules (including acute renal failure, acute tubular necrosis)	
--	--	--	--	---	--

#### Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Rat TC <sub>Lo</sub>	90 mg/L	90 days	<b>Kidney, Ureter, or Bladder</b> Changes in tubules (including acute renal failure, acute tubular necrosis) <b>Liver</b> Hepatitis (hepatocellular necrosis), diffuse <b>Nutritional and Gross Metabolic</b> Weight loss or decreased weight gain	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Human TC <sub>Lo</sub>	0.010 mg/L	365 days	<b>Gastrointestinal</b> Nausea or vomiting Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Carcinogenicity

Classification based on data available for ingredients. Contains a known or suspected carcinogen.

#### Product Carcinogenicity Data

If available, see ingredient data below.

#### Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Chloroform	67-66-3	A3	Group 2B	Reasonably Anticipated	X

#### Legend

<b>ACGIH (American Conference of Governmental Industrial Hygienists)</b>	A3 - Animal Carcinogen
<b>IARC (International Agency for Research on Cancer)</b>	Group 2B - Possibly Carcinogenic to Humans
<b>NTP (National Toxicology Program)</b>	Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
<b>OSHA (Occupational Safety and Health Administration of the US Department of Labor)</b>	X - Present

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Mouse NOAEL	5 mg/L	2 years	<b>Kidney, Ureter, or Bladder</b> Kidney tumors	ECHA (The European Chemicals Agency)

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 11 / 17

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Product Germ Cell Mutagenicity invitro Data**

If available, see ingredient data below.

#### **Ingredient Germ Cell Mutagenicity invitro Data**

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Mutation in microorganisms	<i>Salmonella typhimurium</i>	5%	24 hours	Negative test result for mutagenicity	ECHA (The European Chemicals Agency)

#### **Product Germ Cell Mutagenicity invivo Data**

If available, see ingredient data below.

#### **Ingredient Germ Cell Mutagenicity invivo Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Micronucleus test	Rat	480 mg/kg	5 days	Negative test result for mutagenicity	ECHA (The European Chemicals Agency)

#### **Reproductive toxicity**

Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

#### **Product Reproductive Toxicity Data**

No data available.

#### **Ingredient Reproductive Toxicity Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	Mouse NOAEL	15.9 mg/kg	Multiple generations	<b>Effects on Fertility</b> Male fertility index (e.g. # males impregnating females per # males exposed to fertile nonpregnant females) Spermatogenesis (including genetic material, sperm morphology, motility, and count)	ECHA (The European Chemicals Agency)

#### **Inhalation (Vapor) Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
---------------	---------------	---------------	---------------	-----------------------	--

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 12 / 17

Chloroform (100%) CAS#: 67-66-3	Rat NOAEL	3 mg/L	9 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	ECHA (The European Chemicals Agency)
---------------------------------------	--------------	--------	--------	--	---

**Aspiration hazard**

Based on available data, the classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Unknown aquatic toxicity** 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

**Product Ecological Data**

**Aquatic Acute Toxicity**

If available, see ingredient data below.

**Aquatic Chronic Toxicity**

If available, see ingredient data below.

**Ingredient Ecological Data**

**Aquatic Acute Toxicity**

Test data reported below.

**Fish**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	96 hours	<i>Oncorhynchus mykiss</i>	LC <sub>50</sub>	18 mg/L	IUCLID (The International Uniform Chemical Information Database)

**Crustacea**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	29 mg/L	IUCLID (The International Uniform Chemical Information Database)

**Algae**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chloroform (100%) CAS#: 67-66-3	72 Hours	<i>Selenastrum capricornutum</i>	EC <sub>50</sub>	13.3 mg/L	ECHA (The European Chemicals Agency)

**Aquatic Chronic Toxicity**

No data available.

**Persistence and degradability**

**Product Biodegradability Data**

No data available.

**Bioaccumulation**

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 13 / 17

**Product Bioaccumulation Data**

No data available.

**Partition Coefficient (n-octanol/water)**

$\log K_{ow} = 1.97$

**Mobility**

**Soil Organic Carbon-Water Partition Coefficient**

$\log K_{oc} = 1.71$

**Other adverse effects**

Contains a substance with an endocrine-disrupting potential.

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Do not reuse empty containers.

**US EPA Waste Number**

U044 D022

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Chloroform 67-66-3	U044	Included in waste streams: F024, F025, F039, K009, K010, K019, K020, K021, K029, K073, K116, K149, K150, K151, K158	6.0 mg/L regulatory level	U044

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Chloroform 67-66-3	Category I - Volatiles	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	Toxic waste waste number K021 Waste description: Aqueous spent antimony catalyst waste from fluoromethanes production.

**Special instructions for disposal**

Dispose of material in an E.P.A. approved hazardous waste facility.

### 14. TRANSPORT INFORMATION

**DOT**

**UN/ID no** UN1888  
**Proper shipping name** Chloroform  
**Hazard Class** 6.1

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 14 / 17

<b>Packing Group</b>	III
<b>Reportable Quantity (RQ)</b>	Chloroform: RQ kg= 4.54
<b>Description</b>	UN1888, Chloroform, 6.1, III, RQ
<b>Emergency Response Guide Number</b>	151

**TDG**

<b>UN/ID no</b>	UN1888
<b>Proper shipping name</b>	Chloroform
<b>Hazard Class</b>	6.1
<b>Packing Group</b>	III
<b>Description</b>	UN1888, Chloroform, 6.1, III

**IATA**

<b>UN/ID no</b>	UN1888
<b>Proper shipping name</b>	Chloroform
<b>Hazard Class</b>	6.1
<b>Packing Group</b>	III
<b>ERG Code</b>	6A

**IMDG**

<b>UN/ID no</b>	UN1888
<b>Proper shipping name</b>	Chloroform
<b>Hazard Class</b>	6.1
<b>Packing Group</b>	III
<b>EmS-No</b>	F-A, S-A

**Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

**National Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**International Inventories**

<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>TCSI</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 15 / 17

**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

## US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Chloroform (CAS #: 67-66-3)	0.1

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chloroform 67-66-3	10 lb	X	X	X

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Chloroform 67-66-3	10 lb 1 lb	10 lb	RQ 10 lb final RQ RQ 4.54 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Chloroform (100%) CAS#: 67-66-3	Release - Toxic

## US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Chloroform (CAS #: 67-66-3)	Carcinogen Developmental



**WARNING:** This product can expose you to chemicals including Chloroform, which is known to the State of California to cause cancer and birth defects or other reproductive harm.  
For more information, go to <http://www.P65Warnings.ca.gov>

**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 16 / 17

**IMERC:** Not applicable

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Chloroform 67-66-3	X	X	X

#### U.S. EPA Label Information

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

#### Special Comments

None

#### Additional information

#### **Global Automotive Declarable Substance List (GADSL)**

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Chloroform 67-66-3	Prohibited Substance (LR)	None reported

#### NFPA and HMIS Classifications

NFPA	Health hazards - 4	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3 - *	Flammability - 0	Physical hazards - 0	Personal protection - X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*  
ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)  
NDF *no data*

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		



**Product Code(s)** TNT885SV  
**Issue Date** 13-May-2019  
**Version** 1

**Product Name** Cationic Surfactants, sample cuvette  
**Revision Date** 11-Jul-2019  
**Page** 17 / 17

**Prepared By** Hach Product Compliance Department

**Issue Date** 13-May-2019

**Revision Date** 11-Jul-2019

**Revision Note** SDS sections updated  
2

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY©2019**

**End of Safety Data Sheet**