

SAFETY DATA SHEET

Issue Date 11-Feb-2021 **Revision Date** 26-Jan-2024 **Version** 3.4 **Page** 1 / 17

1. IDENTIFICATION

Product identifier

Product Name Mercuric Thiocyanate Solution

Other means of identification

Product Code(s) 2212129

Safety data sheet number M00380

UN/ID no UN1230

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis. Determination of chloride.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Specific target organ toxicity (single exposure)	Category 1
Chronic aquatic toxicity	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

EN / AGHS Page 1/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 2 / 17



Hazard statements

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H330 - Fatal if inhaled

H370 - Causes damage to organs

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

P270 - Do not eat, drink or smoke when using this product

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P284 - Wear respiratory protection

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P273 - Avoid release to the environment

P391 - Collect spillage

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture

Chemical nature Organic solvents and additives.

EN / AGHS Page 2/17

Product Name Mercuric Thiocyanate Solution

Revision Date 26-Jan-2024

Page 3 / 17

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Methanol	67-56-1	90 - 100%	-
Thiocyanic acid, mercury(2+) salt	592-85-8	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical

advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Mercury. Carbon monoxide, Carbon dioxide.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

EN / AGHS Page 3/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 4 / 17

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.

Other Information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

EN / AGHS Page 4/17

Revision Date 26-Jan-2024

Product Name Mercuric Thiocyanate Solution

Page 5 / 17

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Keep out of the reach of children. Store locked

up. Store in accordance with particular national and local regulations.

Flammability class IB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
CAS#: 67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	
		(vacated) SKN*	
Thiocyanic acid, mercury(2+) salt	TWA: 0.025 mg/m ³ Hg	TWA: 5 mg/m ³	IDLH: 10 mg/m³ Hg
CAS#: 592-85-8	S*	(vacated) TWA: 5 mg/m ³	IDLH: 25 mg/m ³ CN
		(vacated) Ceiling: 0.1 mg/m ³	Ceiling: 0.1 mg/m ³ Hg
		*	TWA: 0.05 mg/m ³ except
			Organo alkyls Hg vapor

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Hand Protection

Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374 4 2016.

374-1:2016.

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots. Wash contaminated clothing before reuse. Avoid contact with eyes, skin

and clothing.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do

not breathe vapor or mist.

EN / AGHS Page 5/17

Product Name Mercuric Thiocyanate Solution

Revision Date 26-Jan-2024

Page 6 / 17

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance aqueous solution
Odor Alcoholic

Color colorless
Odor threshold 5900 ppm

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

pH No data available

Melting point / freezing point -98 °C / -144.4 °F

Initial boiling point and boiling range 65 °C / 149 °F

Evaporation rate 5.9 (water = 1)

Vapor pressure 99.985 mm Hg / 13.33 kPa at 100 °C / 212

°F

Relative vapor density 1.11

Specific gravity - VALUE 1 0.79

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Autoignition temperature

Coefficient

Not applicable

385 °C / 725 °F

Decomposition temperatureNo data available

Dynamic viscosity No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature_
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

EN / AGHS Page 6/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 7 / 17

Volatile Organic Compounds (VOC) Content

~ 100% See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Methanol	67-56-1	100%	Χ
Thiocyanic acid, mercury(2+) salt	592-85-8	No data available	-

Explosive properties

Upper explosion limit36.5%Lower explosion limit6.7%

Flammable properties

Flash point 12 °C / 53.6 °F Method CC (closed cup)

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Excessive heat.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Mercury. Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

EN / AGHS Page 7/17

Product Name Mercuric Thiocyanate Solution

Revision Date 26-Jan-2024

Page 8 / 17

Product Information

Inhalation Fatal if inhaled.

Eye contact No known effect based on information supplied.

Skin contact Toxic in contact with skin.

Ingestion Toxic if swallowed.

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity

Toxic if swallowed
Toxic in contact with skin
Fatal if inhaled

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Thiocyanic acid, mercury(2+) salt	Rat LD₅o	46 mg/kg	None reported	None reported	RTECS
(<1%) CAS#: 592-85-8					

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99.80 mg/kg
ATEmix (dermal)	277.10 mg/kg
ATEmix (inhalation-dust/mist)	0.4948 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

EN / AGHS Page 8/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 9 / 17

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (90 - 100%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method		None reported	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (90 - 100%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method		0.05 mL	24 hours	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Γ	Chemical name	Test method	Species	Results	Key literature references and
L					sources for data
	Methanol (90 - 100%) CAS#: 67-56-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

STOT - single exposure

Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name Endpoint Reported Exposure Toxicological effects Key literature references a	Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references an
------------------------------------------------------------------------------------------------------	---------------	----------	----------	----------	-----------------------	------------------------------

EN / AGHS Page 9/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 10 / 17

	type	dose	time		sources for data
Methanol (90 - 100%)	Human LD⊾∘	143 mg/kg	None reported	Lungs, Thorax, or Respiration	RTECS
CAS#: 67-56-1	10 20			Dyspnea	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (90 - 100%)	Human TC⊾₀	300 mg/L	None reported	Lungs, Thorax, or Respiration	RTECS
CAS#: 67-56-1	I CLo			Other changes	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (90 - 100%) CAS#: 67-56-1	Monkey	2340 mg/kg	3 days	None reported	ECHA

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Methanol	67-56-1	•	=	•	•
Thiocyanic acid, mercury(2+) salt	592-85-8	-	Group 3	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

EN / AGHS Page 10/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 11 / 17

Chemical nam	e Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (90 - 100%) CAS#: 67-56-	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (90 - 100%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS
(90 - 100%)	TDLo		,	Specific Developmental	
CAS#: 67-56-1				Abnormalities	
				Ear	
				Eye	
				Fetotoxicity (except death e.g.	
				stunted fetus)	
				Urogenital System	

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methanol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS
(90 - 100%)	TCLo	_		Fetotoxicity (except death e.g.	
CAS#: 67-56-1				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

EN / AGHS Page 11/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 12 / 17

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity
Test data reported below.

resi dala reported b

Fish

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data
Thiocyanic acid, mercury(2+) salt (<1%) CAS#: 592-85-8	96 hours	Pimephales promelas	LC ₅₀	0.15 mg/L	HSDB

Crustacea

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data
Thiocyanic acid, mercury(2+) salt (<1%) CAS#: 592-85-8		Daphnia magna	EC50	0.0052 mg/L	Vendor SDS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

There is no data for this product

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects

No information available

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disrupters - Evaluated Substances	Endocrine disrupting potential
Thiocyanic acid, mercury(2+) salt	Group III Chemical	-	-
(<1%) CAS#: 592-85-8			

13. DISPOSAL CONSIDERATIONS

EN / AGHS Page 12/17

Product Name Mercuric Thiocyanate Solution

Revision Date 26-Jan-2024

Page 13 / 17

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

US EPA Waste Number U154 D001, D009

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol	ī	Included in waste stream:	-	U154
67-56-1		F039		

Special instructions for disposal

Decontaminate any equipment or surfaces that have come in contact with mercury with commercially available mercury absorbing compounds. Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN1230
Proper shipping name METHANOL

Transport hazard class(es) 3
Subsidiary class 6.1
Packing Group II
Emergency Response Guide 131

Number

TDG

UN/ID no UN1230
Proper shipping name METHANOL

Transport hazard class(es) 3
Subsidiary class 6.1
Packing Group II

IATA

Special Provisions A104, A113

IMDG

UN number or ID number UN1230 Proper shipping name METHANOL

Transport hazard class(es) 3
Subsidiary hazard class 6.1
Packing Group II
EmS-No F-E, S-D
Special Provisions 279

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

EN / AGHS Page 13/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 14 / 17

If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Complies Complies **IECSC** Complies **KECL PICCS** Complies Complies TCSI Complies **AICS** Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Methanol (CAS #: 67-56-1)	1.0
Thiocyanic acid, mercury(2+) salt (CAS #: 592-85-8)	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Thiocyanic acid, mercury(2+) salt	10 lb	X	Χ	X
592-85-8				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

EN / AGHS Page 14/17

Product Name Mercuric Thiocyanate Solution Revision Date 26-Jan-2024 Page 15 / 17

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ
Thiocyanic acid, mercury(2+)	10 lb	-	RQ 10 lb final RQ
salt			RQ 4.54 kg final RQ
592-85-8			

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Methanol (CAS #: 67-56-1)	Developmental
Thiocyanic acid, mercury(2+) salt (CAS #: 592-85-8)	Developmental

WARNING: This product can expose you to chemicals including Thiocyanic acid, mercury(2+) salt, Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information, go to http://www.P65Warnings.ca.gov

IMERC: Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol	X	X	X
67-56-1			
Thiocyanic acid, mercury(2+)	X	X	X
salt			
592-85-8			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Methanol	180.0910	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

This product contains mercury and may be subject to reporting and recordkeeping requirements

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Methanol	Declarable Substance (FI)	0.6 %
67-56-1	Declarable Substance (LR)	
	Prohibited Substance (FI)	

EN / AGHS Page 15/17

Product Name Mercuric Thiocyanate Solution

Revision Date 26-Jan-2024

Page 16 / 17

	Prohibited Substance (LR)	
Thiocyanic acid, mercury(2+) salt	Declarable Substance (LR)	0.0005 %
592-85-8	Prohibited Substance (LR)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 4	Flammability - 3	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 4	Flammability - 3	Physical hazards - 0	Personal protection -
	- *	-	-	X
				- I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR (Agency for Toxic Substances and Disease Registry)

CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

EN / AGHS Page 16/17

Product Name Mercuric Thiocyanate Solution **Revision Date** 26-Jan-2024

Page 17 / 17

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 11-Feb-2021

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet

EN / AGHS Page 17/17