

# SAFETY DATA SHEET

**Issue Date** 16-Aug-2018 **Revision Date** 26-Jan-2024 **Version** 3.7 **Page** 1 / 16

## 1. IDENTIFICATION

**Product identifier** 

Product Name Ammonium Molybdate Reagent

Other means of identification

Product Code(s) 11032H

Safety data sheet number M00645

UN/ID no UN3264

Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory reagent. Phosphate determination.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

## **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

## Label elements

## Signal word

Danger

EN / AGHS Page 1/16

Product Name Ammonium Molybdate Reagent

Revision Date 26-Jan-2024

Page 2/16



#### **Hazard statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H372 - Causes damage to organs through prolonged or repeated exposure

#### **Precautionary statements**

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

### Other Hazards Known

Harmful to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Substance**

Not applicable

#### **Mixture**

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent	HMRIC #
		Range	
Sulfuric acid	7664-93-9	30 - 40%	1
Diammonium sulfate	7783-20-2	<10%	ı
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	1 - 5%	ı
Nitric acid	7697-37-2	<1%	-

## 4. FIRST AID MEASURES

## **Description of first aid measures**

EN / AGHS Page 2/16

Product Name Ammonium Molybdate Reagent

Revision Date 26-Jan-2024

**Page** 3 / 16

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable Extinguishing Media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the** The product causes burns of e

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products This material will not burn. Sulfur oxides. Nitrogen oxides (NOx). Ammonia.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

EN / AGHS Page 3/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024

Page 4 / 16

respond to a spill involving chemicals.

## Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Not applicable

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> thoracic	TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Molybdate (MoO42-), dihydrogen,	TWA: 0.5 mg/m <sup>3</sup> Mo	TWA: 5 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> Mo
(T-4)-	respirable particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup>	_
CAS#: 7782-91-4			
Nitric acid	STEL: 4 ppm	TWA: 2 ppm	IDLH: 25 ppm
CAS#: 7697-37-2	TWA: 2 ppm	TWA: 5 mg/m <sup>3</sup>	TWA: 2 ppm

EN / AGHS Page 4/16

Product Name Ammonium Molybdate Reagent

Revision Date 26-Jan-2024

**Page** 5 / 16

(vacated) TWA: 2 ppm	TWA: 5 mg/m <sup>3</sup>
(vacated) TWA: 5 mg/m <sup>3</sup>	STEL: 4 ppm
(vacated) STEL: 4 ppm	STEL: 10 mg/m <sup>3</sup>
(vacated) STEL: 10 mg/m <sup>3</sup>	_

Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** 

Eye/face protection

Skin and body protection

Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Face protection shield.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Avoid

contact with eyes, skin and clothing. Wash contaminated clothing before reuse.

**General Hygiene Considerations** 

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls** 

Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state

Liquid

Appearance

aqueous solution

Color colorless

Odor Odorless

Odor threshold No data available

Property Values Remarks • Method

Molecular weight No data available

**pH** < 0.5 @ 20 °C

Melting point / freezing point  $\sim 0 \, ^{\circ}\text{C} \, / \, 32 \, ^{\circ}\text{F}$ 

Initial boiling point and boiling range  $\sim$  100 °C / 212 °F

**Evaporation rate** 1.18 (water = 1)

**Vapor pressure** 21.077 mm Hg / 2.81 kPa at 25 °C / 77 °F

Relative vapor density 0.62

Specific gravity - VALUE 1 1.362

EN / AGHS Page 5/16

**Autoignition temperature** 

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024

**Page** 6 / 16

Partition coefficient Not applicable

**Soil Organic Carbon-Water Partition** 

Coefficient

Not applicable

No data available

**Decomposition temperature**No data available

Dynamic viscosity No data available

Kinematic viscosity

No data available

Solubility(ies)

## Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

## Solubility in other solvents

Chemical Name_	Solubility classification	Solubility	Solubility Temperature_
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

### **Other information**

### **Metal Corrosivity**

Steel Corrosion Rate Aluminum Corrosion Rate 107.34 mm/yr / 4.23 in/yr

## **Volatile Organic Compounds (VOC) Content**

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Diammonium sulfate	7783-20-2	No data available	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	Not applicable	-
Nitric acid	7697-37-2	Not applicable	-

### **Explosive properties**

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

EN / AGHS Page 6/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024

**Page** 7 / 16

## 10. STABILITY AND REACTIVITY

#### Reactivity

Corrosive on contact with water. Corrosive to metal.

### Chemical stability

Stable under normal conditions.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous polymerization**

None under normal processing.

### Conditions to avoid

Exposure to air or moisture over prolonged periods.

### Incompatible materials

Oxidizing agent. Acids. Bases.

#### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

### **Product Information**

**Inhalation** Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

**Eye contact** Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

### **Acute toxicity**

Based on available data, the classification criteria are not met

## Mixture

No data available.

EN / AGHS Page 7/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024 **Page** 8 / 16

## **Ingredient Acute Toxicity Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (<10%) CAS#: 7783-20-2	Rat LD <sub>50</sub>	2840 mg/kg	None reported	None reported	GESTIS
Molybdate (MoO42-), dihydrogen, (T-4)- (1 - 5%) CAS#: 7782-91-4	Rat LD <sub>50</sub>	2689 mg/kg	None reported	None reported	Vendor SDS

### **Unknown Acute Toxicity**

2.4% of the mixture consists of ingredient(s) of unknown toxicity.

## **Acute Toxicity Estimations (ATE)**

## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

### Skin corrosion/irritation

Causes severe burns.

### **Mixture**

No data available.

## Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (30 - 40%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Diammonium sulfate (<10%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA
Nitric acid (<1%) CAS#: 7697-37-2	Existing human experience	Human	None reported	None reported	Corrosive to skin	ERMA

### Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

### **Mixture**

No data available.

## Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical	name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric (30 - 40		Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB

EN / AGHS Page 8/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024 **Page** 9 / 16

CAS#: 7664-93-9						
Diammonium sulfate (<10%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA
Nitric acid (<1%) CAS#: 7697-37-2	Existing human experience	Human	None reported	None reported	Corrosive to eyes	ERMA

## Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

## **Ingredient Sensitization Data**

No data available.

## STOT - single exposure

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

## Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Diammonium sulfate	Man	1500 mg/kg	None reported	Gastrointestinal	RTECS
(<10%)	$TD_Lo$			Gas	
CAS#: 7783-20-2					
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Nitric acid	Rat	226500 mg/kg	None reported	Blood	RTECS
(<1%)	TDLo			Methemoglobinemia-Carboxyhe	
CAS#: 7697-37-2				moglobin	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Sulfuric acid	Human	0.144 mg/L	5 minutes	Lungs, Thorax, or	RTECS
(30 - 40%)	TDLo			Respiration	
CAS#: 7664-93-9				Dyspnea	
Nitric acid	Rat	460 mg/L	1 hours	Nutritional and Gross	RTECS
(<1%)	TCLo			Metabolic	
CAS#: 7697-37-2				Weight loss or decreased weight	
				gain	

## STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Mixture

No data available.

## Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
(30 - 40%)	TCL₀		-	Changes in teeth and supporting	
CAS#: 7664-93-9				structures	
Nitric acid	Rat	0.001071	84 days	Behavioral	RTECS
(<1%)	TCLo	mg/L	-	Muscle contraction or spasticity	
CAS#: 7697-37-2				Biochemical	

EN / AGHS Page 9/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024

Page 10/16

Enzyme inhibition, induction, or
change in blood or tissue levels
(true cholinesterase)
Kidney, Ureter, or Bladder
Other changes in urine
composition

Carcinogenicity

Based on available data, the classification criteria are not met.

### Mixture

No data available.

## **Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Diammonium sulfate	7783-20-2	-	-	-	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	A3	-	-	-
Nitric acid	7697-37-2	-	Group 1 Group 2A	-	Х

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### Mixture invitro Data

No data available.

#### Substance invitro Data

No data available.

ſ	Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
				dose	time		references and
							sources for data
	Sulfuric acid (30 - 40%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

**Mixture** invivo **Data** No data available.

#### Substance invivo Data

No data available.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### **Mixture**

No data available.

### **Ingredient Reproductive Toxicity Data**

EN / AGHS Page 10/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Nitric acid (<1%) CAS#: 7697-37-2	Rat TD∟₀	21150 mg/kg	21 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (30 - 40%) CAS#: 7664-93-9	Rabbit TC∟₀	0.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	No information available

Page 11 / 16

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Based on available data, the classification criteria are not met.

**Unknown aquatic toxicity** 2.4% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

**Mixture** 

Aquatic Acute Toxicity
No data available.

**Aquatic Chronic Toxicity** 

No data available.

**Substance** 

**Aquatic Acute Toxicity** 

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Diammanium aulfata		Once the make a medica		26.7 mg/l	GESTIS
Diammonium sulfate	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	36.7 mg/L	GESTIS
(<10%)					
CAS#: 7783-20-2					
Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time	-	type	-	sources for data
Diammonium sulfate	48 Hours	None reported	LC <sub>50</sub>	14 mg/L	GESTIS
(<10%)		·			
CAS#: 7783-20-2					

### **Aquatic Chronic Toxicity**

No data available.

### Persistence and degradability

**Mixture** 

No data available.

**Mixture** 

No data available.

Partition coefficient Not applicable

**Mobility** 

Soil Organic Carbon-Water Partition Coefficient Not applicable

EN / AGHS Page 11/16

Revision Date 26-Jan-2024

**Product Name** Ammonium Molybdate Reagent

Page 12 / 16

Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

**US EPA Waste Number** D002

Special instructions for disposal If permitted by regulation. Work in an approved fume hood. Dilute material with excess

> water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Dispose of material in an E.P.A. approved hazardous waste facility.

### 14. TRANSPORT INFORMATION

DOT

UN/ID no UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.

(<45% Sulfuric Acid solution) **DOT Technical Name** 

Transport hazard class(es)

**Packing Group Emergency Response Guide** 

Number

Ш 154

**TDG** 

UN/ID no UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.

**TDG Technical Name** (<45% Sulfuric Acid solution)

Transport hazard class(es) R **Packing Group** Ш

IATA

**UN** number or ID number

Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.

**IATA Technical Name** (<45% Sulfuric Acid solution)

Transport hazard class(es) 8 Packing group Ш **ERG Code** 154

IMDG

**UN** number or ID number

Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.

**IMDG Technical Name** (<45% Sulfuric Acid solution)

Transport hazard class(es) 8 **Packing Group** Ш

No special precautions necessary. Note:

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

EN / AGHS Page 12/16

Product Name Ammonium Molybdate Reagent Revision Date 26-Jan-2024 Page 13 / 16

If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### **International Inventories**

**EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies Complies TCSI Complies **AICS** Complies **NZIoC** 

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Diammonium sulfate (CAS #: 7783-20-2)	1.0
Nitric acid (CAS #: 7697-37-2)	1.0

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	Х
Nitric acid	1000 lb	-	-	X

EN / AGHS Page 13/16

**Product Name** Ammonium Molybdate Reagent **Revision Date** 26-Jan-2024

**Page** 14 / 16

1091-31-2	7697-37-2				
-----------	-----------	--	--	--	--

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Nitric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7697-37-2			RQ 454 kg final RQ

## U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility	
	Anti-Terrorism Standards (CFATS) - Security Issues	
Nitric acid	Release - Toxic; Theft - Explosives/Improvised Explosive Device	
(<1%)	Precursors	
CAS#: 7697-37-2		

### U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (30 - 40%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

## **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen	

**WARNING:** This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	X	X	X
7664-93-9			
Diammonium sulfate	-	X	X
7783-20-2			
Nitric acid	X	X	X
7697-37-2			

### **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

EN / AGHS Page 14/16

Product Name Ammonium Molybdate Reagent

Revision Date 26-Jan-2024

**Page** 15 / 16

Chemical name	FIFRA	FDA
Diammonium sulfate	180.0910	21 CFR 184.1143

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### **Special Comments**

None

### **Additional information**

### Global Automotive Declarable Substance List (GADSL)

Not applicable

### NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
	- *	-	_	X
				- I

### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists) **ATSDR** ATSDR (Agency for Toxic Substances and Disease Registry) CCRIS (Chemical Carcinogenesis Research Information System) **CCRIS** 

CDC (Center for Disease Control) CDC

**CEPA** CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA (The European Chemicals Agency) **ECHA** EEA (European Environment Agency) EEA EPA (Environmental Protection Agency) **EPA** 

ERMA (New Zealands Environmental Risk Management Authority) **ERMA** 

**ECOSARS** Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

**FDA** FDA (Food & Drug Administration)

GESTIS (Information System on Hazardous Substances of the German Social Accident **GESTIS** 

Insurance)

**HSDB** HSDB (Hazardous Substances Data Bank)

**INERIS** INERIS (The National Industrial Environment and Risks Institute) IPCS INCHEM (International Programme on Chemical Safety) **IPCS INCHEM** IUCLID (The International Uniform Chemical Information Database) **IUCLID** Japan National Institute of Technology and Evaluation (NITE) NITE

NIH (National Institutes of Health) NIH

NIOSH (National Institute for Occupational Safety and Health) NIOSH LOLI (List of Lists - An International Chemical Regulatory Database) LOLI

NDF

**NICNAS** Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Immediately Dangerous to Life or Health NIOSH IDLH

OSHA (Occupational Safety and Health Administration of the US Department of Labor) **OSHA** 

PEEN (Pan European Ecological Network) **PEEN** 

**RTECS** RTECS (Registry of Toxic Effects of Chemical Substances) SIDS (Screening Information Dataset) for High Volume Chemicals SIDS

The Finnish Environment Institute (SYKE) **SYKE** USDA (United States Department of Agriculture) **USDA USDC USDC** (United States Department of Commerce)

WHO (World Health Organization) WHO

### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EN / AGHS Page 15/16

Product Name Ammonium Molybdate Reagent

Revision Date 26-Jan-2024

Page 16 / 16

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

**Issue Date** 16-Aug-2018

Revision Date 26-Jan-2024

Revision Note None

### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

**End of Safety Data Sheet** 

EN / AGHS Page 16/16