



Be Right™

SAFETY DATA SHEET

Issue Date 15-Apr-2021

Revision Date 26-Jan-2024

Version 5.4

Page 1 / 17

1. IDENTIFICATION

Product identifier

Product Name Chloride 2 Indicator Powder Pillows

Other means of identification

Product Code(s) 105766

Safety data sheet number M00022

UN/ID no UN3288

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Determination of chloride.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H330 - Fatal if inhaled
- H335 - May cause respiratory irritation
- H340 - May cause genetic defects
- H350 - May cause cancer
- H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P271 - Use only outdoors or in a well-ventilated area
- P284 - Wear respiratory protection
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P310 - Immediately call a POISON CENTER or doctor/physician
- P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
- P405 - Store locked up
- P501 - Dispose of contents/ container to an approved waste disposal plant
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P362 - Take off contaminated clothing and wash before reuse
- P280 - Wear protective gloves, protective clothing, eye protection, and face protection
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 - If eye irritation persists: Get medical attention
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P363 - Wash contaminated clothing before reuse
- P201 - Obtain special instructions before use
- P308 + P313 - IF exposed or concerned: Get medical advice/attention
- P273 - Avoid release to the environment
- P391 - Collect spillage
- P270 - Do not eat, drink or smoke when using this product
- P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P330 - Rinse mouth

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.
Chemical nature Mixture of inorganic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Chromic acid (H ₂ CrO ₄), dipotassium salt	7789-00-6	50 - 60%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms	Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives. Burning sensation.
-----------------	------------------------------------------------------------------------------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	------------------------------------------------------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid generation of dust. Do not breathe dust. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Chromic acid (H ₂ CrO ₄), dipotassium	dermal sensitizer;respiratory	TWA: 5 µg/m ³	IDLH: 15 mg/m ³ Cr(VI)

salt CAS#: 7789-00-6	sensitizer STEL: 0.0005 mg/m ³ Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m ³ Cr(VI) inhalable particulate matter S*	(vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m ³ Cr
-------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------	----------------------------------

Appropriate engineering controls

Engineering Controls

Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection

Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016. Barrier creams may help to protect the exposed areas of skin.

Eye/face protection

Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Do not breathe dust. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid Powder	Color	yellow
Appearance	powder	Odor threshold	No data available
Odor	Odorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	8.2	5% Solution
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Evaporation rate	Not applicable	
Vapor pressure	Not applicable	
Relative vapor density	No data available	

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 6 / 17

Specific gravity - VALUE 1 2.25
Partition coefficient log K_{ow} ~ 0
Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ 0
Autoignition temperature No data available
Decomposition temperature 100 °C / 212 °F
Dynamic viscosity Not applicable
Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate No data available
Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content
Not applicable

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Chromic acid (H ₂ CrO ₄), dipotassium salt	7789-00-6	Not applicable	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable. Very reactive.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Chromium trioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Fatal if inhaled. May cause irritation of respiratory tract.

Eye contact

Irritating to eyes. Causes serious eye irritation.

Skin contact

May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

Symptoms

Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity

Harmful if swallowed

Fatal if inhaled

Mixture

Test data reported below.

Oral Exposure Route

<u>Endpoint type</u>	<u>Toxicological effects</u>	<u>Key literature references and sources for data</u>
Rat LD ₅₀	Behavioral Flaccid muscle tone Lethargy Loss of righting reflex Prostration Endocrine Abnormalities of the spleen Eye Ptosis Gastrointestinal Abnormalities of the gastrointestinal tract Mucoid diarrhea Liver Abnormalities of the liver Lungs, Thorax, or Respiration Abnormalities of the lungs Dyspnea Red or brown staining of the nose/mouth area Tachypnea Nutritional and Gross Metabolic Wetness of the anogenital area Reproductive Skin and Appendages Piloerection Wetness of the nose/mouth	Outside testing

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	Mouse LD ₅₀	180 mg/kg	None reported	None reported	RTECS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt	LC ₅₀ Rat	>= .06 mg/L	4 hours	Death	ECHA

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 9 / 17

(50 - 60%) CAS#: 7789-00-6					
-------------------------------	--	--	--	--	--

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	0.120 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Skin irritant	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	None reported	None reported	None reported	None reported	Eye irritant	No information available

Respiratory or skin sensitization

May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 10 / 17

STOT - single exposure

May cause respiratory irritation.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Classification based on data available for ingredients. Contains a known or suspected carcinogen.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Chromic acid (H ₂ CrO ₄), dipotassium salt	7789-00-6	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	Mouse	1600 mg/kg	62 weeks	Blood Leukemia Lungs, Thorax, or Respiration	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
---------------	------	-------------	---------------	---------------	---------	------------------------------------------------

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 11 / 17

Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	Sister chromatid exchange	Human fibroblast	100 nmol/L	None reported	Positive test result for mutagenicity	RTECS
-------------------------------------------------------------------------------------------------	---------------------------	------------------	------------	---------------	---------------------------------------	-------

Mixture in vivo Data

No data available.

Substance in vivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	Mouse	400 mg/kg	12 weeks	Pre-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea)	ECHA

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt	96 hours	<i>Pimephales promelas</i>	LC ₅₀	40 mg/L	GESTIS

(50 - 60%) CAS#: 7789-00-6					
-------------------------------	--	--	--	--	--

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	48 Hours	<i>Daphnia magna</i>	EC ₅₀	15 mg/L	GESTIS

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	72 Hours	<i>Nitzschia sp.</i>	EC ₅₀	0.26 mg/L	GESTIS

Aquatic Chronic Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chromic acid (H ₂ CrO ₄), dipotassium salt (50 - 60%) CAS#: 7789-00-6	21 days	<i>Daphnia magna</i>	NOEC	35 mg/L	ECHA

Persistence and degradability

Mixture

No data available.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE

Mixture

No data available.

Partition coefficient

log K_{ow} ~ 0

Mobility

Soil Organic Carbon-Water Partition Coefficient

log K_{oc} ~ 0

Other adverse effects

Environmental exposure

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 13 / 17

products environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number No information available

Special instructions for disposal Dispose of material in an E.P.A. approved hazardous waste facility. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3288
Proper shipping name TOXIC SOLID, INORGANIC, N.O.S.
DOT Technical Name Chromic acid (H₂CrO₄), dipotassium salt
Transport hazard class(es) 6.1
Packing Group III
Emergency Response Guide Number 151

TDG

UN/ID no UN3288
Proper shipping name TOXIC SOLID, INORGANIC, N.O.S.
TDG Technical Name Chromic acid (H₂CrO₄), dipotassium salt
Transport hazard class(es) 6.1
Packing Group III

IATA

UN number or ID number UN3288
Proper shipping name Toxic solid, inorganic, n.o.s.
IATA Technical Name Chromic acid (H₂CrO₄), dipotassium salt
Transport hazard class(es) 6.1
Packing group III
ERG Code 6L
Special Provisions A3,A5
Description UN3288, Toxic solid, inorganic, n.o.s. (Chromic acid (H₂CrO₄), dipotassium salt), 6.1, III

IMDG

UN number or ID number UN3288
Proper shipping name TOXIC SOLID, INORGANIC, N.O.S.
IMDG Technical Name Chromic acid (H₂CrO₄), dipotassium salt
Transport hazard class(es) 6.1
Packing Group III
EmS-No F-A, S-A
Special Provisions 223, 274
Marine pollutant This material meets the definition of a marine pollutant
Description UN3288, TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, Marine pollutant

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 14 / 17

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Chromic acid (H ₂ CrO ₄), dipotassium salt (CAS #: 7789-00-6)	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chromic acid (H ₂ CrO ₄), dipotassium salt 7789-00-6	10 lb	X	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Chromic acid (H ₂ CrO ₄), dipotassium salt	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

Product Code(s) 105766
 Issue Date 15-Apr-2021
 Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
 Revision Date 26-Jan-2024
 Page 15 / 17

7789-00-6			
-----------	--	--	--

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Chromic acid (H ₂ CrO ₄), dipotassium salt (CAS #: 7789-00-6)	Carcinogen Developmental Female Reproductive Male Reproductive



WARNING: This product can expose you to chemicals including Chromic acid (H₂CrO₄), dipotassium salt, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Chromic acid (H ₂ CrO ₄), dipotassium salt 7789-00-6	X	X	X

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Chromic acid (H ₂ CrO ₄), dipotassium salt 7789-00-6	Declarable Substance (LR) Prohibited Substance (LR)	0.1 % 3 mg/kg

NFPA and HMIS Classifications

NFPA	Health hazards - 4	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 4 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
 ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
 CCRIS CCRIS (Chemical Carcinogenesis Research Information System)
 CDC CDC (Center for Disease Control)

CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 15-Apr-2021

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

Product Code(s) 105766
Issue Date 15-Apr-2021
Version 5.4

Product Name Chloride 2 Indicator Powder Pillows
Revision Date 26-Jan-2024
Page 17 / 17

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet