



Be Right™

SAFETY DATA SHEET

Issue Date 15-Jun-2021

Revision Date 26-Jan-2024

Version 2.9

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name Wide Range 4 pH Indicator Solution

Other means of identification

Product Code(s) 2329332

Safety data sheet number M00385

UN/ID no UN1219

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Indicator for pH.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical attention
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P403 + P235 - Store in a well-ventilated place. Keep cool

Other Hazards Known

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Isopropyl alcohol	67-63-0	40 - 50%	-
Potassium hydroxide	1310-58-3	<0.1%	-
Phenolphthalein	77-09-8	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products	Carbon monoxide, Carbon dioxide.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
--------------------	--

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate
-----------------------------	---

ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with particular national and local regulations.

Flammability class Class IB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl alcohol CAS#: 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Potassium hydroxide CAS#: 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls

Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Color	dark green
Appearance	aqueous solution	Odor threshold	No data available
Odor	Alcoholic		

Property	Values	Remarks • Method
Molecular weight	No data available	
pH	8.7	@ 20 °C
Melting point / freezing point	-26 °C / -14.8 °F	
Initial boiling point and boiling range	79 °C / 174.2 °F	
Evaporation rate	5.45 (water = 1)	
Vapor pressure	19.427 mm Hg / 2.59 kPa at 25 °C / 77 °F	

Product Code(s) 2329332
Issue Date 15-Jun-2021
Version 2.9

Product Name Wide Range 4 pH Indicator Solution
Revision Date 26-Jan-2024
Page 6 / 16

Relative vapor density 0.89
Specific gravity - VALUE 1 0.922
Partition coefficient Not applicable
Soil Organic Carbon-Water Partition Coefficient Not applicable
Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity No data available
Kinematic viscosity No data available

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate 0.08 mm/yr / 0 in/yr
Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Isopropyl alcohol	67-63-0	100%	X
Potassium hydroxide	1310-58-3	No data available	-
Phenolphthalein	77-09-8	No data available	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point ~ 21 °C / 69.8 °F
Method CC (closed cup)

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Heating to decomposition releases toxic fumes of carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Causes serious eye irritation. May cause redness, itching, and pain.

Skin contact May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
---------------	---------------	---------------	---------------	-----------------------	--

Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Rat LD ₅₀	4710 mg/kg	None reported	Behavioral General anesthetic	OECD 429: Skin Sensitization: Local Lymph Node Assay
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Rat LD ₅₀	333 mg/kg	None reported	None reported	Vendor SDS
Phenolphthalein (<0.1%) CAS#: 77-09-8	Rat LD ₅₀	> 1000 mg/kg	None reported	None reported	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Rabbit LD ₅₀	4059 mg/kg	None reported	None reported	LOLI
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Rat LC ₅₀	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Standard Draize Test	Human	50 mg	24 hours	Corrosive to skin	RTECS

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Existing human experience	Human	None reported	None reported	Corrosive to eyes	ERMA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Intracutaneous Test	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID

STOT - single exposure

May cause drowsiness or dizziness.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Human TD _{Lo}	223 mg/kg	None reported	Behavioral Hallucinations, Distorted perceptions Cardiac Pulse rate decrease with fall in BP Vascular BP lowering not characterized in autonomic section	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Human TC _{Lo}	35 mg/L	4 hours	Cardiac Pulse rate decrease with fall in BP Lungs, Thorax, or Respiration Other changes	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Product Code(s) 2329332
Issue Date 15-Jun-2021
Version 2.9

Product Name Wide Range 4 pH Indicator Solution
Revision Date 26-Jan-2024
Page 10 / 16

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	67-63-0	-	Group 3	-	X
Potassium hydroxide	1310-58-3	-	-	-	-
Phenolphthalein	77-09-8	-	Group 2B	Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Cytogenetic analysis	Rat ascites tumor	1800 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

EN / AGHS	Page 10 / 16
-----------	--------------

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Rat TD _{Lo}	32.4 mg/kg	None reported	Effects on Embryo or Fetus Fetal death	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	Rat TC _{Lo}	7000 mg/L	19 days	Specific Developmental Abnormalities Musculoskeletal system	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	96 hours	<i>Pimephales promelas</i>	LC ₅₀	4200 mg/L	IUCLID
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	96 hours	<i>Gambusia affinis</i>	LC ₅₀	80 mg/L	ERMA
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	48 Hours	None reported	LC ₅₀	1400 mg/L	IUCLID
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (40 - 50%) CAS#: 67-63-0	72 Hours	<i>Scenedesmus subspicatus</i>	EC ₅₀	> 1000 mg/L	IUCLID

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Product Code(s) 2329332
Issue Date 15-Jun-2021
Version 2.9

Product Name Wide Range 4 pH Indicator Solution
Revision Date 26-Jan-2024
Page 12 / 16

Mixture

No data available.

Partition coefficient

Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects

No information available

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disrupters - Evaluated Substances	Endocrine disrupting potential
Phenolphthalein (<0.1%) CAS#: 77-09-8	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

US EPA Waste Number

D001

Special instructions for disposal

Incinerate material at an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN1219
Proper shipping name Isopropanol
Transport hazard class(es) 3
Packing Group II
Emergency Response Guide Number 129

TDG

UN/ID no UN1219
Proper shipping name Isopropanol
Transport hazard class(es) 3
Packing Group II

IATA

UN number or ID number UN1219
Proper shipping name Isopropanol
Transport hazard class(es) 3
Packing group II
ERG Code 3L
Special Provisions A180

IMDG

UN number or ID number UN1219

Product Code(s) 2329332
Issue Date 15-Jun-2021
Version 2.9

Product Name Wide Range 4 pH Indicator Solution
Revision Date 26-Jan-2024
Page 13 / 16

Proper shipping name Isopropanol
Transport hazard class(es) 3
Packing Group II
EmS-No F-E, S-D

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0
Phenolphthalein (CAS #: 77-09-8)	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Phenolphthalein (CAS #: 77-09-8)	Carcinogen



WARNING: This product can expose you to chemicals including Phenolphthalein, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
Potassium hydroxide 1310-58-3	X	X	X
Phenolphthalein 77-09-8	X	-	-

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Isopropyl alcohol	180.0950	-
Potassium hydroxide	180.0910	21 CFR 184.1631

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 3	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 3	Physical hazards - 0	Personal protection - X -1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Product Code(s) 2329332
Issue Date 15-Jun-2021
Version 2.9

Product Name Wide Range 4 pH Indicator Solution
Revision Date 26-Jan-2024
Page 16 / 16

Prepared By Hach Product Compliance Department

Issue Date 15-Jun-2021

Revision Date 26-Jan-2024

Revision Note SDS sections updated
2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet