Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

1 Identification
· Product identifier
· Trade name: <u>Sodium Hydroxide, 50% w/w</u> · Product code: SH6400-P
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291
 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
Classification of the substance or mixture
Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05
 Signal word: Danger Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. Precautionary statements: P234 Keep only in original container. P260 Do not breathe mist.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

Trade name: Sodium Hydroxide, 50% w/w

(Cont'd. of page 1)

50%

50%

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330-	P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361-	P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5 Water

1310-73-2 Sodium hydroxide

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air and to be sure to call for a doctor.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

• After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

$^{\rm \cdot}$ Most important symptoms and effects, both acute and delayed:

Eye damage.

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

Trade name: Sodium Hydroxide, 50% w/w

(Cont'd. of page 2)

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in properly marked container for disposal.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

• Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

	ium Hydroxide, 50% w/w
· Poquiromonts	(Cont'd. of p to be met by storerooms and receptacles:
	e original receptacle.
	erial for receptacle: aluminium.
	erial for receptacle: steel.
	erial for receptacle: glass or ceramic. out storage in one common storage facility:
Store away from	
Store away from	n metals.
	ether with oxidizing and acidic materials.
 Further information Keep containers 	ation about storage conditions:
	y conditions in well sealed receptacles.
	use(s) No relevant information available.
•	
B Exposure co	ontrols/personal protection
	· · · ·
Control paran	
	vith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o
recommended e	
1310-73-2 Sodi	•
PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m ³
TLV (USA)	Ceiling limit value: 2 mg/m ³
EL (Canada)	Ceiling limit value: 2 mg/m ³
EV (Canada)	Ceiling limit value: 2 mg/m ³
LMPE (Mexico)	Ceiling limit value: 2 mg/m ³
, , , , , , , , , , , , , , , , , , ,	
Exposure cor	ntrols
Exposure cor General protec The usual preca	ntrols tive and hygienic measures: autionary measures for handling chemicals should be followed.
Exposure cor General protec The usual preca Keep away from	ntrols stive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed.
Exposure cor General protec The usual preca Keep away from Immediately ren	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. nove all soiled and contaminated clothing.
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work.
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. move all soiled and contaminated clothing. efore breaks and at the end of work. with the eyes and skin.
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. Infore breaks and at the end of work. With the eyes and skin. Introls: Provide adequate ventilation. Informent: For large spills, respiratory protection may be advisable.
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. Infore breaks and at the end of work. With the eyes and skin. Introls: Provide adequate ventilation. Informent: For large spills, respiratory protection may be advisable.
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. In ove all soiled and contaminated clothing. If ore breaks and at the end of work. If the eyes and skin. If the eyes and the eyes a
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. Infore breaks and at the end of work. With the eyes and skin. Introls: Provide adequate ventilation. Informent: For large spills, respiratory protection may be advisable.
Exposure cor General protec The usual procea Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Protection of h	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. move all soiled and contaminated clothing. ofore breaks and at the end of work. with the eyes and skin. Controls: Provide adequate ventilation. Sipment: For large spills, respiratory protection may be advisable. Stands:
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protect The glove mate	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. move all soiled and contaminated clothing. offore breaks and at the end of work. with the eyes and skin. Controls: Provide adequate ventilation. ipment: For large spills, respiratory protection may be advisable. mands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protect of h The glove mater Material of glov	Introls stive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. In ove all soiled and contaminated clothing. If ore breaks and at the end of work. If ore breaks and at the end of work. If the eyes and skin. If ontrols: Provide adequate ventilation. If pment: For large spills, respiratory protection may be advisable. If ands: If the gloves If the substance/ the preparation If the substance/ the substance/ the substance/ the preparation If the substance is the su
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protection of h The glove mater Material of glov Nitrile rubber, N	Introls etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. move all soiled and contaminated clothing. Ifore breaks and at the end of work. If the eyes and skin. Dontrols: Provide adequate ventilation. Inpment: For large spills, respiratory protection may be advisable. Inands: It the gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves IBR
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protect of h The glove mater Material of glov	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. In ove all soiled and contaminated clothing. If ore breaks and at the end of work. If the eyes and skin. If the eyes and skin. In ontrols: Provide adequate ventilation. In pontrols: Provide adequate ventilation. In pontrols: For large spills, respiratory protection may be advisable. In ands: It is gloves It is to be impermeable and resistant to the product/ the substance/ the preparation is pressed.
Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protection of h The glove mater Material of glov Nitrile rubber, N Neoprene glove Laminated film g	ntrols etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. In ove all soiled and contaminated clothing. If ore breaks and at the end of work. If the eyes and skin. If the eyes and skin. In ontrols: Provide adequate ventilation. In pontrols: Provide adequate ventilation. In pontrols: For large spills, respiratory protection may be advisable. In ands: It is gloves It is to be impermeable and resistant to the product/ the substance/ the preparation is pressed.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

Trade name: Sodium Hydroxide, 50% w/w

(Cont'd. of page 4)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Information on basis abysical a	nd chamical properties	
 Information on basic physical a Appearance: 	nd chemical properties	
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Not determined.	
 Boiling point/Boiling range: 	105-110 °C (221-166 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.57 g/cm³ (13.1 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
		(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

Trade name: Sodium Hydroxide, 50% w/w (Cont'd. of page 5) **Dynamic:** Not determined. Kinematic: Not determined. Other information No relevant information available. 10 Stability and reactivity · Reactivity: No relevant information available. · Chemical stability: Stable under normal temperatures and pressures. • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Corrosive action on metals. Strong exothermic reaction with acids. Attacks materials containing glass and silicate. Toxic fumes may be released if heated above the decomposition point. Conditions to avoid Excessive heat. [·] Incompatible materials Metals. Strong acids · Hazardous decomposition products Under fire conditions only: Toxic metal oxide smoke 11 Toxicological information Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: None. · Primary irritant effect: • On the skin: Strong caustic effect on skin and mucous membranes. · On the eye: Strong caustic effect. · Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage. · Repeated dose toxicity: No relevant information available. (Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

Trade name: Sodium Hydroxide, 50% w/w

(Cont'd. of page 6)

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· **Bioaccumulative potential:** No relevant information available.

• Mobility in soil: No relevant information available.

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[•] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	UN1824	
UN proper shipping name		
DOT	Sodium hydroxide solution	
ADR/RID/ADN, IMDG, IATA	SODIUM HYDROXIDE SOLUTION	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

de name: Sodium Hydroxide, 50% w/w	
	(Cont'd. of p
DOT	
J. Succession of the second se	
Class	8
Label	8
ADR/RID/ADN	
Class	8 (C5)
Label	8
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	11
Environmental hazards	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	
WARFUL / 3/ / 0 and the IBC Code	Not applicable.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 15, 2021

Trade name: Sodium Hydroxide, 50% w/w

	(Cont'd. of page 8
7732-18-5 Water	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL):	
None of the ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers