

SAFETY DATA SHEET

Issue Date 11-Feb-2021 **Revision Date** 25-Jun-2023 **Version** 7.7 **Page** 1 / 16

1. IDENTIFICATION

Product identifier

Product Name Molybdate 3 Reagent for Silica

Other means of identification

Product Code(s) 199549

Safety data sheet number M00187

UN/ID no UN3264

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Silica determination.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

EN / AGHS Page 1/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

Page 2/16



Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	10 - 13%	-
Sulfuric acid, sodium salt (1:1)	7681-38-1	10 - 13%	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	<10%	-

4. FIRST AID MEASURES

EN / AGHS Page 2/16

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 3 / 16

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the The product cause

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products Sulfur oxides. Sodium oxides.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

EN / AGHS Page 3/16

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 4 / 16

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Class IIIB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Molybdate (MoO42-), dihydrogen,	TWA: 0.5 mg/m ³ Mo	TWA: 5 mg/m ³	IDLH: 1000 mg/m ³ Mo
(T-4)-	respirable particulate matter	(vacated) TWA: 5 mg/m ³	_
CAS#: 7782-91-4			

EN / AGHS Page 4/16

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 5 / 16

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear

breathing apparatus if exposed to vapors/dusts/aerosols.

Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The **Hand Protection**

> selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or

nitrile rubber category III according to EN 374-1:2016.

Eye/face protection Face protection shield.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Skin and body protection

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

> product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves. including the inside, before re-use. Contaminated work clothing should not be allowed out of

the workplace. Wash hands before breaks and immediately after handling the product.

Local authorities should be advised if significant spillages cannot be contained. Do not allow **Environmental exposure controls**

into any sewer, on the ground or into any body of water.

None under normal processing. Thermal hazards

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance clear

Color Colorless to light yellow

Odor Odorless **Odor threshold** Not applicable

Remarks • Method Property Values

Molecular weight Not applicable

< 2 @ 20 °C pН

Melting point / freezing point ~ -13 °C / 8.6 °F

Initial boiling point and boiling range ~ 100 °C / 212 °F

Evaporation rate 1.17 (water = 1)

22.127 mm Hg / 2.95 kPa at 25 °C / 77 °F Vapor pressure

Relative vapor density 0.62

Specific gravity - VALUE 1 1.2

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

EN / AGHS Page 5/16 Product Code(s) 199549 Issue Date 11-Feb-2021

Version 7.7

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 6/16

Autoignition temperature No data available

Decomposition temperatureNo data available

Dynamic viscosity No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature_	
Soluble	> 1000 mg/L	25 °C / 77 °F	

Solubility in other solvents

Chemical Name_	Solubility classification_	<u>Solubility</u>	Solubility Temperature_	
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F	

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate Aluminum Corrosion Rate 151.6 mm/yr / 5.97 in/yr

No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, sodium salt (1:1)	7681-38-1	No data available	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	Not applicable	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point $> 100 \, ^{\circ}\text{C} \, / \, 212 \, ^{\circ}\text{F}$

Method CC (closed cup)

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties Not classified according to GHS criteria.

Bulk density No data available

10. STABILITY AND REACTIVITY

EN / AGHS Page 6/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

Page 7 / 16

Reactivity

Corrosive on contact with water. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

Test data reported below.

Oral Exposure Route

EN / AGHS Page 7/16

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 8 / 16

Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references
Rat	7099 mg/kg	None reported	None reported	and sources for data
LD ₅₀		•	•	Outside testing

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, sodium salt (1:1) (10 - 13%) CAS#: 7681-38-1	Rat LD₅o	2490 mg/kg	None reported	None reported	IUCLID
Molybdate (MoO42-), dihydrogen, (T-4)- (<10%) CAS#: 7782-91-4	Rat LD₅o	2689 mg/kg	None reported	None reported	Vendor SDS

Dermal Exposure Route

Unknown Acute Toxicity

8.33% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	30,012.00 mg/kg
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

Test data reported below.

Test method	Species	Reported dose	Exposure	Results	Key literature references and
United States	Rabbit	0.5 mL	<u>time</u>	Not corrosive	sources for data
Department of			4 hours	to skin	Internal Data
Transportation (DOT)					Outside testing
Skin Corrosion Test					-

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (10 - 13%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Sulfuric acid, sodium salt (1:1) (10 - 13%) CAS#: 7681-38-1	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

EN / AGHS Page 8/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

Page 9/16

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (10 - 13%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Sulfuric acid, sodium salt (1:1) (10 - 13%) CAS#: 7681-38-1	Standard Draize Test	Rabbit	100 mg	None reported	Eye irritant	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.144 mg/L	5 minutes	Lungs, Thorax, or	RTECS
(10 - 13%)	TDLo			Respiration	
CAS#: 7664-93-9				Dyspnea	

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS

EN / AGHS Page 9/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

Page 10 / 16

(10 - 13%)	TCLo	Changes in teeth and supporting	
CAS#: 7664-93-9		structures	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, sodium salt (1:1)	7681-38-1	-	-	-	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	А3	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (10 - 13%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and

EN / AGHS Page 10/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

Page 11 / 16

	type	dose	time		sources for data
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available
(10 - 13%)	TCLo			Abnormalities	
CAS#: 7664-93-9				Musculoskeletal system	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 8.33% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Crustacea

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data
Sulfuric acid, sodium salt (1:1) (10 - 13%) CAS#: 7681-38-1	48 Hours	Daphnia magna	EC50	190 mg/L	IUCLID

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

EN / AGHS Page 11/16

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 12 / 16

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002

Special instructions for disposal

Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

DOT Technical Name Sulfuric acid

Transport hazard class(es) 8
Packing Group III
Emergency Response Guide 154

Number

TDG

UN/ID no UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

TDG Technical Name Sulfuric acid

Transport hazard class(es) 8
Packing Group III

IATA

UN number or ID number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

IATA Technical Name Sulfuric acid

Transport hazard class(es) 8
Packing group III
ERG Code 8L

Special precautions for user A3, A803

<u>IMDG</u>

UN number or ID number UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

IMDG Technical Name Sulfuric acid

Transport hazard class(es) 8
Packing Group III
EmS-No F-A, S-B
Special precautions for user 223, 274
Marine pollutant No

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

EN / AGHS Page 12/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

Page 13 / 16

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies Complies **ENCS** Complies **IECSC** Complies **KECL - Existing substances PICCS** Complies **TCSI** Complies Complies **AICS** Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid	1000 lb	-	-	X
7664-93-9				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ

EN / AGHS Page 13/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement	U.S DEA (Drug Enforcement
	Administration) - List I or Precursor	Administration) - List II or Essential
	Chemicals	Chemicals
Sulfuric acid	Not Listed	50 gallon Export Volume (exports,
(10 - 13%)		transshipments and international
CAS#: 7664-93-9		transactions to designated countries
		given in 1310.08(b))

Page 14 / 16

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen

WARNING: This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	X	X	X
7664-93-9			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Sulfuric acid, sodium salt (1:1)	180.0920	_

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 1	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 1	Physical hazards - 0	Personal protection -
	- *	-	-	X
				- I

EN / AGHS Page 14/16

Product Name Molybdate 3 Reagent for Silica

Revision Date 25-Jun-2023

Page 15 / 16

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)

ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

 Issue Date
 11-Feb-2021

 Revision Date
 25-Jun-2023

Revision Note None

EN / AGHS Page 15/16

Product Name Molybdate 3 Reagent for Silica **Revision Date** 25-Jun-2023 **Page** 16 / 16

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet

EN / AGHS Page 16/16