

RUST CONVERTER

Product # 8346

Changes rust into an inert, protective coating

This aerosol surface conditioner and primer changes existing rust into, inert protective polymeric coating that seals out moisture and prevents future rust and corrosion. It also provides an excellent primer coating on rusty steel and iron for the application of oil-based paints. Once painted, it helps surfaces resist the effects of the weather without peeling or cracking.

Use On:

- Trucks and autos
- Marine docks
- Play equipment
- Storage tanks
- Machinery
- Doors and gates
- Boats
- Farm equipment

Features and Benefits

- Converts rust into a stable, paintable surface.
- Eliminates the need for scraping, sandblasting or priming rusty surfaces.
- Protects further rusting on surfaces exposed to rain, sun and salt spray.

Properties

Appearance..... Brown Aerosol
Fragrance..... Solvent
Spray Pattern..... Spray

Directions Complete directions on product label

On a prepared surface, spray two thin coats, allowing first coat to dry before spraying the second coat. Allow 48 hours to completely cure before painting.
For long lasting protection, seal with two coats of a high quality oil-based paint.
Do not apply if the surface temperature is below 50°F. Store in a cool dry place, protect from freezing or temperatures above 100°F.

Active Ingredients

Acetone	67-64-1
Isopropanol	67-63-0
Ethylene Glycol	107-21-1
Tannic Acid	1404-55-4
Oxalic acid	144-62-7

CAS Number

Safety:

DANGER: Extremely flammable .May cause burns to eyes, skin and respiratory tract. Contents under pressure Keep out of the reach of children.

HMIS® Hazard Identification System:

Health: 2

Flammability: 4

Physical Hazard:0

DOT Shipping (ground transportation)

Proper Shipping Name:	Consumer Commodity
Class:	ORM-D
ID Number:	None
Packing Group:	None

Quantities

12 cans/case
20 ounce can
13 ounce net weight

CORE & MAIN LP 1830 Craig Park Court St. Louis, MO 63146