

Issue Date 10-Aug-2021

SAFETY DATA SHEET

Version 3.9

Page

1 / 17

1. IDENTIFICATION Product identifier **Product Name** TanniVer[™] 3 Tannin-Lignin Reagent Other means of identification 256032 Product Code(s) M00460 Safety data sheet number UN/ID no UN3264 Recommended use of the chemical and restrictions on use **Recommended Use** Laboratory reagent. Determination of Tannin/Lignin. Uses advised against None. **Restrictions on use** None. Details of the supplier of the safety data sheet **Manufacturer Address** Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Revision Date 26-Jan-2024

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Product NameTanniVer™ 3 Tannin-Lignin ReagentRevision Date26-Jan-2024Page2 / 17



Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P303 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Lithium sulfate	10377-48-7	10 - 13%	-
Tungstate (WO42-), disodium, dihydrate, (T-4)-	10213-10-2	<10%	-
Phosphoric acid	7664-38-2	1 - 5%	-
Sodium molybdate	7631-95-0	1 - 5%	-
Hydrochloric acid	7647-01-0	1 - 5%	-
Bromine	7726-95-6	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

Product Code(s) 256032 Issue Date 10-Aug-2021 Version 3.9	Product Name TanniVer™ 3 Tannin-Lignin Reagent Revision Date 26-Jan-2024 Page 3 / 17
	should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
	5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Product Code(s) 256032 Issue Date 10-Aug-2021 Version 3.9	Product Name TanniVer™ 3 Tannin-Lignin Reagent Revision Date 26-Jan-2024 Page 4 / 17		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Reference to other sections	See section 8 for more information. See section 13 for more information.		
Precautions for safe handling	7. HANDLING AND STORAGE		

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

 Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Tungstate (WO42-), disodium,	TWA: 3 mg/m ³ W respirable	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³ W
dihydrate, (T-4)-	particulate matter in the	(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³ W
CAS#: 10213-10-2	absence of Cobalt		
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
CAS#: 7664-38-2	TWA: 1 mg/m ³	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
		(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³
Sodium molybdate	TWA: 0.5 mg/m ³ Mo	TWA: 5 mg/m ³	IDLH: 1000 mg/m ³ Mo
CAS#: 7631-95-0	respirable particulate matter	(vacated) TWA: 5 mg/m ³	
Hydrochloric acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
CAS#: 7647-01-0		(vacated) Ceiling: 7 mg/m ³	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m ³
		Ceiling: 7 mg/m ³	
Bromine	STEL: 0.2 ppm	TWA: 0.1 ppm	IDLH: 3 ppm
CAS#: 7726-95-6	TWA: 0.1 ppm	TWA: 0.7 mg/m ³	TWA: 0.1 ppm

(vacated) TWA: 0.1 ppm (vacated) TWA: 0.7 mg/m ³	TWA: 0.7 mg/m ³ STEL: 0.3 ppm
(vacated) STEL: 0.3 ppm	STEL: 2 mg/m ³
(vacated) STEL: 2 mg/m ³	

Appropriate engineering controls Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, sur Respiratory protection	<u>ch as personal protective equipment</u> No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.
Eye/face protection	Face protection shield.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wash contaminated clothing before reuse.
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Odorless	Liquid		Color Odor threshold	yellow No data available
Property_			<u>Values</u>		Remarks • Method
Molecular weight	:		No data availal	ble	
рН			1.0		@ 20 °C
Melting point / fre	ezing point		~ -8 °C / 17.6 °F		
Initial boiling poi	nt and boiling rang	е	~ 100 °C /	212 °F	
Evaporation rate			0.59 (water = 1)	
Vapor pressure			22.577 mm Hg	/ 3.01 kPa at 2	5 °C / 77 °F
Relative vapor de	ensity		0.63		
Specific gravity -	VALUE 1		1.172		

Product NameTanniVer™ 3 Tannin-Lignin ReagentRevision Date26-Jan-2024Page6 / 17

Partition coefficient	Not applicable
Soil Organic Carbon-Water Partition Coefficient	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	No data available
Kinematic viscosity	No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity Classified as corrosive to metal according to GHS criteria Steel Corrosion Rate Aluminum Corrosion Rate

15.49 mm/yr / 0.61 in/yr No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Lithium sulfate	10377-48-7	No data available	-
Tungstate (WO42-), disodium, dihydrate, (T-4)-	10213-10-2	No data available	-
Phosphoric acid	7664-38-2	Not applicable	-
Sodium molybdate	7631-95-0	No data available	-
Hydrochloric acid	7647-01-0	Not applicable	-
Bromine	7726-95-6	No data available	_

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.

Bulk density

Product NameTanniVer™ 3 Tannin-Lignin ReagentRevision Date26-Jan-2024Page7 / 17

No data available

10. STABILITY AND REACTIVITY

Reactivity

Corrosive on contact with water. Corrosive to metal.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Corrosive. Causes severe burns. Avoid contact with skin and clothing.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity Based on available data, the classification criteria are not met

Mixture

EN / AGHS

No data available.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Lithium sulfate (10 - 13%) CAS#: 10377-48-7	Rat LD₅₀	613 mg/kg	None reported	None reported	Vendor SDS
Tungstate (WO42-), disodium, dihydrate, (T-4)- (<10%) CAS#: 10213-10-2	Rat LD50	1190 mg/kg	None reported	None reported	GESTIS
Sodium molybdate (1 - 5%) CAS#: 7631-95-0	Rat LD₅₀	4000 mg/kg	None reported	None reported	RTECS
Bromine (<0.1%) CAS#: 7726-95-6	Rat LD₅₀	2600 mg/kg	None reported	None reported	LOLI
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium molybdate (1 - 5%) CAS#: 7631-95-0	Rat LD₅₀	> 2000 mg/kg	None reported	None reported	Vendor SDS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Bromine (<0.1%) CAS#: 7726-95-6	Rat LC₅₀	2.7 mg/L	4 hours	None reported	HSDB

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,498.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid (1 - 5%) CAS#: 7664-38-2	Standard Draize Test	Rabbit	800 mg	None reported	Corrosive to skin	ECHA

Sodium molybdate (1 - 5%) CAS#: 7631-95-0	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Hydrochloric acid (1 - 5%) CAS#: 7647-01-0	Existing human experience	Human	None reported	None reported	Corrosive to skin	RTECS

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid (1 - 5%) CAS#: 7664-38-2	Standard Draize Test	Rabbit	199 mg	None reported	Corrosive to eyes	RTECS
Sodium molybdate (1 - 5%) CAS#: 7631-95-0	Patch test	None reported	200 mg	None reported	Not corrosive or irritating to eyes	ECHA
Hydrochloric acid (1 - 5%) CAS#: 7647-01-0	Existing human experience	Human	None reported	None reported	Corrosive to eyes	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium molybdate (1 - 5%)	OECD Test No. 406: Skin	Guinea pig	Not confirmed to be a skin sensitizer	Vendor SDS
CAS#: 7631-95-0	Sensitization			

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydrochloric acid (1 - 5%) CAS#: 7647-01-0	Man LD⊾₀	2.857 mg/kg	None reported	Vascular BP lowering not characterized in autonomic section Lungs, Thorax, or Respiration Respiratory depression Gastrointestinal Other changes	RTECS
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and

	type	dose	time		sources for data
Bromine	Rat	0.010 mg/L	4 hours	Olfaction	RTECS
(<0.1%)	TCLo	_			
CAS#: 7726-95-6					
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Hydrochloric acid	Human	0.05 mg/L	None reported	Lungs, Thorax, or	RTECS
(1 - 5%)	TCLO			Respiration	
CAS#: 7647-01-0				Cough	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Bromine	Rat	3094 mg/kg	90 days	Blood	RTECS
(<0.1%)	TCLO			Hyperglycemia and blood	
CAS#: 7726-95-6				changes	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Hydrochloric acid	Rat	0.000685	84 days	Behavioral	RTECS
(1 - 5%)	TCLO	mg/L	-	Muscle contraction or spasticity	
CAS#: 7647-01-0		-		Biochemical	
				Enzyme inhibition, induction, or	
				change in blood or tissue levels	
				(true cholinesterase)	
				Kidney, Ureter, or Bladder	
				Other changes in urine	
				composition	
Bromine	Rat	0.0014 mg/L	119 days	Endocrine	RTECS
(<0.1%)	TCLO		-	Changes in thyroid weight	
CAS#: 7726-95-6				Lungs, Thorax, or	
				Respiration	
				Respiratory depression	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Lithium sulfate	10377-48-7	-	-	-	-
Tungstate (WO42-),	10213-10-2	-	-	-	-
disodium, dihydrate, (T-4)-					
Phosphoric acid	7664-38-2	-	-	-	-
Sodium molybdate	7631-95-0	A3	-	-	-
Hydrochloric acid	7647-01-0	-	Group 3	-	Х
Bromine	7726-95-6	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Tungstate (WO42-), disodium, dihydrate, (T-4)- (<10%) CAS#: 10213-10-2	Cytogenetic analysis	Human lymphocyte	10 mg/L	None reported	Positive test result for mutagenicity	RTECS
Phosphoric acid (1 - 5%) CAS#: 7664-38-2	Mutation in microorganisms	Salmonella typhimurium	5 mg/plate	3 days	Negative	ECHA
Sodium molybdate (1 - 5%) CAS#: 7631-95-0	Phage inhibition capacity	Escherichia coli	16 mmol/L	None reported	Positive test result for mutagenicity	RTECS
Hydrochloric acid (1 - 5%) CAS#: 7647-01-0	Cytogenetic analysis	Hamster lung	30 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Phosphoric acid (1 - 5%) CAS#: 7664-38-2	Rat NOAEL	>= 500 mg/kg		No reproductive or developmental toxic effects observed	ECHA
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydrochloric acid (1 - 5%) CAS#: 7647-01-0	Rat TC∟₀	0.450 mg/L	1 hours	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus) Specific Developmental Abnormalities Homeostasis	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

<u>Mixture</u>

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium molybdate (1 - 5%) CAS#: 7631-95-0	96 hours	Oncorhynchus mykiss	LC ₅₀	800 mg/L	GESTIS
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Bromine (<0.1%) CAS#: 7726-95-6	48 Hours	Daphnia magna	LC ₅₀	1 mg/L	Vendor SDS

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Mixture

No data available.

Mixture No data available.

Partition coefficient

Mobility

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D002

Special	instruct	ions fo	r disposa
---------	----------	---------	-----------

Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

14. TRANSPORT INFORMATION

DOT UN/ID no Proper shipping name DOT Technical Name Transport hazard class(es) Packing Group Emergency Response Guide Number	UN3264 Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid/Phosphoric Acid Solution) 8 II 154
<u>TDG</u> UN/ID no Proper shipping name TDG Technical Name Transport hazard class(es) Packing Group	UN3264 Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid/Phosphoric Acid Solution) 8 II
IATA UN number or ID number Proper shipping name IATA Technical Name Transport hazard class(es) Packing group ERG Code	UN3264 Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid/Phosphoric Acid Solution) 8 II 154
IMDG UN number or ID number Proper shipping name IMDG Technical Name Transport hazard class(es) Packing Group	UN3264 Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid/Phosphoric Acid Solution) 8 II

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies

Product Name TanniVer™ 3 Tannin-Lignin Reagent Revision Date 26-Jan-2024 Page 14 / 17

PICCS	Complies
TCSI AICS	Complies Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Hydrochloric acid (CAS #: 7647-01-0)	1.0
Bromine (CAS #: 7726-95-6)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb	-	-	Х
Hydrochloric acid 7647-01-0	5000 lb	-	-	Х

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ
Bromine	-	500 lb	-
7726-95-6			

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Hydrochloric acid	Release - Toxic (concentration >=37%); Release - Toxic

(1 - 5%) CAS#: 7647-01-0	(anhydrous); Theft - Weapons of Mass Effect (anhydrous)
Bromine (<0.1%)	Release - Toxic
CAS#: 7726-95-6	

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name		U.S DEA (Drug Enforcement Administration) - List II or Essential
	Chemicals	Chemicals
Hydrochloric acid (1 - 5%) CAS#: 7647-01-0	Not Listed	0.0 kg Domestic Sales Weight (listed under anhydrous Hydrogen chloride); 50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b)); 27 kg Export Weight (exports, transshipments and international transactions to designated
		countries given in 1310.08(b), listed under anhydrous Hydrogen chloride)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid 7664-38-2	X	X	Х
Hydrochloric acid 7647-01-0	X	X	Х
Bromine 7726-95-6	X	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Phosphoric acid	180.0910	21 CFR 182.1073
Sodium molybdate	180.0920	-
Hydrochloric acid	180.0910	21 CFR 182.1057
Bromine	180.0519	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

Additional information

Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

EN / AGHS

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
		-	-	X
				- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite [™]
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
HSDB INERIS IPCS INCHEM IUCLID NITE NIH NIOSH LOLI NDF NICNAS NIOSH IDLH OSHA PEEN RTECS SIDS SYKE USDA USDC WHO	Insurance) HSDB (Hazardous Substances Data Bank) INERIS (The National Industrial Environment and Risks Institute) IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) Japan National Institute of Technology and Evaluation (NITE) NIH (National Institute of Technology and Evaluation (NITE) NIH (National Institute for Occupational Safety and Health) LOLI (List of Lists - An International Chemical Regulatory Database) no data Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Immediately Dangerous to Life or Health OSHA (Occupational Safety and Health Administration of the US Department of Labor) PEEN (Pan European Ecological Network) RTECS (Registry of Toxic Effects of Chemical Substances) SIDS (Screening Information Dataset) for High Volume Chemicals The Finnish Environment Institute (SYKE) USDA (United States Department of Agriculture) USDC (United States Department of Commerce) WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
Х	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensitization Carcinogen mutagen	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant

Prepared By	Hach Product Compliance Department
Issue Date	10-Aug-2021
Revision Date	26-Jan-2024
Revision Note	None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet



SAFETY DATA SHEET

Be Right[™]

Issue Date 05-Jan-2021	Revision Date	26-Jan-2024	Version	3.099999	Page	1 / 12
		1. IDENTIFIC	ATION			
<u>Product identifier</u> Product Name	Sodium Ca	rbonate Solution				
Other means of identification Product Code(s)	67549					
Safety data sheet number	M00465					
Recommended use of the chemical and restrictions on useRecommended UseLaboratory reagent. Determination of Tannin/Lignin.Uses advised againstNone.Restrictions on useNone.						
Details of the supplier of the safety data sheet						
Manufacturer Address Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050						

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

- [Serious eve damage/eve irritation	Category 2A

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Signal word Warning



Hazard statements H319 - Causes serious eye irritation

EN / AGHS

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical attention

Other Hazards Known

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

EN / AGHS

<u>Mixture</u>

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Disodium carbonate	497-19-8	10 - 20%	-

4. FIRST AID MEASURES

Description of first aid measures

· · ·				
General advice	Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.			
Skin contact	Wash skin with soap and water.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.			
Self-protection of the first aider	tection of the first aider Avoid contact with skin, eyes or clothing.			
Most important symptoms and effe	ects, both acute and delayed			
Symptoms	Burning sensation.			
Indication of any immediate medica	al attention and special treatment needed			
Note to physicians	Treat symptomatically.			
5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the	No information available.			

Page 2/12

chemical

Hazardous combustion products	No information available.
Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
fire-fighters	Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outsic of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.	
Personal precautions, protective eq	uipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Reference to other sections	See section 8 for more information. See section 13 for more information.	

7. HANDLING AND STORAGE

Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Flammability class	Not applicable			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational
-	exposure limits established by the region specific regulatory bodies

<u>Appropriate engineering controls</u> Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Avoid contact with eyes, skin and clothing.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	Liquid aqueous solution Odorless		Color Odor threshold	colorless No data available
Property_		Values		Remarks • Method
Molecular weight	t	No data available	e	
рН		10.6		@ 20 °C
Melting point / fro	eezing point	~ -9 °C / 15.	.8 °F	
Initial boiling poi	nt and boiling range	~ 100 °C / 2	212 °F	
Evaporation rate		0.6 (water = 1)		
Vapor pressure		22.802 mm Hg / 3.04 kPa at 25 °C / 77 °F		
Relative vapor de	ensity	0.62		
Specific gravity -	VALUE 1	1.186		
Partition coeffici	ent	Not applicable		
	bon-Water Partition	Not applicable		
Coefficient Autoignition tem	perature	No data available	е	
Decomposition t	emperature	No data available	e	
Dynamic viscosi	ty	No data available	e	
EN / AGHS				Page

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Disodium carbonate	497-19-8	No data available	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact None.

EN / AGHS

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye contact	Causes serious eye irritation. May cause redness, itching, and pain.
Skin contact	May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	May cause redness and tearing of the eyes.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	Rat LD₅o	4090 mg/kg	None reported	None reported	IUCLID
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	Mouse LD50	2210 mg/kg	None reported	None reported	No information available
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	Rat LC ₅₀	1.15 mg/L	4 hours	None reported	IUCLID

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	5.83 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	Standard Draize Test	Rabbit	500 mg	24 hours	Mild skin irritant	ECHA HSDB

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	Standard Draize Test	Rabbit	100 mg	24 hours	Eye irritant	HSDB

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product NameSodium Carbonate SolutionRevision Date26-Jan-2024Page8 / 12

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Disodium carbonate	497-19-8	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data No data available.

Substance invitro **Data** No data available.

Mixture invivo Data No data available.

Substance invivo Data No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Based on available data, the classification criteria are not met.
Unknown aquatic toxicity	0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

<u>Mixture</u>

Product NameSodium Carbonate SolutionRevision Date26-Jan-2024Page9 / 12

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	96 hours	Lepomis macrochirus	LC ₅₀	300 mg/L	IUCLID
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Disodium carbonate (10 - 20%) CAS#: 497-19-8	48 Hours	Daphnia magna	EC ₅₀	265 mg/L	IUCLID
Aquatia Chrania Tax	- 14		~		

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Mixture No data available.

Mixture No data available.

Partition coefficient

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Not applicable

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Special instructions for disposal	If permitted by regulation. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the material to the drain. Dispose of material in an E.P.A. approved hazardous waste facility.
	14. TRANSPORT INFORMATION
DOT	Not regulated
EN / AGHS	Page 9 / 12

TDG	Not regulated
IATA_	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International	Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- **ENCS** Japan Existing and New Chemical Substances
- IECSC China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

EN	/ AGHS	Page	10/12

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Disodium carbonate	180.1234	21 CFR 184.1742

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NF	PA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HN	IS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection -
			_	-	X
					- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)

Product Code(s) 67549	Product Name Sodium Carbonate Solution
Issue Date 05-Jan-2021	Revision Date 26-Jan-2024
Version 3.099999	Page 12 / 12
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

MACMaximum Allowable ConcentrationCeilingCeiling Limit ValueXListedVacatedThese values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.SKN* RSP+ C MSkin designation Raspiratory sensitization MSKN+ ** R Respiratory sensitization MSkin sensitization R
SKN*Skin designationSKN+Skin sensitizationRSP+Respiratory sensitization**Hazard DesignationCCarcinogenRReproductive toxicantMmutagenRReproductive toxicant
RSP+Respiratory sensitization**Hazard DesignationCCarcinogenRReproductive toxicantMmutagen
Providence di Pro
Prepared By Hach Product Compliance Department
Issue Date 05-Jan-2021
Revision Date 26-Jan-2024

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet