

SAFETY DATA SHEET

Issue Date 23-04-2020 **Revision Date** 26-Jan-2024 **Version** 4.4 **Page** 1 / 13

1. IDENTIFICATION

Product identifier

Product Name Ultra Low Range Chlorine Buffer

Other means of identification

Product Code(s) 2493120

Safety data sheet number M01228

Recommended use of the chemical and restrictions on use

Recommended Use Buffer. Water Analysis.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (repeated exposure)

Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H372 - Causes damage to organs through prolonged or repeated exposure

EN / AGHS Page 1/13

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 2/13

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards Known

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Phosphoric acid, disodium salt	7558-79-4	<10%	-
Potassium iodide (KI)	7681-11-0	<10%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Sodium monoxide. Phosphorus oxides. Potassium oxides. Iodine compounds.

EN / AGHS Page 2/13

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 3 / 13

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas.

Refer to protective measures listed in Sections 7 and 8. Other Information

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment**

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate Advice on safe handling

ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Class IIIB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Potassium iodide (KI)	TWA: 0.01 mg/m³ I inhalable	NDF	NDF
CAS#: 7681-11-0	particulate matter		

EN / AGHS Page 3 / 13

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 4 / 13

S*

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Barrier creams may help to protect the exposed areas of skin.

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical

resistant gloves made of butyl rubber or nitrile rubber category III according to EN

374-1:2016.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionNo special protective equipment required. Avoid contact with eyes, skin and clothing.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance aqueous solution

Color colorless

or

clear

Odor Odorless Odor threshold No data available

Property Values Remarks • Method

Molecular weight No data available

pH 8.3 @ 20 °C

Melting point / freezing point \sim -12 °C / 10.4 °F

Initial boiling point and boiling range 99 °C / 210.2 °F

Evaporation rate 0.01 (water = 1)

Vapor pressure 22.802 mm Hg $\,/\,$ 3.04 kPa at 25 °C $\,/\,$ 77 °F

Relative vapor density 0.62

Specific gravity - VALUE 1 1.300

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature

No data available

EN / AGHS Page 4/13

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 5 / 13

Decomposition temperatureNo data availableDynamic viscosityNo data available

Kinematic viscosity No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature_
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate0.2 mm/yr/ 0.01 in/yrAluminum Corrosion Rate5.13 mm/yr/ 0.2 in/yr

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Phosphoric acid, disodium salt	7558-79-4	No data available	-
Potassium iodide (KI)	7681-11-0	Not applicable	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point $> 100 \, ^{\circ}\text{C} \, / \, 212 \, ^{\circ}\text{F}$

Method OC (open cup)

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

EN / AGHS Page 5/13

Product Name Ultra Low Range Chlorine Buffer **Revision Date** 26-Jan-2024

Page 6 / 13

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Sodium monoxide. Phosphorus oxides. Potassium oxide. Iodine compounds.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied.

Skin contact No known effect based on information supplied.

Ingestion No known effect based on information supplied.

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium iodide (KI) (<10%)	Rat LD ₅₀	2779 mg/kg	None reported	None reported	RTECS
CAS#: 7681-11-0					

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

EN / AGHS Page 6/13

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 7 / 13

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid, disodium salt (<10%) CAS#: 7558-79-4	Standard Draize Test	Rabbit	500 mg	24 hours	Skin irritant	RTECS

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Phosphoric acid, disodium salt (<10%) CAS#: 7558-79-4	Standard Draize Test	Rabbit	500 mg	24 hours	Eye irritant	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Potassium iodide (KI) (<10%) CAS#: 7681-11-0	Patch test	Human	Not confirmed to be a skin sensitizer	ERMA

STOT - single exposure

EN / AGHS Page 7/13

Product Name Ultra Low Range Chlorine Buffer **Revision Date** 26-Jan-2024

Page 8 / 13

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure time	Toxicological effects	Key literature references and sources for data
	type	dose	ume		Sources for data
Potassium iodide (KI)	Mouse	1862 mg/kg	None reported	Lungs, Thorax, or	RTECS
(<10%)	LDLo			Respiration	
CAS#: 7681-11-0				Dyspnea	

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium iodide (KI) (<10%) CAS#: 7681-11-0	Rat NOAEL	0.5 mg/kg	90 days	None reported	ECHA

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Phosphoric acid, disodium	7558-79-4	=	-	=	=
salt					
Potassium iodide (KI)	7681-11-0	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

EN / AGHS Page 8/13

Product Name Ultra Low Range Chlorine Buffer **Revision Date** 26-Jan-2024

Page 9/13

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium iodide (KI) (<10%) CAS#: 7681-11-0	Cytogenetic analysis	Rat ascites tumor	500 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium iodide (KI)	Human	2700 mg/kg	39 weeks	Specific Developmental	RTECS
(<10%)	TDLo			Abnormalities	
CAS#: 7681-11-0				Endocrine System	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

EN / AGHS Page 9/13

Product Code(s) 2493120 **Issue Date** 23-04-2020

Version 4.4

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 10 / 13

No data available.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packagingDo not reuse empty containers.

Special instructions for disposal

If permitted by regulation. Dilute to 3 to 5 times the volume with cold water. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EN / AGHS Page 10/13

Product Code(s) 2493120 Issue Date 23-04-2020

Version 4.4

Product Name Ultra Low Range Chlorine Buffer

Revision Date 26-Jan-2024

Page 11 / 13

International Inventories

Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies TCSI Complies Complies **AICS** Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances
Phosphoric acid, disodium	5000 lb	-	-	X
salt				
7558-79-4				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid, disodium salt	5000 lb	-	RQ 5000 lb final RQ
7558-79-4			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
EN / AGHS			Page 11 / 13

Product Name Ultra Low Range Chlorine Buffer Revision Date 26-Jan-2024

Page 12 / 13

Phosphoric acid, disodium salt	X	X	X
7558-79-4			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Phosphoric acid, disodium salt	180.0910	21 CFR 182.1778,21 CFR 182.6290,21
·		CFR 182.6778,21 CFR 182.8778
Potassium iodide (KI)	180.0940	21 CFR 184.1634

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 1	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 1*	Flammability - 1	Physical hazards - 0	Personal protection -
				X
				-

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists) ATSDR (Agency for Toxic Substances and Disease Registry) **ATSDR** CCRIS (Chemical Carcinogenesis Research Information System) CCRIS

CDC CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency) **CEPA**

CICAD (Concise International Chemical Assessment Documents) CICAD

ECHA (The European Chemicals Agency) **ECHA** EEA EEA (European Environment Agency) EPA (Environmental Protection Agency) **EPA**

ERMA (New Zealands Environmental Risk Management Authority) **ERMA**

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA (Food & Drug Administration) **FDA**

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank) **HSDB**

INERIS (The National Industrial Environment and Risks Institute) **INERIS** IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) **IUCLID** Japan National Institute of Technology and Evaluation (NITE) NITE

NIH (National Institutes of Health) NIH

NIOSH (National Institute for Occupational Safety and Health) NIOSH LOLI (List of Lists - An International Chemical Regulatory Database) LOLI

NDF

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) **NICNAS**

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor) **OSHA**

PEEN (Pan European Ecological Network) **PEEN**

RTECS (Registry of Toxic Effects of Chemical Substances) **RTECS**

EN / AGHS Page 12/13

Product Name Ultra Low Range Chlorine Buffer Revision Date 26-Jan-2024

Page 13 / 13

SIDS SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

<u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 23-04-2020

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet

EN / AGHS Page 13/13