



Be Right™

SAFETY DATA SHEET

Issue Date 07-Jun-2021

Revision Date 26-Jan-2024

Version 2.4

Page 1 / 15

1. IDENTIFICATION

Product identifier

Product Name Reducing Solution for ORP Electrodes

Other means of identification

Product Code(s) 2965349

Safety data sheet number M02685

UN/ID no UN3264

Recommended use of the chemical and restrictions on use

Recommended Use Standard solution. Water Analysis.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid, iron(2+) salt (1:1)	7720-78-7	1 - 5%	-
Sulfuric acid	7664-93-9	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to fresh air.

Eye contact

Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.

Ingestion

Get immediate medical advice/attention. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products This material will not burn.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Store away from other materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid, iron(2+) salt (1:1) CAS#: 7720-78-7	TWA: 1 mg/m ³ Fe	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³ Fe
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m ³ thoracic particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Impervious gloves. Wear suitable gloves.

Eye/face protection Face protection shield.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

General Hygiene Considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

Product Code(s) 2965349
Issue Date 07-Jun-2021
Version 2.4

Product Name Reducing Solution for ORP Electrodes
Revision Date 26-Jan-2024
Page 5 / 15

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance aqueous solution
Odor Odorless
Color colorless
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	< 2.0	@ 20 °C
Melting point / freezing point	~ -1 °C / 30.2 °F	
Initial boiling point and boiling range	~ 100 °C / 212 °F	
Evaporation rate	1.02 (water = 1)	
Vapor pressure	23.702 mm Hg / 3.16 kPa at 25 °C / 77 °F	
Relative vapor density	0.62	
Specific gravity - VALUE 1	0.9864	
Partition coefficient	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No information available	
Dynamic viscosity	No data available	
Kinematic viscosity	No information available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate No data available
Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid, iron(2+) salt (1:1)	7720-78-7	No data available	-
Sulfuric acid	7664-93-9	No data available	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

No data available.

Bulk density

Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Acids. Bases. Oxidizing agent.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Coughing and/ or wheezing. Redness. Burning. May cause blindness.

Acute toxicity
 Based on available data, the classification criteria are not met

Mixture
 No data available.

Ingredient Acute Toxicity Data
 Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, iron(2+) salt (1:1) (1 - 5%) CAS#: 7720-78-7	Rat LD ₅₀	1520 mg/kg	None reported	None reported	IUCLID

Unknown Acute Toxicity
 0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation
 Causes severe burns.

Mixture
 No data available.

Ingredient Skin Corrosion/Irritation Data
 Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<1%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<1%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<1%) CAS#: 7664-93-9	Human TD _{Lo}	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
---------------	----------	----------	----------	-----------------------	-------------------------------

Product Code(s) 2965349
Issue Date 07-Jun-2021
Version 2.4

Product Name Reducing Solution for ORP Electrodes
Revision Date 26-Jan-2024
Page 9 / 15

	type	dose	time		sources for data
Sulfuric acid (<1%) CAS#: 7664-93-9	Human TC _{Lo}	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid, iron(2+) salt (1:1)	7720-78-7	-	-	-	-
Sulfuric acid	7664-93-9	A2	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<1%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
---------------	---------------	---------------	---------------	-----------------------	--

Sulfuric acid (<1%) CAS#: 7664-93-9	Rabbit TC _{Lo}	0.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	No information available
---	----------------------------	-----------	---------	---	--------------------------

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, iron(2+) salt (1:1) (1 - 5%) CAS#: 7720-78-7	96 hours	<i>Poecilia reticulata</i>	LC ₅₀	925 mg/L	IUCLID

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, iron(2+) salt (1:1) (1 - 5%) CAS#: 7720-78-7	48 Hours	<i>Daphnia magna</i>	EC ₅₀	152 mg/L	IUCLID

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient

Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D002

Special instructions for disposal Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN3264
Proper shipping name	Corrosive Liquid, Acidic, Inorganic, N.O.S.
DOT Technical Name	Sulfuric acid
Transport hazard class(es)	8
Packing Group	II
Reportable Quantity (RQ)	Ferrous sulfate: RQ kg= 16099.29
Emergency Response Guide Number	154

TDG

UN/ID no	UN3264
Proper shipping name	Corrosive Liquid, Acidic, Inorganic, N.O.S.
TDG Technical Name	Sulfuric acid
Transport hazard class(es)	8
Packing Group	II

IATA

UN number or ID number	UN3264
Proper shipping name	Corrosive Liquid, Acidic, Inorganic, N.O.S.
IATA Technical Name	Sulfuric acid
Transport hazard class(es)	8
Packing group	II
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, II

IMDG

UN number or ID number	UN3264
Proper shipping name	Corrosive Liquid, Acidic, Inorganic, N.O.S.
IMDG Technical Name	Sulfuric acid
Transport hazard class(es)	8
Packing Group	II
EmS-No	F-A, S-B
Special Provisions	274
Description	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid), 8, II

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid, iron(2+) salt (1:1) 7720-78-7	1000 lb	-	-	X
Sulfuric acid	1000 lb	-	-	X

7664-93-9			
-----------	--	--	--

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid, iron(2+) salt (1:1) 7720-78-7	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (<1%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen



WARNING: This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid, iron(2+) salt (1:1) 7720-78-7	X	X	X
Sulfuric acid 7664-93-9	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid, iron(2+) salt (1:1)	180.1230	21 CFR 184.1315
Sulfuric acid	180.0910	21 CFR 184.1095

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X -1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

Product Code(s) 2965349
Issue Date 07-Jun-2021
Version 2.4

Product Name Reducing Solution for ORP Electrodes
Revision Date 26-Jan-2024
Page 15 / 15

SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 07-Jun-2021

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet