

T.G. Battery Co. (China) Limited

No.: PSDS001A

EDITION: 11

PRODUCT SAFETY DATA SHEET

PAGE: 1/4

Please follow the warnings and precautions listed below to avoid possible hazards from the improper uses of Carbon Zinc Batteries and to ensure correct and safe use of them.

The following notes should be put in an appropriate and effective location in each end-use product and its instruction manual.

Failure to observe the following instructions may cause battery leakage, heat generation, explosion, or appliance trouble.

Section 1 – Manufacturer Information

Product Name: Carbon Zinc Batteries (1) R03 AAA Size (2) R6 AA Size (3) R14 C Size (4) R20 D Size	
Company: T.G. Battery Co. (China) Limited	Telephone Number: 001-86-752-5751268
Address: Gu Tang Ao Industrial District, Huizhou City, Guangdong Province, PRC	Fax Number: 001-86-752-5751269

Section 2 – Hazards Identification

Don't directly connect (+) and (-) of a battery to make a short circuit. Don't disassemble, heat or put the battery into fire.

Charging Carbon Zinc Battery may cause electrolyte leakage or damage, because this type of battery is not designed as rechargeable battery.

Improper handling of the battery could lead to distortion, leakage, overheating, or explosion and cause human injury or equipment trouble. Especially touch with liquid leaked out of battery could cause injury like a loss of eyesight. Please strictly observe safety instructions.

Section 3 – Composition/Information on Ingredients

Ingredient	CAS No	EINECS No	Content (w/w)			
			R03	R6	R14	R20
Manganese Dioxide	1313-13-9	215-202-6	23~28%	17~27%	17~29.5%	17.5~33%
Zinc	7440-66-6	231-175-3	34~38%	20~23%	17~20%	17~22%
Zinc Chloride	7646-85-7	231-592-0	4.0~6.0%	4.3~6.8%	6.0~8.0%	6.0~8.8%
Ammonium Chloride	12125-02-9	235-186-4	0.2~0.4%	0.2~0.7%	0.6~0.8%	0.3~0.9%
Acetylene Black	1333-86-4	215-609-9	3.7~4.7%	3.4~4.4%	4.0~5.0%	4.4~5.9%
Lead	7439-92-1	231-100-4	< 1500ppm	< 1000 ppm	< 1000ppm	< 1000ppm
Cadmium	7440-43-9	231-152-8	< 10 ppm	< 10 ppm	< 10 ppm	< 10 ppm
Mercury	7439-97-6	231-106-7	< 1 ppm	< 1 ppm	< 1 ppm	< 1 ppm

PRODUCT SAFETY DATA SHEET

Section 4 – First Aid Measures

None unless internal materials exposure. If contents are leaked out, observe following instructions

Skin If liquid solution from the battery comes out and contact with skin or clothes, flush out with clean water.

Eyes If any liquid from the battery comes out and contact with eyes, flush out with clean water immediately and consult a doctor.

Licking If any liquid from the battery is licked, gargle immediately and consult a doctor.

Ingestion If swallowing a battery, consult a physician immediately.
If contents come into mouth, immediately rinse by plenty of water and consult a physician.

Section 5 – Fire Fighting Measures

Extinguishing Media Any class of extinguisher is effective.

Section 6 – Accidental Release Measures

NA

Section 7 – Handling and Storage

1. Handling

Never swallow. Never touch the liquid leaked out of battery. Never short-circuit the battery. Never charge. Never expose to open flame. Never heat. Never disassemble or deform.

- 1) Keep the battery out of reach of babies or small children.
- 2) Do not install the battery in the appliance in reversed positive (+) and negative (-) terminal connection.
- 3) Do not use the batteries mixed with new battery, old battery or different type battery.
- 4) Take out used batteries promptly from the appliance.
- 5) Do not expose the battery to rain or moisture.
- 6) When not in use for a long time, take out the battery from the appliance and store in a cool dry place.
- 7) Do not drop, give a strong shock or deform the battery.
- 8) Do not solder the battery directly.

2. Storage

Do not leave the batteries in an atmosphere over the temperature of 30°C or over the humidity of 80% for a long time. Never let the battery contact with water.



PRODUCT SAFETY DATA SHEET

IATA Dangerous Goods Regulations 59th edition, ICAO Technical Instructions and the U.S. hazardous materials regulations (49 CFR). These batteries are not subject to the dangerous goods regulations provided they meet the requirements contained in the following special provisions

Regulatory Body	Special Provisions
ADR	Not regulated
IMDG	Not regulated
UN	Not regulated
US DOT	49 CFR 172.102 Provision 130
IATA	A123
ICAO	Not regulated

All Carbon Zinc Batteries are packed in such a way to prevent short circuits or the generation dangerous quantities of heat and meet the special provisions listed above. In addition, the IATA Dangerous Goods Regulations and ICAO Technical Instructions require the words “not restricted” and the Special Provision number A123 be provided on the air waybill, when an air waybill is issued.

Section 15 – Regulatory Information

National or local laws/ regulations applied to battery.

Section 16 – Other Information

Issue Date: Dec.19, 2018

Department: Quality Assurance Department

Edited by: Jiali Zhong

Remark: Contents of this manual have been edited based on data, information, etc. that TGBC could acquire when editing the manual, so the manual may be revised by new information, if any. Contents of the above data assume normal handling of cells, and are provided as referential information. Therefore, the manual provides no warranties. The customer is requested to use batteries on the basis of appropriate measures established depending on individual conditions, application and operation.