

SAFETY DATA SHEET

Issue Date 14-Jan-2021

Revision Date 06-Mar-2024

Version' 4.7

Page 1 / 17

1. IDENTIFICATION

Product identifier

Product Name

STABLCAL* FORMAZIN STANDARD 1000 NTU

Other means of identification

Product Code(s)

2660601

Safety data sheet number

M03449

Recommended use of the chemical and restrictions on use

Recommended Use

Laboratory Use. Standard solution.

Uses advised against

Consumer use.

Restrictions on use

For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Ćategory 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

EN /	AGHS		Page	1 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL* FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 2 / 17

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clotning, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC#
1,3,5,7-Tetraazatricyclo[3.3 1.1(3,7)]decane	100-97-0	3 - 7%	
Sodium sulfate	7757-82-6	<1%	
Diammonium sulfate	7783-20-2	<1%	
Formaldehyde	50-00-0	<0.1%	

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier, to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion

May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to

EN / AGHS

Page 2 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 3 / 17

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the Product

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

Hazardous combustion products This material will not burn. Thermal decomposition can lead to release of irritating and toxic

gases and vapors. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides (NOx).

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

EN / AGHS Page 3 / 17

Issue Date 14-Jan-2021 Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

Revision Date 06-Mar-2024

Page 4 / 17

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de cane CAS#: 100-97-0	TWA: 1 mg/m³ inhalable fraction and vapor dermal sensitizer	NDF	NDF
Formaldehyde CAS#: 50-00-0	TWA: 0.1 ppm STEL: 0.3 ppm dermal sensitizer;respiratory sensitizer	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear

breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection

Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

according to EN 374-1:2016.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

EN / AGHS

Page 4/17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL* FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 5/17

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Turbid solution aqueous solution Color

Milky white

Odor

Odorless

Odor threshold

No data available

Property <u>Values</u>

Molecular weight No data available

7.47 pН

@ 20 °C

Remarks • Method

Melting point / freezing point ~ 0 °C / 32 °F

~ 100 °C / 212 °F Initial boiling point and boiling range

Evaporation rate No data available Vapor pressure No data available

No data available Relative vapor density

1.02 Specific gravity - VALUE 1

Not applicable Partition coefficient

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

No data available **Autoignition temperature**

No data available **Decomposition temperature**

No data available Dynamic viscosity

Kinematic viscosity No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature_
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

EN / AGHS	Page 5 / 1

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL* FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 6 / 17

Steel Corrosion Rate Aluminum Corrosion Rate

No data available No data available

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de cane	100-97-0	Not applicable	X
Sodium sulfate	7757-82-6	No data available	946
Diammonium sulfate	7783-20-2	No data available	-
Formaldehyde	50-00-0	No data available	X

Explosive properties

Upper explosion limit Lower explosion limit

No data available

No data available

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit: Lower flammability limit:

No data available No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

EN / AGHS

Page 6/17

Issue Date 14-Jan-2021 Version 4.7 Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 7 / 17

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

May cause sensitization in susceptible persons.

Eye contact

No known effect based on information supplied.

Skin contact

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause sensitization by skin contact.

Ingestion

May cause additional affects as listed under "Inhalation".

Symptoms

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (<1%) CAS#: 7783-20-2	Rat LD50	2840 mg/kg	None reported	None reported	GESTIS
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅₀	100 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%)	Rabbit LD50	270 mg/kg	None reported	None reported	GESTIS
CAS#: 50-00-0					

Inhalation (Dust/Mist) Exposure Route

				No Lot	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC50	0.578 mg/L	4 hours	Nonereported	LOLI

	1:	
EN / AGHS		Page 7 / 17

Issue Date 14-Jan-2021 Version 4.7 Product Name STABLCAL* FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 8/17

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Diammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Teşt	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Diammonium sulfate	Standard Draize	Rabbit	0.050 mL	None reported	Not corrosive or	ECHA

EN / AGHS

Page 8 / 17

Issue Date 14-Jan-2021 Version 4.7 Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 9/17

(<1%) CAS#: 7783-20-2	Test			#	irritating to eyes	
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0		Guinea pig	Confirmed to be a skin sensitizer	ÉCHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (<1%) CAS#: 7783-20-2	Man TDto	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS
Formaldehyde (<0.1%)	Human LDLo	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder	RTECS

EN / AGHS	Page	9 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 10 / 17

CAS#: 50-00-0	 }		
0,10%,0000		Liver	
	7	Other changes	
		Ulcerated stomach	
	- V	Other changes	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%)	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS
CAS#: 100-97-0		,			

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0	Rat TC⊾	350 mg/m³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TCLo	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC,	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	m.	-	-

EN / AGHS	Pag	e 10/17

Issue Date 14-Jan-2021 Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 11/17

3.1.1(3,7)]decane			Y.		
Sodium sulfate	7757-82-6	-	- 1)	-	-
Diammonium sulfate	7783-20-2		411	(I -	
Formaldehyde	50-00-0	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

<u>Germ cell mutagenicity</u>
Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0		Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (3 - 7%) CAS#: 100-97-0		Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS

EN /	AGHS	 v.	Page 1	l1 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

NTH

Revision Date 06-Mar-2024

Page 12 / 17

(=0.19/)		
(<0.1%)	1 22 17	mutagenicity
CAS#: 50-00-0	**	, management,
		

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	Mouse TDLo	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or effects	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TCLo	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity
No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity
Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID
Diammonium sulfate (<1%)	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS

EN / AGHS Page 12 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 13 / 17

CAS#: 7783-20-2			27		
Formaldehyde (<0.1%)	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN
CAS#: 50-00-0					

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	ECso .	3150 mg/L	IUCLID
Diammonium sulfate (<1%) CAS#: 7783-20-2	48 Hours	None reported	LC50	14 mg/L	GESTIS
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	ECso	5.8 mg/L	PEEN

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient

Not applicable

Mobility

products

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

Not applicable, U122

			157		
Chemical name	RCRA	RCRA - Basis for Listing	RCRA -	D Series Waste	s RCRA - U Series Wastes
Formaldehyde	U122	Included in waste			U122
50-00-0		streams: K009, K010,	1.0		
		K038, K040, K156, K157	100		

Special instructions for disposal

Dilute material with excess water making a weaker than 5% solution. If permitted by regulation. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water. Check with national, local municipal and state authorities and

100					50		
EN	- /	AGHS				Page	13 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 14 / 17

waste contractors for pertinent local information on the disposal of this article.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Does not com

ENCS Does not comply IECSC Compiles

KECL , Compiles

PICCS Does not comply Complies

TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Diammonium sulfate (CAS #: 7783-20-2)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	34	Yes
Chronic Health Hazard	4	No
Fire hazard	100	No
Sudden release of pressure hazard		No

EN / AGHS Page 14/17

Issue Date 14-Jan-2021 Version 4.7

Product Name STABLCAL* FORMAZIN STANDARD 1000

Revision Date 06-Mar-2024

Page 15 / 17

Reactive Hazard

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb	- 104		X
50-00-0			1	_

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0		10	RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

US State Regulations

<u>California Proposition 65</u>
This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	4:-	-
Sodium sulfate 7757-82-6	-	X	X
Diammonium sulfate 7783-20-2	-	х .	Х
Formaldehyde 50-00-0	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA		FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	'	-
1	19	100	· ·
EN / AGHS			Page 15 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name STABLCAL® FORMAZIN STANDARD 1000

Revision Date 06-Mar-2024

Page 16 / 17

Chemical name	FIFRA	FDA
Sodium sulfate	•	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Giobal Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde 50-00-0	Prohibited Substance (FI) Prohibited Substance (LR) Declarable Substance (LR) Declarable Substance (FI)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection -
		<u> </u>		X -1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists) **ATSDR** ATSDR (Agency for Toxic Substances and Disease Registry) **CCRIS** CCRIS (Chemical Carcinogenesis Research Information System) CDC CDC (Center for Disease Control) **CEPA**

CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA; (The European Chemicals Agency) **EEA** EEA (European Environment Agency) **EPA** EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority) **ECOSARS**

Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™ **FDA**

FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute) **IPCS INCHEM** IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) **IUCLID** Japan National Institute of Technology and Evaluation (NITE) NITE

NIH (National Institutes of Health) NIH

NIOSH NIOSH (National Institute for Occupational Safety and Health) LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH IDLH

Immediately Dangerous to Life or Health

EN / AGHS

Page 16 / 17

Issue Date 14-Jan-2021

Version 4.7

Product Name: STABLCAL* FORMAZIN STANDARD 1000

NTU

Revision Date 06-Mar-2024

Page 17 / 17

OSHA

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN

PEEN (Pan European Ecological Network)

RTECS SIDS

RTECS (Registry of Toxic Effects of Chemical Substances)

SYKE

SIDS (Screening Information Dataset) for High Volume Chemicals

USDA

The Finnish Environment Institute (SYKE) USDA (United States Department of Agriculture)

USDC

USDC (United States Department of Commerce)

WHO

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

MAC

Maximum Allowable Concentration

Ceilina

Ceiling Limit Value

X

Listed

Vacated

These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN*

Skin designation

SKN+

Skin sensitization

RSP+

Respiratory sensitization Carcinogen

R

Hazard Designation Reproductive toxicant

С М

mutagen

Hach Product Compliance Department

Prepared By **Issue Date**

14-Jan-2021

Revision Date

06-Mar-2024

Revision Note

None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE **OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2024

End of Safety Data Sheet

EN / AGHS





SAFETY DATA SHEET

Issue Date 25-Jan-2021 **Revision Date** 06-Mar-2024 **Version** 8.1 **Page** 1 / 17

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Other means of identification

Product Code(s) 2659801

Safety data sheet number M01360

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

EN / AGHS Page 1/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 2 / 17

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature Aqueous solution of organic salts and polymers.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	<10%	1
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and Ingestion

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or

EN / AGHS Page 2 / 17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 3 / 17

clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

Hazardous combustion products This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides

(NOx).

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

EN / AGHS Page 3/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 4 / 17

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name		ACGIH TLV	OSHA PEL	NIOSH
	1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	TWA: 1 mg/m³ inhalable	NDF	NDF
	cane	fraction and vapor		
	CAS#: 100-97-0	dermal sensitizer		
	Formaldehyde	TWA: 0.1 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
	CAS#: 50-00-0	STEL: 0.3 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		dermal sensitizer;respiratory	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		sensitizer	(vacated) Ceiling: 5 ppm	
			STEL: 2 ppm	

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. Wear

breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection Wear suitable gloves. Gloves must be inspected prior to use. The selected protective

gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

according to EN 374-1:2016.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable protective clothing.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing

and gloves, including the inside, before re-use.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

EN / AGHS Page 4/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 5 / 17

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

AppearanceTurbid solutionColorMilky whiteOdorOdorlessOdor thresholdNot applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight Not applicable

pH 8.14 @ 20 °C

Melting point / freezing point $0 \, ^{\circ}\text{C} \, / \, 32 \, ^{\circ}\text{F}$

Initial boiling point and boiling range 100 °C / 212 °F

Evaporation rate 1 (water = 1)

Vapor pressure 17.477 mm Hg $\,/\,$ 2.33 kPa $\,$ at $\,$ 20 °C $\,/\,$ 68 °F

Relative vapor density 0.62

Specific gravity - VALUE 1 1.02

Partition coefficient No data available

Soil Organic Carbon-Water Partition

Coefficient

No data available

Autoignition temperatureNo data availableDecomposition temperatureNo data availableDynamic viscosityNo data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature_	
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F	

Other information

Metal Corrosivity

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

Volatile Organic Compounds (VOC) Content

EN / AGHS Page 5/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 6 / 17

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	X
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	X
Diammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limitNot applicableLower explosion limitNot applicable

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

EN / AGHS Page 6/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 7 / 17

Information on likely routes of exposure

Product Information

Inhalation May cause sensitization in susceptible persons.

Eye contact No known effect based on information supplied.

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause sensitization by skin contact.

Ingestion May cause additional affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅o	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC ₅₀	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

EN / AGHS Page 7/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU **Revision Date** 06-Mar-2024

Page 8 / 17

Page 8/1/

ATEmix (oral)	No information available		
ATEmix (dermal)	No information available		
ATEmix (inhalation-dust/mist)	No information available		
ATEmix (inhalation-vapor)	No information available		
ATEmix (inhalation-gas)	No information available		

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

EN / AGHS Page 8/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU **Revision Date** 06-Mar-2024

Page 9 / 17

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD∟₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Man TD∟₀	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

EN / AGHS Page 9/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 10 / 17

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS
(<0.1%)	TCLo			Lungs, Thorax, or	
CAS#: 50-00-0				Respiration	
				Lacrimation	
				Other changes	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

EN / AGHS Page 10/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 11 / 17

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	, ,	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

EN / AGHS Page 11/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 12 / 17

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS
(<1%)	TDLo			Other neonatal measures or	
CAS#: 7757-82-6				effects	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCL₀			Fetotoxicity (except death e.g.	
CAS#: 50-00-0				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Chemical name Exposure Species time		Endpoint type	Reported dose	Key literature references and sources for data	
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID	
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN	
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	ım sulfate 96 hours Oncorhynchus mykiss 1%)		LC50	36.7 mg/L	GESTIS	

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID
Formaldehyde (<0.1%)	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN

EN / AGHS Page 12/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 13 / 17

CAS#: 50-00-0					
Diammonium sulfate	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS
(<0.01%)					
CAS#: 7783-20-2					

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient No data available

Mobility

Soil Organic Carbon-Water Partition Coefficient No data available

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number U122

	Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ſ	Formaldehyde	U122	Included in waste	-	U122
-	50-00-0		streams: K009, K010,		
			K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

EN / AGHS Page 13/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU Revision Date 06-Mar-2024

Page 14 / 17

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies

International Inventories

EINECS/ELINCS

ENCS
Does not comply
IECSC
KECL
PICCS
Does not comply
TCSI
AICS

Complies
Complies
Complies
Complies
Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

NZIoC

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %		
Formaldehyde (CAS #: 50-00-0)	0.1		
Diammonium sulfate (CAS #: 7783-20-2)	1.0		

SARA 311/312 Hazard Categories

Acute health hazard
Chronic Health Hazard
Fire hazard
Sudden release of pressure hazard
No
Reactive Hazard
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

EN / AGHS Page 14/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 15 / 17

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(X	-	-
3,7)]decane			
100-97-0			
Sodium sulfate	-	X	X
7757-82-6			
Formaldehyde	X	X	X
50-00-0			
Diammonium sulfate	-	X	X
7783-20-2			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	Declarable Substance (FI)	0.1 %

EN / AGHS Page 15/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU

Revision Date 06-Mar-2024

Page 16 / 17

100-97-0		
Formaldehyde	Prohibited Substance (FI)	0.1 %
50-00-0	Prohibited Substance (LR)	
	Declarable Substance (LR)	
	Declarable Substance (FI)	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR (Agency for Toxic Substances and Disease Registry)

CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE
USDA
USDA
USDA
USDC
USDC
The Finnish Environment Institute (SYKE)
USDA (United States Department of Agriculture)
USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these

EN / AGHS Page 16/17

Product Name STABLCAL® FORMAZIN STANDARD 1.0 NTU **Revision Date** 06-Mar-2024

Page 17 / 17

"liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 25-Jan-2021

Revision Date 06-Mar-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2024

End of Safety Data Sheet

EN / AGHS Page 17/17



SAFETY DATA SHEET

Issue Date 15-Feb-2021 **Revision Date** 26-Jan-2024 **Version** 3.7 **Page** 1 / 17

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU

Other means of identification

Product Code(s) 2659901

Safety data sheet number M03414

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis. Standard solution.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

EN / AGHS Page 1/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU Revision Date 26-Jan-2024

Page 2 / 17

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	<10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or

EN / AGHS Page 2/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU

Revision Date 26-Jan-2024

Page 3 / 17

clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

Hazardous combustion products This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides

(NOx).

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

EN / AGHS Page 3/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU

Revision Date 26-Jan-2024

Page 4 / 17

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name		ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de		TWA: 1 mg/m³ inhalable	NDF	NDF
	cane	fraction and vapor		
	CAS#: 100-97-0	dermal sensitizer		
	Formaldehyde	TWA: 0.1 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
	CAS#: 50-00-0	STEL: 0.3 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		dermal sensitizer;respiratory	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		sensitizer	(vacated) Ceiling: 5 ppm	
			STEL: 2 ppm	

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Gloves must be inspected prior to use. The selected protective

gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

according to EN 374-1:2016.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing

and gloves, including the inside, before re-use.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

EN / AGHS Page 4/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU

Revision Date 26-Jan-2024

Page 5 / 17

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance Turbid solution

Color white

aqueous solution
Odor
Odorless

Odor threshold No data available

Property Values Remarks • Method

Molecular weight No data available

pH 8.48 @ 20 °C

Melting point / freezing point ~ 0 °C / 32 °F

Initial boiling point and boiling range ~ 100 °C / 212 °F

Evaporation rate 1 (water = 1)

Vapor pressure 17.477 mm Hg $\,/\,$ 2.33 kPa $\,$ at $\,$ 20 °C $\,/\,$ 68 °F

Relative vapor density 0.62

Specific gravity - VALUE 1 1.02

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Dynamic viscosity

No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature_
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

Volatile Organic Compounds (VOC) Content

EN / AGHS Page 5/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU Revision Date 26-Jan-2024

Page 6 / 17

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	X
cane			
Sodium sulfate	7757-82-6	No data available	1
Formaldehyde	50-00-0	No data available	X
Diammonium sulfate	7783-20-2	No data available	_

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

EN / AGHS Page 6/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU Revision Date 26-Jan-2024

Page 7 / 17

Information on likely routes of exposure

Product Information

Inhalation May cause sensitization in susceptible persons.

Eye contact No known effect based on information supplied.

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause sensitization by skin contact.

Ingestion May cause additional affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅o	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC ₅₀	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

1E-05% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

EN / AGHS Page 7/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU **Revision Date** 26-Jan-2024

Page 8 / 17

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

EN / AGHS Page 8/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU **Revision Date** 26-Jan-2024

Page 9 / 17

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	70 mg/kg	None reported	Gastrointestinal	RTECS
(<0.1%)	LDLo			Kidney, Ureter, or Bladder	
CAS#: 50-00-0				Liver	
				Other changes	
				Ulcerated stomach	
				Other changes	
Diammonium sulfate	Man	1500 mg/kg	None reported	Gastrointestinal	RTECS
(<0.01%)	TDLo		'	Gas	
CAS#: 7783-20-2					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

EN / AGHS Page 9/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU **Revision Date** 26-Jan-2024

Page 10 / 17

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC⊾₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	=	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	X
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

EN / AGHS Page 10/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU **Revision Date** 26-Jan-2024

Page 11 / 17

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	, ,	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Dominant lethal	Mouse	25000 mg/kg	None reported	Positive test result for	RTECS
lo[3.3.1.1(3,7)]decane	test				mutagenicity	
(<10%)						
CAS#: 100-97-0						

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

EN / AGHS Page 11/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU **Revision Date** 26-Jan-2024

Page 12 / 17

ſ	Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
		type	dose	time		sources for data
	Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS
	(<1%)	TD_Lo			Other neonatal measures or	
	CAS#: 7757-82-6				effects	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCL₀			Fetotoxicity (except death e.g.	
CAS#: 50-00-0				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 1E-05% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID
Formaldehyde (<0.1%)	48 Hours	Daphnia pulex	EC ₅₀	5.8 mg/L	PEEN

EN / AGHS Page 12/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU

Revision Date 26-Jan-2024

Page 13 / 17

CAS#: 50-00-0					
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC50	14 mg/L	GESTIS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

EN / AGHS Page 13/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU Revision Date 26-Jan-2024

Page 14 / 17

National Inventories

TSCA Complies **DSL/NDSL** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Does not comply **IECSC** Complies **KECL** Complies **PICCS** Does not comply **TCSI** Complies Complies **AICS** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

NZIoC

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Diammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Page 14/17 EN / AGHS

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU **Revision Date** 26-Jan-2024

Page 15 / 17

Formaldehyde	Release - Toxic (solution)
(<0.1%)	
CAS#: 50-00-0	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(X	-	-
3,7)]decane			
100-97-0			
Sodium sulfate	-	X	X
7757-82-6			
Formaldehyde	X	X	X
50-00-0			
Diammonium sulfate	-	X	X
7783-20-2			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde 50-00-0	Prohibited Substance (FI) Prohibited Substance (LR)	0.1 %

EN / AGHS Page 15/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU

Revision Date 26-Jan-2024

Page 16 / 17

Declarable Substance (LR)	
Declarable Substance (FI)	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)

ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

EN / AGHS Page 16/17

Product Name STABLCAL® FORMAZIN STANDARD 10 NTU Revision Date 26-Jan-2024

Page 17 / 17

SKN* Skin sensitization Skin designation SKN+ RSP+ Respiratory sensitization Hazard Designation R Reproductive toxicant Carcinogen С Μ mutagen

Hach Product Compliance Department **Prepared By**

Issue Date 15-Feb-2021

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE **OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2024

End of Safety Data Sheet

EN / AGHS Page 17/17



SAFETY DATA SHEET

Issue Date 25-Jan-2021 Revision Date 06-Mar-2024 Version 6 Page 1 / 17

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 100 NTU

Other means of identification

Product Code(s) 2660201

Safety data sheet number M03412

Recommended use of the chemical and restrictions on use

Recommended Use Standard solution. Water Analysis.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

EN / AGHS Page 1/17

Product Code(s) 2660201 Product Name STABLCAL® FORMAZIN STANDARD 100

B / 05 | 000/

Issue Date 25-Jan-2021 Revision Date 06-Mar-2024

Version 6 Page 2/17

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	<10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

EN / AGHS Page 2/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 3 / 17

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

May cause sensitization by inhalation and skin contact. Product is or contains a sensitizer.

May cause sensitization by skin contact.

Hazardous combustion products This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides

(NOx).

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

EN / AGHS Page 3/17

Product Code(s) 2660201 Product Name STABLCAL® FORMAZIN STANDARD 100

Issue Date 25-Jan-2021 Revision Date 06-Mar-2024

Version 6 Page 4 / 17

See section 8 for more information. See section 13 for more information. Reference to other sections

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Provide extract ventilation to points where emissions occur. Remove contaminated clothing

> and shoes. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this

product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	TWA: 1 mg/m ³ inhalable	NDF	NDF
cane	fraction and vapor		
CAS#: 100-97-0	dermal sensitizer		
Formaldehyde	TWA: 0.1 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	STEL: 0.3 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
	dermal sensitizer;respiratory	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
	sensitizer	(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. Wear

breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection Wear suitable gloves. Gloves must be inspected prior to use. The selected protective

gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

according to EN 374-1:2016.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear suitable protective clothing.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do **General Hygiene Considerations**

not eat, drink or smoke when using this product. Remove and wash contaminated clothing

and gloves, including the inside, before re-use.

EN / AGHS Page 4 / 17 Product Code(s) 2660201 Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Version 6 Page 5/17

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Issue Date 25-Jan-2021

Appearance Turbid solution Color white

aqueous solution

Odor Odorless Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

pH 8.26 @ 20 °C

Melting point / freezing point $\sim 0 \, ^{\circ}\text{C} \, / \, 32 \, ^{\circ}\text{F}$

Initial boiling point and boiling range \sim 100 °C / 212 °F

Evaporation rate 1 (water = 1)

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F

Relative vapor density 0.62

Specific gravity - VALUE 1 1.02

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Coefficient Autoignition temperature Not applicable

No data available

Decomposition temperature No data available

Dynamic viscosity No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature_
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

EN / AGHS Page 5/17

Issue Date 25-Jan-2021

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Version 6

Page 6 / 17

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	Х
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	X
Diammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

EN / AGHS Page 6/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 7 / 17

Hazardous decomposition products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause sensitization in susceptible persons.

Eye contact No known effect based on information supplied.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.

Ingestion May cause additional affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅o	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route

	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
	Formaldehyde (<0.1%)	Rat LC50	0.578 mg/L	4 hours	None reported	LOLI
L	CAS#: 50-00-0					

Unknown Acute Toxicity

EN / AGHS Page 7/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 8 / 17

3.731E-05% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde (<0.1%)	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS

EN / AGHS Page 8/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 9 / 17

CAS#: 50-00-0						
Diammonium sulfate	Standard Draize	Rabbit	0.050 mL	None reported	Not corrosive or	ECHA
(<0.1%)	Test				irritating to eyes	
CAS#: 7783-20-2						

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	70 mg/kg	None reported	Gastrointestinal	RTECS
(<0.1%)	LD_Lo			Kidney, Ureter, or Bladder	
CAS#: 50-00-0				Liver	
				Other changes	
				Ulcerated stomach	
				Other changes	

EN / AGHS Page 9/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 10 / 17

Diammonium sulfate	Man	1500 mg/kg	None reported	Gastrointestinal	RTECS
(<0.1%)	TD_Lo			Gas	
CAS#: 7783-20-2					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
- 1	,3,5,7-Tetraazatricyc [3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TCLo	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					

EN / AGHS Page 10/17

Issue Date 25-Jan-2021

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 11 / 17

Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1 Group 1		Known	X
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

Version 6

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	, ,	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

EN / AGHS Page 11/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 12 / 17

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS
(<1%)	TD_Lo			Other neonatal measures or	
CAS#: 7757-82-6				effects	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCL₀			Fetotoxicity (except death e.g.	
CAS#: 50-00-0				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 4E-05% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN
Diammonium sulfate	96 hours	Oncorhynchus mykiss	LC ₅₀	36.7 mg/L	GESTIS

EN / AGHS Page 12/17

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 13 / 17

Issue Date 25-Jan-2021 Version 6

.

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC ₅₀	3150 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	48 Hours	None reported	LC50	14 mg/L	GESTIS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT Not regulated

EN / AGHS Page 13/17

Issue Date 25-Jan-2021

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Version 6

Page 14 / 17

TDG Not regulatedIATA Not regulatedIMDG Not regulated

Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies Does not comply **ENCS IECSC** Complies Complies **KECL PICCS** Does not comply TCSI Complies **AICS** Complies **NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Diammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

EN / AGHS Page 14/17

Issue Date 25-Jan-2021

Version 6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Page 15 / 17

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

Chemica	I name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formald	ehyde	100 lb	100 lb	RQ 100 lb final RQ
50-0	0-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facilit Anti-Terrorism Standards (CFATS) - Security Issues	
Formaldehyde (<0.1%)	Release - Toxic (solution)	
(30.178) CAS#: 50-00-0		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Formaldehyde (CAS #: 50-00-0)	Carcinogen	

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(X	-	-
3,7)]decane			
100-97-0			
Sodium sulfate	-	X	X
7757-82-6			
Formaldehyde	X	X	X
50-00-0			
Diammonium sulfate	-	X	X
7783-20-2			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

EN / AGHS Page 15/17

Product Code(s) 2660201 Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Issue Date 25-Jan-2021 Revision Date 06-Mar-2024

Version 6 Page 16/17

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable	Global Automotive Declarable
	Substance List Classifications	Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde	Prohibited Substance (FI)	0.1 %
50-00-0	Prohibited Substance (LR)	
	Declarable Substance (LR)	
	Declarable Substance (FI)	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection -
	- *			X
				- I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

EN / AGHS Page 16/17

Issue Date 25-Jan-2021

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 06-Mar-2024

Version 6

Page 17 / 17

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 25-Jan-2021

Revision Date 06-Mar-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2024

End of Safety Data Sheet

EN / AGHS Page 17/17