

SAFETY DATA SHEET

Be Right[™]

Issue Date 06-May-2021	Revision Date 26-Jan-2024	Version 3.6	Page 1 / 17	
	1. IDENTIFICATIO	ON		
Product identifier Product Name	Phosphorus, TNTPlus™, Ortho			
Other means of identification Product Code(s)	TNT846			
Safety data sheet number	M01877			
UN/ID no	UN3316			
Recommended use of the chemical and restrictions on use				
Recommended Use	Orthophosphate Determination.			
Uses advised against	Consumer use.			
Restrictions on use	For Laboratory Use Only.			
Details of the supplier of the safety data sheet				
Manufacturer Address Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050				

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Product NamePhosphorus, TNTPlus™, OrthoRevision Date26-Jan-2024Page2 / 17



Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Not applicable

Mixture

Chemical Family Chemical nature Mixture. Aqueous solution of inorganic salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	20 - 30%	-
Molybdate, hexaammonium, tetrahydrate	12054-85-2	1 - 5%	-
Ammonium vanadate	7803-55-6	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

Product Code(s) TNT846 Issue Date 06-May-2021 Version 3.6	Product Name Phosphorus, TNTPlus™, Ortho Revision Date 26-Jan-2024 Page 3 / 17			
	should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.			
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.			
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Burning sensation.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.			
5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			

Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.	
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.	

Hazardous combustion products This material will not burn.

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Product Code(s) TNT846 Issue Date 06-May-2021 Version 3.6	Product Name Phosphorus, TNTPlus™, Ortho Revision Date 26-Jan-2024 Page 4 / 17			
Other Information	Refer to protective measures listed in Sections 7 and 8.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.			

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Molybdate, hexaammonium, tetrahydrate CAS#: 12054-85-2	TWA: 0.5 mg/m ³ Mo respirable particulate matter	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 1000 mg/m ³ Mo
Ammonium vanadate CAS#: 7803-55-6	-	NDF	Ceiling: 0.05 mg/m ³ V dust and fume 15 min

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations

Ventilation systems. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Individual protection measures, such as personal protective equipment

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.			
Hand Protection	Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.			
Eye/face protection	Face protection shield.			
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.			
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.			
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.			
Thermal hazards	None under normal processing.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	Liquid aqueous solution Odorless		Color Odor threshold	light yellow No data available	
Property		Values		Remarks • Method	
Molecular weigh	t	No data availa	ble		
рН		< 1.0		@ 20 °C	
Melting point / fr	eezing point	-4 °C / 24.8	°F		
Initial boiling poi	nt and boiling range	119 °C / 24	119 °C / 246.2 °F		
Evaporation rate		1.28 (water = 1)			
Vapor pressure		26.628 mm Hg / 3.55 kPa at 20 °C / 68 °F			
Relative vapor de	ensity	0.03			
Specific gravity -	VALUE 1	1.15			
Partition coeffici	ent	Not applicable			
Soil Organic Car Coefficient	bon-Water Partition	Not applicable			
Autoignition tem	perature	No data availa	ble		
Decomposition t	emperature	No data availa	ble		
Dynamic viscosi	ty	No data availa	ble		
Kinematic viscos	sity	No data availa	ble		

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Molybdate, hexaammonium, tetrahydrate	12054-85-2	No data available	-
Ammonium vanadate	7803-55-6	Not applicable	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Corrosive. Causes severe burns. Avoid contact with skin and clothing.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Molybdate,	Rat	354 mg/kg	None reported	None reported	No information available
hexaammonium,	LD50				
tetrahydrate					
(1 - 5%)					
CAS#: 12054-85-2					
Ammonium vanadate	Rat	58.1 mg/kg	None reported	Behavioral	ChemADVISOR

(<1%)	LD50	Somnolence (general depressed
CAS#: 7803-55-6		activity)
		Gastrointestinal
		Hypermotility
		Diarrhea
		Nutritional and Gross
		Metabolic
		Body temperature decrease

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate	Rat	2102 mg/kg	None reported	Behavioral	HSDB
(<1%)	LD50			Somnolence (general depressed	
CAS#: 7803-55-6				activity)	
				Gastrointestinal	
				Hypermotility	
				Diarrhea	
				Nutritional and Gross	
				Metabolic	
				Body temperature decrease	

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate (<1%) CAS#: 7803-55-6	Rat LC50	0.0078 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	7.8000 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (20 - 30%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (20 - 30%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.144 mg/L	5 minutes	Lungs, Thorax, or	RTECS
(20 - 30%)	TDLo			Respiration	
CAS#: 7664-93-9				Dyspnea	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate (<1%) CAS#: 7803-55-6	Rat TD⊾o	4630 mg/kg	90 days	Behavioral Food intake Blood Pigmented or nucleated red blood cells Changes in erythrocyte (RBC)	RTECS

count

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Molybdate, hexaammonium, tetrahydrate (1 - 5%) CAS#: 12054-85-2	Rat TC⊾₀	0.060 mg/L	119 days	Blood Changes in erythrocyte (RBC) count Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (dehydrogenases)	
Ammonium vanadate (<1%) CAS#: 7803-55-6	Rat TCၬ₀	4.59 mg/m ³	4 days	Lungs, Thorax, or Respiration Other changes Immunological Including Allergic Decrease in cellular immune response	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
(20 - 30%)	TCLo	-	-	Changes in teeth and supporting	
CAS#: 7664-93-9				structures	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	Х
Molybdate,	12054-85-2	A3	-	-	-
hexaammonium,					
tetrahydrate					
Ammonium vanadate	7803-55-6	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro **Data** No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (20 - 30%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Ammonium vanadate (<1%) CAS#: 7803-55-6	DNA damage	Human lymphocyte	0.2 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Ammonium vanadate	Micronucleus test	Mouse	50 mg/kg	None reported	Positive test result for	RTECS
(<1%) CAS#: 7803-55-6					mutagenicity	

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate (<1%) CAS#: 7803-55-6	Rat	20 mg/kg	70 days	Death Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Female fertility index (e.g. # females pregnant per # sperm positive females; # females pregnant per # females mated) Male fertility index (e.g. # males impregnating females per # males exposed to fertile nonpregnant females)	No information available

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available
(20 - 30%)	TCLo			Abnormalities	
CAS#: 7664-93-9				Musculoskeletal system	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Based on available data, the classification criteria are not met.
Unknown aquatic toxicity	0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate,	96 hours	Oncorhynchus mykiss	LC ₅₀	320 mg/L	No information available
hexaammonium, tetrahydrate (1 - 5%) CAS#: 12054-85-2					
Ammonium vanadate (<1%) CAS#: 7803-55-6	96 hours	None reported	LC ₅₀	2.6 mg/L	EPA

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate, hexaammonium, tetrahydrate (1 - 5%) CAS#: 12054-85-2	72 Hours	Desmodesmus subspicatus	EC ₅₀	41 mg/L	No information available

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Mixture No data available.

Mixture No data available.

Partition coefficient

Not applicable

Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

EN / AGHS

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

P119 D002

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Ammonium vanadate 7803-55-6	P119	-	-	-

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Ammonium vanadate 7803-55-6	-	P119	-	-

Special instructions for disposal

Working in a large container, cautiously add small portions of the material to cold water with agitation. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Flush system with plenty of water.

14. TRANSPORT INFORMATION

DOT

UN/ID no Proper shipping name Transport hazard class(es) Emergency Response Guide Number	UN3316 CHEMICAL KITS 9 171
<u>TDG</u> UN/ID no Proper shipping name Transport hazard class(es) Packing Group	UN3316 CHEMICAL KIT 9 II
IATA UN number or ID number Proper shipping name Transport hazard class(es) ERG Code	UN3316 Chemical kit 9 9L
IMDG UN number or ID number Proper shipping name Transport hazard class(es) EmS-No Special Provisions	UN3316 CHEMICAL KIT 9 F-A, S-P 251, 340
Note:	No special precautions necessary.

Additional information

EN / AGHS

This product forms part of a kit. Information in this section relates to the kit as a whole. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

Complies
Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Sulfuric acid (CAS #: 7664-93-9)	1.0	
Molybdate, hexaammonium, tetrahydrate (CAS #: 12054-85-2)	1.0	
Ammonium vanadate (CAS #: 7803-55-6)	1.0	

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	Х
				•

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Ammonium vanadate	1000 lb	-	RQ 1000 lb final RQ
7803-55-6			RQ 454 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (20 - 30%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen	

WARNING: This product can expose you to chemicals including Sulfuric acid,	which is known to the State of California to
cause cancer.	

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

IMERC: Not applicable

⋒

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	Х	X	Х
Ammonium vanadate 7803-55-6	Х	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

Global Automotive Declarable Substance List (GADSL) Not applicable

EN / AGHS

NFPA and HMIS Classifications

	NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
Ī	HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
			_	-	X
					- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite [™]
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
HSDB INERIS IPCS INCHEM IUCLID NITE NIH NIOSH LOLI NDF NICNAS NIOSH IDLH OSHA PEEN RTECS SIDS SYKE USDA USDC WHO	Insurance) HSDB (Hazardous Substances Data Bank) INERIS (The National Industrial Environment and Risks Institute) IPCS INCHEM (International Programme on Chemical Safety) IUCLID (The International Uniform Chemical Information Database) Japan National Institute of Technology and Evaluation (NITE) NIH (National Institutes of Health) NIOSH (National Institute for Occupational Safety and Health) LOLI (List of Lists - An International Chemical Regulatory Database) no data Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Immediately Dangerous to Life or Health OSHA (Occupational Safety and Health Administration of the US Department of Labor) PEEN (Pan European Ecological Network) RTECS (Registry of Toxic Effects of Chemical Substances) SIDS (Screening Information Dataset) for High Volume Chemicals The Finnish Environment Institute (SYKE) USDA (United States Department of Agriculture) USDC (United States Department of Commerce) WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
Х	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C	Skin designation Respiratory sensitization Carcinogen	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant

Μ	mutagen	
Prepared By		Hach Product Compliance Department
Issue Date		06-May-2021
Revision Date		26-Jan-2024
Revision Note		None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet