



Be Right™

SAFETY DATA SHEET

Issue Date 06-Aug-2020

Revision Date 26-Jan-2024

Version 6.7

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name FerroVer® Iron Reagent

Other means of identification

Product Code(s) 2105769

Safety data sheet number M00135

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Iron determination.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Acute toxicity - Oral | Category 4 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |
| Respiratory sensitization | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Chronic aquatic toxicity | Category 3 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H318 - Causes serious eye damage
- H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 - May cause respiratory irritation
- H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

- P280 - Wear protective gloves, protective clothing, eye protection, and face protection
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P332 + P313 - If skin irritation occurs: Get medical attention
- P362 - Take off contaminated clothing and wash before reuse
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a POISON CENTER or doctor/physician
- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
- P285 - In case of inadequate ventilation wear respiratory protection
- P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- P501 - Dispose of contents/ container to an approved waste disposal plant
- P271 - Use only outdoors or in a well-ventilated area
- P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
- P405 - Store locked up
- P273 - Avoid release to the environment
- P270 - Do not eat, drink or smoke when using this product
- P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P330 - Rinse mouth

Other Hazards Known

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family
Chemical nature

Mixture.
Mixture of organic compounds.

Percent ranges are used where confidential product information is applicable.

| Chemical name | CAS No | Percent Range | HMRIC # |
|---|------------|---------------|---------|
| Sodium metabisulfite | 7681-57-4 | 20 - 30% | - |
| Sodium dithionite | 7775-14-6 | 10 - 20% | - |
| 1,10-Phenanthroline, mono(4-methylbenzenesulfonate) | 92798-16-8 | 1 - 5% | - |

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---|---|
| General advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| Inhalation | Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention. |
| Eye contact | Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. |
| Skin contact | Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. |
| Ingestion | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. May produce an allergic reaction. Get immediate medical advice/attention. |
| Self-protection of the first aider | Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|--|
| Note to physicians | May cause sensitization in susceptible persons. Treat symptomatically. |
|---------------------------|--|

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable Extinguishing Media | Caution: Use of water spray when fighting fire may be inefficient. |
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. |
| Hazardous combustion products | Thermal decomposition can lead to release of irritating and toxic gases and vapors. Sulfur oxides. Sodium monoxide. Carbon monoxide, Carbon dioxide. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|--------------------|--|
| U.S. Notice | Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should |
|--------------------|--|

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|---|--------------------------|------------------------------------|--------------------------|
| Sodium metabisulfite CAS#: 7681-57-4 | TWA: 5 mg/m ³ | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous

substance at the specific workplace.

Individual protection measures, such as personal protective equipment

| | |
|--|---|
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols. |
| Hand Protection | Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016. |
| Eye/face protection | Tight sealing safety goggles. |
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. |
| General Hygiene Considerations | Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. |
| Environmental exposure controls | Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. |
| Thermal hazards | None under normal processing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|-------------|-----------------------|-------------------|
| Physical state | Solid | Color | White to yellow |
| Appearance | crystalline | Odor threshold | No data available |
| Odor | Sulfur-like | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|-----------------------------|-------------------------|
| Molecular weight | Not applicable | |
| pH | 5.29 | 5% @ 20°C |
| Melting point / freezing point | 192 °C / 377.6 °F | |
| Initial boiling point and boiling range | No data available | |
| Evaporation rate | Not applicable | |
| Vapor pressure | Not applicable | |
| Relative vapor density | No data available | |
| Specific gravity - VALUE 1 | 2.27 | |
| Partition coefficient | log K _{ow} ~ -1.33 | |
| Soil Organic Carbon-Water Partition Coefficient | log K _{oc} ~ -0.03 | |
| Autoignition temperature | No data available | |
| Decomposition temperature | 192.22 °C / 378 °F | |
| Dynamic viscosity | Not applicable | |
| Kinematic viscosity | Not applicable | |

Product Code(s) 2105769
Issue Date 06-Aug-2020
Version 6.7

Product Name FerroVer® Iron Reagent
Revision Date 26-Jan-2024
Page 6 / 16

Solubility(ies)

Water solubility

| Water solubility classification | Water solubility | Water Solubility Temperature |
|---------------------------------|------------------|------------------------------|
| Soluble | > 1000 mg/L | 25 °C / 77 °F |

Solubility in other solvents

| Chemical Name | Solubility classification | Solubility | Solubility Temperature |
|---------------|---------------------------|-------------|------------------------|
| Acid | Soluble | > 1000 mg/L | 25 °C / 77 °F |

Other information

Metal Corrosivity

Steel Corrosion Rate 2.69 mm/yr / 0.11 in/yr
Aluminum Corrosion Rate 0.08 mm/yr / 0 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

| Chemical name | CAS No | Volatile organic compounds (VOC) content | CAA (Clean Air Act) |
|---|------------|--|---------------------|
| Sodium metabisulfite | 7681-57-4 | Not applicable | - |
| Sodium dithionite | 7775-14-6 | Not applicable | - |
| 1,10-Phenanthroline, mono(4-methylbenzenesulfonate) | 92798-16-8 | No data available | - |

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Sulfur oxides. Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause sensitization in susceptible persons. May cause irritation of respiratory tract.

Eye contact Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional affects as listed under "Inhalation". Harmful if swallowed.

Symptoms Redness. Burning. May cause blindness. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. May cause redness and tearing of the eyes.

Acute toxicity

Harmful if swallowed

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|--|---------------------------|---------------|---------------|-----------------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Rat LD ₅₀ | 500 mg/kg | None reported | None reported | No information available |
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Mouse LD ₅₀ | 1500 mg/kg | None reported | None reported | ERMA |
| 1,10-Phenanthroline, mono(4-methylbenze | Rat LD ₅₀ | 245.6 mg/kg | None reported | None reported | Internal Data |

| | | | | | |
|--|--|--|--|--|--|
| nesulfonate) (1 - 5%) CAS#: 92798-16-8 | | | | | |
|--|--|--|--|--|--|

Dermal Exposure Route

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|-------------------------|---------------|---------------|-----------------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Rat LD ₅₀ | > 2000 mg/kg | None reported | None reported | LOLI |

Inhalation (Dust/Mist) Exposure Route

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|-------------------------|---------------|---------------|-----------------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Rat LC ₅₀ | > 5.5 mg/L | 4 hours | None reported | RTECS |

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|--------------------------------------|--------------------------------|
| ATEmix (oral) | No information available mg/kg |
| ATEmix (dermal) | No information available |
| ATEmix (inhalation-dust/mist) | No information available |
| ATEmix (inhalation-vapor) | No information available |
| ATEmix (inhalation-gas) | No information available |

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

| Chemical name | Test method | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|-------------------------|---------|---------------|---------------|--------------------|--|
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Standard Draize Test | Rabbit | 800 mg | None reported | Mild skin irritant | IUCLID |

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

| Chemical name | Test method | Species | Reported dose | Exposure time | Results | Key literature references and |
|---------------|-------------|---------|---------------|---------------|---------|-------------------------------|
|---------------|-------------|---------|---------------|---------------|---------|-------------------------------|

| | | | | | | sources for data |
|---|-------------------------|--------|--------|---------------|-------------------|-------------------------|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Standard Draize Test | Rabbit | 107 mg | None reported | Corrosive to eyes | RTECS |
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Standard Draize Test | Rabbit | 100 mg | None reported | Eye irritant | IUCLID |

Respiratory or skin sensitization

May cause sensitization by inhalation.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

| Chemical name | Test method | Species | Results | Key literature references and sources for data |
|--|------------------------------|----------------|---------------------------------------|---|
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Based on human experience | Human | Not confirmed to be a skin sensitizer | OECD 429: Skin Sensitization: Local Lymph Node Assay |

Respiratory Sensitization Exposure Route

| Chemical name | Test method | Species | Results | Key literature references and sources for data |
|---|------------------------------|----------------|---|---|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Based on human experience | Human | Confirmed to be a respiratory sensitizer | GESTIS |

STOT - single exposure

May cause respiratory irritation.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|-------------------------|----------------------|----------------------|---|---|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Rat TD _{Lo} | 75 mg/kg | 15 days | Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (phosphatases and dehydrogenases) Kidney, Ureter, or Bladder | RTECS |

Product Code(s) 2105769
Issue Date 06-Aug-2020
Version 6.7

Product Name FerroVer® Iron Reagent
Revision Date 26-Jan-2024
Page 10 / 16

| | | | | | |
|---|-----------|-----------|---------------|------------------------------------|--|
| | | | | Other changes in urine composition | |
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Rat NOAEL | 217 mg/kg | None reported | None reported | OECD 429: Skin Sensitization: Local Lymph Node Assay |

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

| Chemical name | CAS No | ACGIH | IARC | NTP | OSHA |
|---|------------|-------|---------|-----|------|
| Sodium metabisulfite | 7681-57-4 | - | Group 3 | - | - |
| Sodium dithionite | 7775-14-6 | - | - | - | - |
| 1,10-Phenanthroline, mono(4-methylbenzenesulfonate) | 92798-16-8 | - | - | - | - |

Legend

| | |
|--|--|
| ACGIH (American Conference of Governmental Industrial Hygienists) | Does not apply |
| IARC (International Agency for Research on Cancer) | Group 3 - Not classifiable as a human carcinogen |
| NTP (National Toxicology Program) | Does not apply |
| OSHA | Does not apply |

Oral Exposure Route

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|---------------|---------------|---------------|--------------------------------------|--|
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | None reported | 942 mg/kg | 2 years | Negative results for carcinogenicity | No information available |

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

| Chemical name | Test | Cell Strain | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|----------------------------|-------------------------------|---------------|---------------|---------------------------------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Cytogenetic analysis | Hamster ovary | 0.18 mg/L | None reported | Positive test result for mutagenicity | RTECS |
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Mutation in microorganisms | <i>Salmonella typhimurium</i> | None reported | None reported | Negative | IUCLID |

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

| Chemical name | Test | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|----------------------|---------|---------------|---------------|---------------------------------------|--|
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Cytogenetic analysis | Rat | 1200 mg/kg | None reported | Negative test result for mutagenicity | IUCLID |

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|-------------------------|---------------|---------------|----------------------------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | Rat TD _{Lo} | 20000 mg/kg | None reported | Effects on Newborn Stillbirth | RTECS |

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

| Chemical name | Exposure time | Species | Endpoint type | Reported dose | Key literature references and sources for data |
|---|---------------|------------------------|------------------|---------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | 96 hours | <i>Salmo gairdneri</i> | LC ₅₀ | 15 mg/L | IUCLID |
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | 96 hours | <i>Leuciscus idus</i> | LC ₅₀ | >= 46 mg/L | IUCLID |

| | | | | | |
|--|----------|---------------|------------------|-----------|---------|
| 1,10-Phenanthroline, mono(4-methylbenzenesulfonate) (1 - 5%) CAS#: 92798-16-8 | 96 hours | None reported | LC ₅₀ | 1353 mg/L | ECOSARS |
|--|----------|---------------|------------------|-----------|---------|

Crustacea

| Chemical name | Exposure time | Species | Endpoint type | Reported dose | Key literature references and sources for data |
|--|---------------|----------------------|------------------|---------------|--|
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | 48 Hours | <i>Daphnia magna</i> | EC ₅₀ | 98 mg/L | IUCLID |
| 1,10-Phenanthroline, mono(4-methylbenzenesulfonate) (1 - 5%) CAS#: 92798-16-8 | 48 Hours | None reported | LC ₅₀ | 717 mg/L | ECOSARS |

Algae

| Chemical name | Exposure time | Species | Endpoint type | Reported dose | Key literature references and sources for data |
|--|---------------|--------------------------------|------------------|---------------|--|
| Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4 | 96 hours | <i>Scenedesmus subspicatus</i> | EC ₅₀ | 40 mg/L | IUCLID |
| 1,10-Phenanthroline, mono(4-methylbenzenesulfonate) (1 - 5%) CAS#: 92798-16-8 | 96 hours | None reported | EC ₅₀ | 402 mg/L | ECOSARS |

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE

Mixture

No data available.

Partition coefficient

log K_{ow} ~ -1.33

Mobility

Soil Organic Carbon-Water Partition Coefficient

log K_{oc} ~ -0.03

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Product Code(s) 2105769
Issue Date 06-Aug-2020
Version 6.7

Product Name FerroVer® Iron Reagent
Revision Date 26-Jan-2024
Page 13 / 16

Contaminated packaging Do not reuse empty containers.
US EPA Waste Number Not applicable

14. TRANSPORT INFORMATION

DOT Not regulated
TDG Not regulated
IATA Not regulated
IMDG Not regulated
Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Does not comply
IECSC Complies
KECL Complies
PICCS Does not comply
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| | |
|------------------------------|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | No |
| Fire hazard | No |

Product Code(s) 2105769
Issue Date 06-Aug-2020
Version 6.7

Product Name FerroVer® Iron Reagent
Revision Date 26-Jan-2024
Page 14 / 16

Sudden release of pressure hazard
Reactive Hazard

No
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

| Chemical name | U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues |
|--|---|
| Sodium dithionite (10 - 20%) CAS#: 7775-14-6 | Sabotage/Contamination |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------------|------------|---------------|--------------|
| Sodium metabisulfite 7681-57-4 | X | X | X |
| Sodium dithionite 7775-14-6 | X | X | X |

U.S. EPA Label Information

| Chemical name | FIFRA | FDA |
|----------------------|-------|-----------------|
| Sodium metabisulfite | - | 21 CFR 182.3766 |
| Sodium dithionite | - | 21 CFR 182.90 |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

| Chemical name | Global Automotive Declarable Substance List Classifications | Global Automotive Declarable Substance List Thersholds |
|-----------------------------------|---|--|
| Sodium metabisulfite 7681-57-4 | Declarable Substance (LR) Prohibited Substance (LR) | None reported |

NFPA and HMIS Classifications

| | | | | |
|-------------|-----------------------------------|-------------------------|-----------------------------|--|
| NFPA | Health hazards - 3 | Flammability - 0 | Instability - 0 | Physical and chemical properties - |
| HMIS | Health hazards - 2 - * | Flammability - 0 | Physical hazards - 0 | Personal protection - X - I |

Key or legend to abbreviations and acronyms used in the safety data sheet

| | |
|-------------|---|
| ACGIH | ACGIH (American Conference of Governmental Industrial Hygienists) |
| ATSDR | ATSDR (Agency for Toxic Substances and Disease Registry) |
| CCRIS | CCRIS (Chemical Carcinogenesis Research Information System) |
| CDC | CDC (Center for Disease Control) |
| CEPA | CEPA (Canadian Environmental Protection Agency) |
| CICAD | CICAD (Concise International Chemical Assessment Documents) |
| ECHA | ECHA (The European Chemicals Agency) |
| EEA | EEA (European Environment Agency) |
| EPA | EPA (Environmental Protection Agency) |
| ERMA | ERMA (New Zealand's Environmental Risk Management Authority) |
| ECOSARS | Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™ |
| FDA | FDA (Food & Drug Administration) |
| GESTIS | GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance) |
| HSDB | HSDB (Hazardous Substances Data Bank) |
| INERIS | INERIS (The National Industrial Environment and Risks Institute) |
| IPCS INCHEM | IPCS INCHEM (International Programme on Chemical Safety) |
| IUCLID | IUCLID (The International Uniform Chemical Information Database) |
| NITE | Japan National Institute of Technology and Evaluation (NITE) |
| NIH | NIH (National Institutes of Health) |
| NIOSH | NIOSH (National Institute for Occupational Safety and Health) |
| LOLI | LOLI (List of Lists - An International Chemical Regulatory Database) |
| NDF | no data |
| NICNAS | Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) |
| NIOSH IDLH | Immediately Dangerous to Life or Health |
| OSHA | OSHA (Occupational Safety and Health Administration of the US Department of Labor) |
| PEEN | PEEN (Pan European Ecological Network) |
| RTECS | RTECS (Registry of Toxic Effects of Chemical Substances) |
| SIDS | SIDS (Screening Information Dataset) for High Volume Chemicals |
| SYKE | The Finnish Environment Institute (SYKE) |
| USDA | USDA (United States Department of Agriculture) |
| USDC | USDC (United States Department of Commerce) |
| WHO | WHO (World Health Organization) |

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|------|---------------------------------|---------|---|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| MAC | Maximum Allowable Concentration | Ceiling | Ceiling Limit Value |
| X | Listed | Vacated | These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations. |
| SKN* | Skin designation | SKN+ | Skin sensitization |
| RSP+ | Respiratory sensitization | ** | Hazard Designation |

Product Code(s) 2105769
Issue Date 06-Aug-2020
Version 6.7

Product Name FerroVer® Iron Reagent
Revision Date 26-Jan-2024
Page 16 / 16

C
M Carcinogen
 mutagen

R Reproductive toxicant

Prepared By Kimyasal Değerlendirme Uzmanı: Gözde Goetz
KDU01-20-01
08.06.2027
info@onaymuhendislik.com

Issue Date 06-Aug-2020

Revision Date 26-Jan-2024

Revision Note SDS sections updated
2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet