

SAFETY DATA SHEET

Issue Date 10-Jan-2019

. . . .

. .

Revision Date 16-Sep-2021 Version 2.7

Page 1 / 17

1. IDENTIFICATION

<u>Product identifier</u> Product Name	FerroVer [®] Iron Reagent Powder Pillows
Other means of identification Product Code(s)	92746
Safety data sheet number	M00020
Recommended use of the chemica	l and restrictions on use
Recommended Use	Water Analysis. Iron determination.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Chronic aquatic toxicity	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Product Name FerroVer[®] Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 2 / 17



Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical attention

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P271 - Use only outdoors or in a well-ventilated area

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P273 - Avoid release to the environment

P270 - Do not eat, drink or smoke when using this product

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

Other Hazards Known

May be harmful in contact with skin Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sodium metabisulfite	7681-57-4	40 - 50%	-
Sodium dithionite	7775-14-6	20 - 30%	-
1,10-Phenanthroline, mono(4-methylbenzenesulfonate)	92798-16-8	1 - 5%	-

4. FIRST AID MEASURES

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Inhalation	Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.			
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.			
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.			
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. May produce an allergic reaction. Get immediate medical advice/attention.			
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.			
Indication of any immediate medica	I attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.			
Hazardous combustion products	Sulfur oxides. Sodium oxides. Carbon monoxide, Carbon dioxide.			
	Firstinkton should user only antising brothing approximation and full firstinkting turnout			

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout
gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations
	Outside of the US, only persons properly qualified according to state of local regulations

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other InformationRefer to protective measures listed in Sections 7 and 8.
Environmental precautions
Environmental precautions Prevent further leakage or spillage if safe to do so.
Methods and material for containment and cleaning up
Methods for containmentPrevent further leakage or spillage if safe to do so.
Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.
Flammability class	Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium metabisulfite	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
CAS#: 7681-57-4		-	

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.
Hand Protection	Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	crystalline Sulfur-like	Solid		Color Odor threshold	White to yello No data avail	
Property_			Values		<u> </u>	Remarks • Method
Molecular weight	:		No data availal	ble		
рН			5.3		:	5% Solution
Melting point/free	ezing point		> 400 °C /	752 °F		
Boiling point / bo	iling range		No data availal	ble		
Evaporation rate			Not applicable			
Vapor pressure			Not applicable			
Relative vapor de	ensity		No data availa	ble		
Specific gravity (water = 1 / air = 1)		2.21			
Partition Coeffici	ent (n-octanol/wate	er)	log K _{ow} ~ -2.31			
Soil Organic Carl Coefficient	oon-Water Partition	ı	log K _{oc} ~ -0.09			
Autoignition tem	perature		No data availal	ble		
Decomposition to	emperature		No data availal	ble		
Dynamic viscosit	ÿ		Not applicable			
Kinematic viscos	ity		Not applicable			

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature	
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F	

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate

2.06 mm/yr / 0.08 in/yr 0.25 mm/yr / 0.01 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium metabisulfite	7681-57-4	Not applicable	-
Sodium dithionite	7775-14-6	Not applicable	-
1,10-Phenanthroline,	92798-16-8	No data available	-
mono(4-methylbenzenesulfonate)			

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	Not applicable
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

Chemical stability Stable under normal conditions.

Explosion data

EN / AGHS

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Sodium oxides. Sulfur oxides. Carbon dioxide. Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause sensitization in susceptible persons. May cause irritation of respiratory tract.
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional affects as listed under "Inhalation". Harmful if swallowed.
Symptoms	Redness. Burning. May cause blindness. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. May cause redness and tearing of the eyes.
A	

Acute toxicity Harmful if swallowed

Product Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Product Name FerroVer® Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 8 / 17

Endpoint type	Toxicological	Key literature references and sources for data
Rat	effects	Outside testing
LD50	Behavioral	·
	Chewing motion	
	Coma	
	Flaccid muscle	
	tone	
	Lethargy	
	Prostration	
	Sedation	
	Tonic convulsions	
	Tremor	
	Twitching	
	Chronic	
	Death	
	Eye	
	Ptosis	
	Gastrointestinal	
	Diarrhea	
	Enteritis of the	
	intestines	
	Gas	
	Inflammation of the	
	small and large	
	intestine	
	Inflammation of the	
	stomach	
	Kidney, Ureter,	
	or Bladder	
	Abnormalities of	
	the kidneys	
	Lungs, Thorax,	
	or Respiration	
	Congestion of the	
	lungs	
	Respiratory	
	depression	
	Hemorrhagic lungs	
	Nutritional and	
	Gross Metabolic	
	Wetness of the	
	anogenital area	
	Reproductive	
	Skin and	
	Appendages	
	Piloerection	

Inhalation (Gas) Exposure Route

Ingredient Acute Toxicity Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Rat LD50	500 mg/kg	None reported	None reported	Vendor SDS
Sodium dithionite (20 - 30%)	Mouse LD ₅₀	1500 mg/kg	None reported	None reported	ERMA (New Zealands Environmental Risk

CAS#: 7775-14-6				Management Authority)
1,10-Phenanthroline, mono(4-methylbenze nesulfonate) (1 - 5%)	245.6 mg/kg	None reported	None reported	Internal Data
CAS#: 92798-16-8				

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Rat LD₅₀	> 2000 mg/kg	None reported	None reported	LOLI

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Rat LC ₅₀	> 5.5 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	4,626.40 mg/kg
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Standard Draize Test	Rabbit	800 mg	None reported	Mild skin irritant	IUCLID (The International Uniform Chemical Information Database)

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Standard Draize Test	Rabbit	107 mg	None reported	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Standard Draize Test	Rabbit	100 mg	None reported	Eye irritant	IUCLID (The International Uniform Chemical Information Database)

Respiratory or skin sensitization

May cause sensitization by inhalation.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

ſ	Chemical name	Test method	Species	Results	Key literature references and
					sources for data
	Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Based on human experience	Human	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Based on human experience	Human	Confirmed to be a respiratory sensitizer	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

STOT - single exposure

May cause respiratory irritation.

Product Specific Target Organ Toxicity Single Exposure Data No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data Test data reported below.

Oral Exposure Route

Chemical name E	Endpoint	Reported	Exposure	Toxicological effects	Ke	y literature references and
-----------------	----------	----------	----------	-----------------------	----	-----------------------------

EN / AGHS

	type	dose	time		sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Rat TD∟₀	75 mg/kg	15 days	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (phosphatases and dehydrogenases) Kidney, Ureter, or Bladder Other changes in urine composition	
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Rat NOAEL	217 mg/kg	None reported	None reported	OECD 429: Skin Sensitization: Local Lymph Node Assay

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sodium metabisulfite	7681-57-4	-	Group 3	-	-
Sodium dithionite	7775-14-6	-	-	-	-
1,10-Phenanthroline, mono(4-methylbenzenesul fonate)	92798-16-8	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	None reported	942 mg/kg	2 years	Negative results for carcinogenicity	No information available

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium metabisulfite	Cytogenetic	Hamster ovary	0.18 mg/L	None	Positive test result for	RTECS (Registry
(40 - 50%)	analysis			reported	mutagenicity	of Toxic Effects of

Product Name FerroVer® Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 12 / 17

CAS#: 7681-57-4						Chemical Substances)
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Mutation in microorganisms	Salmonella typhimurium	None reported	None reported	Negative test result for mutagenicity	IUCLID (The International Uniform Chemical Information Database)

Product Germ Cell Mutagenicity invivo **Data** No data available.

Ingredient Germ Cell Mutagenicity invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Cytogenetic analysis	Rat	1200 mg/kg	None reported	Negative test result for mutagenicity	IUCLID (The International Uniform Chemical Information Database)

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	Rat TD∟₀	20000 mg/kg	None reported	Effects on Newborn Stillbirth	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Harmful to aquatic life with long lasting effects.
Unknown aquatic toxicity	0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.
Product Ecological Data	
Aquatic Acute Toxicity No data available.	
Aquatic Chronic Toxicity No data available.	

Product Name FerroVer® Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 13 / 17

Ingredient Ecological Data

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	96 hours	Salmo gairdneri	LC ₅₀	15 mg/L	IUCLID (The International Uniform Chemical Information Database)
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	96 hours	Leuciscus idus	LC ₅₀	>= 46 mg/L	IUCLID (The International Uniform Chemical Information Database)
1,10-Phenanthroline, mono(4-methylbenze nesulfonate) (1 - 5%) CAS#: 92798-16-8	96 hours	None reported	LC50	1353 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	48 Hours	Daphnia magna	EC ₅₀	98 mg/L	IUCLID (The International Uniform Chemical Information Database)
1,10-Phenanthroline, mono(4-methylbenze nesulfonate) (1 - 5%) CAS#: 92798-16-8	48 Hours	None reported	LC ₅₀	717 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium metabisulfite (40 - 50%) CAS#: 7681-57-4	96 hours	Scenedesmus subspicatus	EC ₅₀	40 mg/L	IUCLID (The International Uniform Chemical Information Database)
1,10-Phenanthroline, mono(4-methylbenze nesulfonate) (1 - 5%) CAS#: 92798-16-8	96 hours	None reported	EC ₅₀	402 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Product Biodegradability Data No data available.

Bioaccumulation MATERIAL DOES NOT BIOACCUMULATE **Product Bioaccumulation Data** No data available.

Product Code(s) 92746 Issue Date 10-Jan-2019 Version 2.7	Product Name FerroVer [®] Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 14 / 17
Partition Coefficient (n-octanol/water)	log Kow ~ -2.31
Mobility	
Soil Organic Carbon-Water Partition Coefficient	log K _{oc} ~ -0.09
Other adverse effects No information available	

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused
productsDispose of in accordance with local regulations. Dispose of waste in accordance with
environmental legislation.Contaminated packagingDo not reuse empty containers.Special instructions for disposalWork in an approved fume hood. Working in a large container, cautiously add small
portions of the material to cold water with agitation. Adjust to a pH between 6 and 9 with an
alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water
tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5
minutes to completely flush the system. Check with national, local municipal and state
authorities and waste contractors for pertinent local information on the disposal of this
article.

14. TRANSPORT INFORMATION

DOT Special Provisions	Not regulated Contact with acids liberates toxic gas, sulfur dioxide.
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories TSCA DSL/NDSL

Complies Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL - Existing substances	Complies
PICCS	Does not comply
TCSI	Complies
1	

Product Name FerroVer[®] Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 15 / 17

AICS NZIoC Complies Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Sodium dithionite (20 - 30%) CAS#: 7775-14-6	Sabotage/Contamination

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium metabisulfite 7681-57-4	Х	Х	Х
Sodium dithionite 7775-14-6	Х	Х	Х

U.S. EPA Label Information

EN / AGHS

Chemical name	FIFRA	FDA
Sodium metabisulfite	-	21 CFR 182.3766
Sodium dithionite	-	21 CFR 182.90

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Sodium metabisulfite 7681-57-4	Declarable Substance (LR) Prohibited Substance (LR)	0 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection -
	- *			Х
				- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	Immediately Dangerous to Life or Health
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighte	ed average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowabl	e Concentration	Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensiti Carcinogen mutagen	zation	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By	Hach Product Compliance Department			
Issue Date		10-Jan-2019		

Product Name FerroVer® Iron Reagent Powder Pillows Revision Date 16-Sep-2021 Page 17 / 17

Revision Date	16-Sep-2021

Revision Note

SDS sections updated 2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE **OBTAINED FROM THE USE THEREOF.**

HACH COMPANY©2021

End of Safety Data Sheet