

SAFETY DATA SHEET

Issue Date 26-Mar-2021 **Revision Date** 26-Jan-2024 **Version** 4.8 **Page** 1 / 12

1. IDENTIFICATION

Product identifier

Product Name Molybdate Reagent for Silica

Other means of identification

Product Code(s) 1454699

Safety data sheet number M00026

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

None

Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Other Hazards Known

May be harmful if swallowed
May be harmful in contact with skin

EN / AGHS Page 1/12

Product Name Molybdate Reagent for Silica

Revision Date 26-Jan-2024

Page 2/12

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name
Chemical Family
Formula
CAS No

Sodium molybdate
Inorganic salt.
Na₂MoO₄
7631-95-0

Alternate CAS Number 10102-40-6 - Dihydrate Chemical nature Inorganic Compound.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sodium molybdate	7631-95-0	100%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice No hazards which require special first aid measures. Use first aid treatment according to the

nature of the injury.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Sodium oxides.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

EN / AGHS Page 2/12

Product Name Molybdate Reagent for Silica

Revision Date 26-Jan-2024

Page 3 / 12

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium molybdate	TWA: 0.5 mg/m ³ Mo	TWA: 5 mg/m ³	IDLH: 1000 mg/m ³ Mo
CAS#: 7631-95-0	respirable particulate matter	(vacated) TWA: 5 mg/m ³	_

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves.

EN / AGHS Page 3/12

Product Name Molybdate Reagent for Silica

Revision Date 26-Jan-2024

Page 4/12

Eye/face protection Wear safety glasses with side shields (or goggles).

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Odorless

Physical state

Odor

Solid

Appearance powder

Color white

Odor threshold Not applicable

Property Values Remarks • Method

Molecular weight 241.95 g/mole

pH 10 5% Solution

Melting point / freezing point 687 °C / 1268.6 °F

Initial boiling point and boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density No data available

Specific gravity - VALUE 1 3.28

Partition coefficient log K_{ow} ~ 0

Soil Organic Carbon-Water Partition

Coefficient

 $log K_{oc} \sim 0$

Autoignition temperature No data available

Decomposition temperatureNo information available

Dynamic viscosity

Not applicable

Kinematic viscosity

Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	840000 mg/L	20 °C / 68 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acids	Soluble	> 1000 mg/L	25 °C / 77 °F

EN / AGHS Page 4/12

Product Code(s) 1454699 Issue Date 26-Mar-2021

Version 4.8

Product Name Molybdate Reagent for Silica

Revision Date 26-Jan-2024

Page 5/12

Other information

Metal Corrosivity

Steel Corrosion RateNot applicableAluminum Corrosion RateNot applicable

Volatile Organic Compounds (VOC) Content

This Product is by Weight 100% an Individual Pure Chemical Substance

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium molybdate	7631-95-0	No data available	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Sodium oxides.

EN / AGHS Page 5/12

Product Name Molybdate Reagent for Silica

Revision Date 26-Jan-2024

Page 6 / 12

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied.

Skin contact No known effect based on information supplied.

Ingestion No known effect based on information supplied.

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

If available, see ingredient data below.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sodium molybdate (100%) CAS#: 7631-95-0	Rat LD₅o	4000 mg/kg	None reported	None reported	RTECS

Dermal Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sodium molybdate	Rat	> 2000 mg/kg	None reported	None reported	Vendor SDS
(100%)	LD ₅₀				
CAS#: 7631-95-0					

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

Not applicable

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

EN / AGHS Page 6/12

Product Name Molybdate Reagent for Silica **Revision Date** 26-Jan-2024

Page 7 / 12

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium molybdate (100%) CAS#: 7631-95-0	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium molybdate (100%) CAS#: 7631-95-0	Patch test	None reported	200 mg	None reported	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium molybdate (100%)	OECD Test No. 406: Skin	Guinea pig	Not confirmed to be a skin sensitizer	Vendor SDS
CAS#: 7631-95-0	Sensitization			

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

EN / AGHS Page 7/12

Product Name Molybdate Reagent for Silica **Revision Date** 26-Jan-2024

Page 8 / 12

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

If available, see ingredient data below.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sodium molybdate	7631-95-0	A3	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

If available, see ingredient data below.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium molybdate (100%) CAS#: 7631-95-0	Phage inhibition capacity	Escherichia coli	16 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

If available, see ingredient data below.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

EN / AGHS Page 8/12

Product Name Molybdate Reagent for Silica **Revision Date** 26-Jan-2024

Page 9/12

Aquatic Acute Toxicity

If available, see ingredient data below.

Aquatic Chronic Toxicity

If available, see ingredient data below.

Substance

Aquatic Acute Toxicity

No data available.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium molybdate (100%) CAS#: 7631-95-0	96 hours	Oncorhynchus mykiss	LC50	800 mg/L	GESTIS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

No information available

Mixture

No data available.

Partition coefficient log Kow ~ 0

Mobility

Soil Organic Carbon-Water Partition Coefficient $\log K_{oc} \sim 0$

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Special instructions for disposal Work in an approved fume hood. Dilute to 3 to 5 times the volume with cold water. Adjust to

a pH between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with national, local municipal and state authorities and waste contractors for pertinent local information on the

disposal of this article.

EN / AGHS Page 9/12

Product Name Molybdate Reagent for Silica **Revision Date** 26-Jan-2024

Page 10 / 12

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies Complies **TCSI** Complies **AICS NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

EN / AGHS Page 10/12

Product Name Molybdate Reagent for Silica **Revision Date** 26-Jan-2024

Page 11 / 12

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sodium molybdate	180.0920	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 1	Flammability - 0	Physical hazards - 0	Personal protection -
				-1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
FF ^	FFA (Francisco Francisco A Anno 200)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

EN / AGHS Page 11/12

Product Name Molybdate Reagent for Silica

Revision Date 26-Jan-2024

Page 12 / 12

INERISINERIS (The National Industrial Environment and Risks Institute)IPCS INCHEMIPCS INCHEM (International Programme on Chemical Safety)IUCLIDIUCLID (The International Uniform Chemical Information Database)NITEJapan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

 Issue Date
 26-Mar-2021

 Revision Date
 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet

EN / AGHS Page 12/12