

Issue Date 18-May-2021

## SAFETY DATA SHEET

Version 3.6

Page

1/13

**1. IDENTIFICATION** Product identifier **Product Name** SP 510<sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness Other means of identification 2769149 Product Code(s) M00611 Safety data sheet number Recommended use of the chemical and restrictions on use Hardness determination. Water Analysis. **Recommended Use** Uses advised against Consumer use. **Restrictions on use** Not determined. Details of the supplier of the safety data sheet

Revision Date 26-Jan-2024

**Manufacturer Address** 

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

## Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

## **Classification**

## **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

## Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

Signal word Warning



 Product Name
 SP 510™ Hardness Monitor Indicator Solution

 for 2 mg/L Hardness

 Revision Date
 26-Jan-2024

 Page
 2 / 13

Hazard statements H315 - Causes skin irritation H319 - Causes serious eye irritation

#### Precautionary statements

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical attention
P362 - Take off contaminated clothing and wash before reuse
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical attention

## Other Hazards Known

None

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance Not applicable

**Mixture** 

Chemical Family Chemical nature No information available. No information available.

## Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Propanoic acid	79-09-4	1 - 5%	-

## **4. FIRST AID MEASURES**

## **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.		
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.		
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	Burning sensation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

 Product Name
 SP 510<sup>™</sup> Hardness Monitor Indicator Solution

 for 2 mg/L Hardness
 Revision Date
 26-Jan-2024

 Page
 3 / 13
 3

5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the chemical	No information available.			
Hazardous combustion products	This material will not burn.			
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear Use personal protection equipment.			
	6. ACCIDENTAL RELEASE MEASURES			
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.			
Personal precautions, protective e	quipment and emergency procedures			
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.			
Other Information	Refer to protective measures listed in Sections 7 and 8.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

Product NameSP 510™ Hardness Monitor Indicator Solutionfor 2 mg/L HardnessRevision Date26-Jan-2024Page4 / 13

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class

Not applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Propanoic acid	TWA: 10 ppm	(vacated) TWA: 10 ppm	TWA: 10 ppm
CAS#: 79-09-4		(vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 30 mg/m <sup>3</sup>
			STEL: 15 ppm
			STEL: 45 mg/m <sup>3</sup>

## Appropriate engineering controls Engineering Controls

Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Wash contaminated clothing before reuse.
General Hygiene Considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Acidic	Liquid	Col Ode	 dark red No data available	
Property			<u>Values</u>	Remarks • Methe	od
Molecular weight	:		No data available		
рН			2.5	@ 20 °C	

EN / AGHS

Product Code(s) 2769149

Issue Date 18-May-2021 Version 3.6

Melting point / freezing point	~ -1 °C / 30.2 °F
Initial boiling point and boiling range	100 °C / 212 °F
Evaporation rate	1 (water = 1)
Vapor pressure	23.702 mm Hg $/$ 3.16 kPa $$ at $$ 25 °C $/$ 77 °F $$
Relative vapor density	0.62
Specific gravity - VALUE 1	1.004
Partition coefficient	Not applicable
Soil Organic Carbon-Water Partition	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	No data available
Kinematic viscosity	No data available

## Solubility(ies)

## Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

## **Other information**

**Metal Corrosivity** 

Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available

## Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Propanoic acid	79-09-4	No data available	Х

**Explosive properties** 

**Upper explosion limit** Lower explosion limit No data available No data available

**Flammable properties** 

Flash point

No data available

Flammability Limit in Air Upper flammability limit: Lower flammability limit:

**Oxidizing properties** 

**Bulk density** 

Product Name SP 510<sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness Revision Date 26-Jan-2024 Page 6 / 13

No data available No data available

No data available.

No data available

## **10. STABILITY AND REACTIVITY**

## Reactivity

Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

## Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

No information available.

## Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

## Hazardous decomposition products

Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

## **Product Information**

Inhalation	May cause irritation of respiratory tract.
Eye contact	Irritating to eyes. Causes serious eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Redness. May cause redness and tearing of the eyes.

## Acute toxicity

Based on available data, the classification criteria are not met

## Mixture

No data available.

 Product Name
 SP 510™ Hardness Monitor Indicator Solution

 for 2 mg/L Hardness

 Revision Date
 26-Jan-2024

 Page
 7 / 13

## Ingredient Acute Toxicity Data

Test data reported below.

## Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Rat LD <sub>50</sub>	2600 mg/kg	None reported	None reported	IUCLID

## **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

## Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

#### Mixture

No data available.

## Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Open Irritation Test	Rabbit	495 mg	None reported	Corrosive to skin	RTECS

## Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

#### Mixture

No data available.

## Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Standard Draize Test	Rabbit	0.99 mg	None reported	Corrosive to eyes	RTECS

## Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

## Mixture

No data available.

Product Name SP 510<sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness Revision Date 26-Jan-2024 Page 8/13

## **Ingredient Sensitization Data**

Test data reported below.

## **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Propanoic acid (1 - 5%)	OECD Test No. 406: Skin	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID
CAS#: 79-09-4	Sensitization			

## STOT - single exposure

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

## Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

## STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

## Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

## Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

## Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Propanoic acid	79-09-4	-	-	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Mixture invitro Data No data available.

## Substance invitro Data

Test data reported below.

Chemical name Test Cell Strain	Reported dose	Exposure time	Results	Key literature references and
--------------------------------	---------------	------------------	---------	-------------------------------

# Product Name SP 510<sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness Revision Date 26-Jan-2024 Page 9 / 13

						sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Mutation in microorganisms	Salmonella typhimurium	6.667 mg/plate	None reported	Negative	RTECS

## Mixture invivo Data

No data available.

## Substance invivo Data

No data available.

## **Reproductive toxicity**

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## Ingredient Reproductive Toxicity Data

No data available.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

## <u>Mixture</u>

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

## Substance

## Aquatic Acute Toxicity

Test data reported below.

## Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	96 hours	Oncorhynchus mykiss	LC50	51.0 mg/L	IUCLID

## Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	48 Hours	Daphnia magna	EC50	45.8 mg/L	IUCLID

## Aquatic Chronic Toxicity

No data available.

Persistence and degradability

**Mixture** No data available.

Bioaccumulation There is no data for this product **Mixture** No data available.

Partition coefficient

## Mobility

**Soil Organic Carbon-Water Partition Coefficient** 

## Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

## Waste treatment methods

e of in accordance with local regulations. Dispose of waste in accordance with mental legislation.
reuse empty containers.
a available
t

## Special instructions for disposal

Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.

14. TRANSPORT INFORMATION			
DOT	Not regulated		
TDG	Not regulated		
IATA	Not regulated		
IMDG	Not regulated		
Note:	No special precautions necessary.		

## Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## **15. REGULATORY INFORMATION**

National Inventories

EN / AGHS

Product Name SP 510<sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness Revision Date 26-Jan-2024 Page 10 / 13

Product Name SP 510<sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness Revision Date 26-Jan-2024 Page 11 / 13

TSCA DSL/NDSL Complies Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

## International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Does not comply
TCSI	Complies
AICS	Complies
NZIoC	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Propanoic acid 79-09-4	5000 lb	-	-	Х

## <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Propanoic acid	5000 lb	-	RQ 5000 lb final RQ
79-09-4			RQ 2270 kg final RQ

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals

**IMERC:** Not applicable

## U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propanoic acid	X	X	Х
79-09-4			

## U.S. EPA Label Information

Chemical name	FIFRA	FDA
Propanoic acid	180.0940	21 CFR 184.1081

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments
None

## **Additional information**

Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection - X - I

## Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)

Product Code(s) 2769149 Issue Date 18-May-2021 Version 3.6	<b>Product Name</b> SP 510 <sup>™</sup> Hardness Monitor Indicator Solution for 2 mg/L Hardness <b>Revision Date</b> 26-Jan-2024 <b>Page</b> 13 / 13
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

## Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliand	ce Department	
Issue Date		18-May-2021		
<b>Revision Date</b>		26-Jan-2024		
<b>Revision Note</b>		None		
<b>Disclaimer</b>				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet