

SAFETY DATA SHEET

Issue Date 11-Feb-2021

Revision Date 26-Jan-2024

Version 5.9

Page 1/14

1. IDENTIFICATION

Product identifier
Product Name<0.1 NTU Calibration Solution</th>Other means of identification
Product Code(s)2684701Safety data sheet numberM02701

 Recommended use of the chemical and restrictions on use

 Recommended Use
 Water Analysis. Laboratory reagent.

 Uses advised against
 Restrictions on use

 None.
 None.

Details of the supplier of the safety data sheet

Manufacturer Address Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Signal word None

Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

EN / AGHS

Substance

Not applicable

<u>Mixture</u>

The product contains no substances which at their given concentration, are considered to be hazardous to health

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Ethyl alcohol	64-17-5	<1%	-
Methanol	67-56-1	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	No hazards which require special first aid measures. Use first aid treatment according to the nature of the injury.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	See Section 11 for additional Toxicological Information.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous
--

EN / AGHS

substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation.			
Environmental precautions				
Environmental precautions	See Section 12 for additional ecological information.			
Methods and material for containment and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			

7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Flammability class	Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
CAS#: 64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
CAS#: 67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	-
		(vacated) SKN*	

Appropriate engineering controls Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, sur Respiratory protection	ch as personal protective equipment No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves.
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	No special protective equipment required.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.
9	. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	L aqueous solution Slight	iquid		Color Odor threshold	colorless No data ava	ailable
Property_			Values			Remarks • Method
Molecular weight	:		No data availat	ble		
рН			~ 7			@ 20 °C
Melting point / fre	ezing point		~ 0 °C / 32	°F		
Initial boiling poi	nt and boiling range		~ 100 °C /	212 °F		
Evaporation rate			1 (water = 1)			
Vapor pressure			24.002 mm Hg	/ 3.2 kPa at 25	°C / 77 °F	
Relative vapor de	ensity		0.62			
Specific gravity -	VALUE 1		1			
Partition coefficie	ent		Not applicable			
Soil Organic Carl Coefficient	oon-Water Partition		Not applicable			
Autoignition tem	perature		No data availat	ble		
Decomposition to	emperature		No data availat	ble		
Dynamic viscosit	у		~ 1 cP (mPa s)	at 20 °C / 68 °	F	
Kinematic viscos	ity		~ 1 cSt (mm ² /s)) at 20 °C / 68 °	'F	
Solubility(ies)						
Water solubility						

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Aromatic hydrocarbons	Insoluble	< 0.1 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content No information available See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)	
Ethyl alcohol	64-17-5	No data available	Х	
Methanol	67-56-1	100%	Х	

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Product Name<0.1 NTU Calibration Solution</th>Revision Date26-Jan-2024Page6 / 14

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Symptoms	No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data No data available.

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Product Name<0.1 NTU Calibration Solution</th>Revision Date26-Jan-2024Page7 / 14

Ethyl alcohol	Standard Draize	Rabbit	20 mg	24 hours	Skin irritant	RTECS
(<1%)	Test					
CAS#: 64-17-5						
Methanol	OECD Test 439: In	Rabbit	None reported	20 hours	Not corrosive or	ECHA
(<0.1%)	Vitro Skin Irritation:				irritating to skin	
CAS#: 67-56-1	Reconstructed					
	Human Epidermis					
	(Rhe) Test Method					

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Rinse Test	Rabbit	100 mg	4 seconds	Eye irritant	RTECS
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method		0.05 mL	24 hours	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Patch test	Human	Not confirmed to be a skin sensitizer	HSDB
Methanol (<0.1%) CAS#: 67-56-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Human TD∟₀	500 mg/kg	None reported	Behavioral Depressed respiration	RTECS
Methanol (<0.1%)	Human LD⊾₀	143 mg/kg	None reported	Lungs, Thorax, or Respiration	RTECS

Product Name < 0.1 NTU Calibration Solution Revision Date 26-Jan-2024 **Page** 8/14

CAS#: 67-56-1				Dyspnea	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Ethyl alcohol	Human	30 mg/L	4 hours	Peripheral Nerve and	RTECS
(<1%)	TCLo			Sensation	
CAS#: 64-17-5				Recording from afferent nerve	
Methanol	Human	300 mg/L	None reported	Lungs, Thorax, or	RTECS
(<0.1%)	TCLo	-		Respiration	
CAS#: 67-56-1				Other changes	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Man TD∟₀	4623000 mg/kg	4380 days	Brain and Coverings Other degenerative changes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	Monkey	2340 mg/kg	3 days	None reported	ECHA

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	64-17-5	A3	Group 1	Known	Х
Methanol	67-56-1	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Mouse	320 mg/kg	50 weeks	Blood Lymphoma (including Hodgkin's disease) Liver Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data No data available.

Substance invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Sister chromatid exchange	Human lymphocyte	500 mg/L	72 hours	Positive test result for mutagenicity	RTECS
Methanol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (<1%) CAS#: 64-17-5	Micronucleus test	Human	817600 mg/kg	6 years	Positive test result for mutagenicity	RTECS
Methanol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol	Woman	4676280	100 days	Effects on Newborn	RTECS
(<1%)	TDLo	mg/kg		Delayed effects	
CAS#: 64-17-5				Specific Developmental	
				Abnormalities	
				Craniofacial (including nose and	
				tongue)	
Methanol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TDLo			Specific Developmental	
CAS#: 67-56-1				Abnormalities	
				Ear	
				Eye	
				Fetotoxicity (except death e.g.	
				stunted fetus)	
				Urogenital System	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methanol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCLo			Fetotoxicity (except death e.g.	
CAS#: 67-56-1				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Product Name<0.1 NTU Calibration Solution</th>Revision Date26-Jan-2024Page10 / 14

Ecotoxicity	Based on available data, the classification criteria are not met.	
Unknown aquatic toxicity	0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.	
<u>Mixture</u>		
Aquatic Acute Toxicity No data available.		
Aquatic Chronic Toxicity No data available.		
<u>Substance</u>		
Aquatic Acute Toxicity No data available.		
Aquatic Chronic Toxicity No data available.		
Persistence and degradability		
Mixture No data available.		
<u>Bioaccumulation</u> There is no data for this product Mixture No data available.		
Partition coefficient	Not applicable	
<u>Mobility</u>		
Soil Organic Carbon-Water Partition	n Coefficient Not applicable	
Other adverse effects No information available		
	13. DISPOSAL CONSIDERATIONS	
Waste treatment methods		
waste treatment methods Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Not applicable, U154

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol	-	Included in waste stream:	-	U154
67-56-1		F039		

Special instructions for disposal

Dilute to 3 to 5 times the volume with cold water. If permitted by regulation. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water. Check with local municipal and state authorities and waste contractors for pertinent local

information regarding the proper disposal of chemicals.

	14. TRANSPORT INFORMATION
DOT	Not regulated
TDG	Not regulated
ΙΑΤΑ	Not regulated
IMDG_	Not regulated
Note:	No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIOC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Methanol (CAS #: 67-56-1)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Ethyl alcohol (CAS #: 64-17-5)	Carcinogen
	Developmental
Methanol (CAS #: 67-56-1)	Developmental

WARNING: This product can expose you to chemicals including Ethyl alcohol, Methyl alcohol, which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to http://www.P65Warnings.ca.gov_

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	X	Х
Methanol 67-56-1	Х	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Ethyl alcohol	180.0910	21 CFR 184.1293
Methanol	180.0910	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Methanol 67-56-1	Declarable Substance (FI) Declarable Substance (LR) Prohibited Substance (FI) Prohibited Substance (LR)	0.6 %

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 0	Flammability - 0	Physical hazards - 0	Personal protection -
				Х
				-

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ATSDR CCRIS CDC CEPA CICAD ECHA EEA EPA ERMA ECOSARS FDA GESTIS HSDB INERIS IPCS INCHEM IUCLID NITE NIH NIOSH LOLI NDF NICNAS NIOSH IDLH OSHA PEEN RTECS SIDS SYKE USDA USDC WHO	AT CC CD CE CI CE CI CI CE CI CI CI CI CI CI CI CI CI CI CI CI CI	SDR (Agency for Toxic CRIS (Chemical Carcin DC (Center for Disease EPA (Canadian Enviror CAD (Concise Internat CHA (The European Ch EA (European Environn PA (Environmental Prot RMA (New Zealands Er stimation through ECOS DA (Food & Drug Admir ESTIS (Information Sy surance) SDB (Hazardous Subst ERIS (The National Inc CS INCHEM (Internation CS	c Substances and E ogenesis Research e Control) mental Protection / ional Chemical Ass memicals Agency) net Agency) tection Agency) net Agency) tection Agency) net Agency) tection Agency) net Agency) tection Agency) steem on Hazardous (SARS v1.11 part of nistration) ystem on Hazardous (SARS v1.11 part of nistra	Information System) Agency) essment Documents) Management Authority) the Estimation Programs Interface (EPI) Suite™ is Substances of the German Social Accident t and Risks Institute) Chemical Safety) Information Database) Evaluation (NITE) Safety and Health) al Regulatory Database) iccation and Assessment Scheme (NICNAS) hinistration of the US Department of Labor) al Substances) gh Volume Chemicals ure)
Legend - Sectio	n 8: EXPOSURE CONT	ROLS/PERSONAL PR	ROTECTION	
TWA	TWA (time-weighted av	iverage)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Co	concentration	Ceiling	Ceiling Limit Value
X	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+	Skin designation Respiratory sensitization	on	SKN+ **	Skin sensitization Hazard Designation

Product Name <0.1 NTU Calibration Solution Revision Date 26-Jan-2024 Page 14 / 14

C M	Carcinogen mutagen	R	Reproductive toxicant
Prepared By		Hach Product Compliance Department	
Issue Date		11-Feb-2021	
Revision Date		26-Jan-2024	
Revision Note		None	

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet



SAFETY DATA SHEET

De night

Issue Date 25-Jan-2021 Revision Date 26-Jan-2024 Version 6.5 Page 1 / 17 **1. IDENTIFICATION** Product identifier **Product Name** STABLCAL® FORMAZIN STANDARD 100 NTU Other means of identification Product Code(s) 2684901 M03412 Safety data sheet number Recommended use of the chemical and restrictions on use **Recommended Use** Standard solution. Water Analysis. Uses advised against Consumer use. **Restrictions on use** For Laboratory Use Only. Details of the supplier of the safety data sheet

Manufacturer Address Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger



Hazard statements

EN / AGHS

H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical Family	
Chemical nature	

Mixture. aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	<10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

	drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
General advice	Show this safety data sheet to the doctor in attendance.

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or
	wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	May cause sensitization by inhalation and skin contact. Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides (NOx).
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
Personal precautions, protective ec	uipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,
	sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Product Code(s) 2684901	Product Name STABLCAL® FORMAZIN STANDARD 100 NTU
Issue Date 25-Jan-2021 Version 6.5	Revision Date 26-Jan-2024 Page 4 / 17
Reference to other sections	See section 8 for more information. See section 13 for more information.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	dermal sensitizer	NDF	NDF
cane	TWA: 1 mg/m ³ inhalable		
CAS#: 100-97-0	fraction and vapor		
Formaldehyde	dermal sensitizer;respiratory	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	sensitizer	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
	STEL: 0.3 ppm	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
	TWA: 0.1 ppm	(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment			
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.		
Hand Protection	Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.		
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear suitable protective clothing.		
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.		

Product Code(s) 2684901	Product Name STABLCAL® FORMAZIN STANDARD 100 NTU
Issue Date 25-Jan-2021 Version 6.5	Revision Date 26-Jan-2024 Page 5 / 17
	-

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	Turbid solution aqueous solution Odorless	Liquid		Color Odor threshold	white No data available
Property_			Values		Remarks • Method
Molecular weight			No data availal	ble	
рН			8.26		@ 20 °C
Melting point / fre	ezing point		~ 0 °C / 32	2°F	
Initial boiling poi	nt and boiling rang	е	~ 100 °C /	212 °F	
Evaporation rate			1 (water = 1)		
Vapor pressure		17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F			
Relative vapor de	ensity		0.62		
Specific gravity -	VALUE 1		1.02		
Partition coefficie	ent		Not applicable		
Soil Organic Carl Coefficient	oon-Water Partitior	1	Not applicable		
Autoignition tem	perature		No data availal	ble	
Decomposition te	emperature		No data availal	ble	
Dynamic viscosit	у		No data availal	ble	
Kinematic viscos	ity		No data availal	ble	
• • • • • • • •					

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Product Name STABLCAL® FORMAZIN STANDARD 100 NTU Revision Date 26-Jan-2024 Page 6 / 17

No data available No data available

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	Х
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	Х
Diammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	Not applicable
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅₀	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC₅₀	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

3.731E-05% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde (<0.1%)	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS

CAS#: 50-00-0						
Diammonium sulfate	Standard Draize	Rabbit	0.050 mL	None reported	Not corrosive or	ECHA
(<0.1%)	Test				irritating to eyes	
CAS#: 7783-20-2						

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD⊾₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					

Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	, 0	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS
EN / AGHS						Page 11 / 17

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (<1%)	Mouse TD⊾₀	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or	RTECS
CAS#: 7757-82-6	IDLo			effects	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCLO			Fetotoxicity (except death e.g.	
CAS#: 50-00-0				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

4E-05% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC ₅₀	6.7 mg/L	PEEN
Diammonium sulfate	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS

Product Name STABLCAL® FORMAZIN STANDARD 100 NTU Revision Date 26-Jan-2024 Page 13 / 17

(<0.1%) CAS#: 7783-20-2			
----------------------------	--	--	--

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	48 Hours	None reported	LC50	14 mg/L	GESTIS

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Mixture No data available.

Mixture No data available.

Partition coefficient

<u>Mobility</u>

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT

Not regulated

EN / AGHS

Product Name STABLCAL[®] FORMAZIN STANDARD 100 NTU Revision Date 26-Jan-2024 Page 14 / 17

Not regulated
Not regulated
Not regulated
No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Does not comply
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

RECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Formaldehyde (CAS #: 50-00-0)	0.1	
Diammonium sulfate (CAS #: 7783-20-2)	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

Г

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

EN / AGHS	Page 14/17

Product Code(s) 2684901

Issue Date 25-Jan-2021 Version 6.5

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
IS - Department of Homeland Security - Chemical Eacility Anti-Terrorism Standards (CEATS) - Security Issues			

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen



WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(Х	-	-
3,7)]decane			
100-97-0			
Sodium sulfate	-	X	Х
7757-82-6			
Formaldehyde	Х	Х	Х
50-00-0			
Diammonium sulfate	-	X	Х
7783-20-2			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds	
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %	
Formaldehyde 50-00-0	Prohibited Substance (FI) Prohibited Substance (LR) Declarable Substance (LR) Declarable Substance (FI)	0.1 %	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
GLUTIO	Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)

WHO

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensitization Carcinogen mutagen		SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Complian	ce Department	
Issue Date		25-Jan-2021		
Revision Date		26-Jan-2024		
Revision Note		None		
Disclaimer				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet



SAFETY DATA SHEET

Issue Date 25-Jan-2021 Revision Date 26-Jan-2024 Version 3.7 Page 1 / 17 **1. IDENTIFICATION** Product identifier **Product Name** STABLCAL® FORMAZIN STANDARD 800 NTU Other means of identification Product Code(s) 2660501 M03413 Safety data sheet number Recommended use of the chemical and restrictions on use **Recommended Use** Laboratory Use. Standard solution. Uses advised against Consumer use. **Restrictions on use** For Laboratory Use Only. Details of the supplier of the safety data sheet **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger



Hazard statements

EN / AGHS

Product NameSTABLCAL® FORMAZIN STANDARD800NTURevision Date26-Jan-2024Page2 / 172

H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical	Family	
Chemical	nature	

Mixture. aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	<10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.		
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to		
EN / AGHS	Page 2 / 17		

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or
	wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
Hazardous combustion products	This material will not burn. Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). Formaldehyde.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.				
Personal precautions, protective equipment and emergency procedures					
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.				
Other Information	Refer to protective measures listed in Sections 7 and 8.				
Environmental precautions					
Environmental precautions	Prevent further leakage or spillage if safe to do so.				
Methods and material for containment and cleaning up_					

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid binder, sawdust). Take up mechanically, placing in appropriate containers for cleaning in appr	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

Product Code(s) 2660501 Issue Date 25-Jan-2021	Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 26-Jan-2024				
Version 3.7	Page 4/17				
Reference to other sections	See section 8 for more information. See section 13 for more information.				
7. HANDLING AND STORAGE					
Precautions for safe handling					
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.				

 Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

 Flammability class
 Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	dermal sensitizer	NDF	NDF
cane	TWA: 1 mg/m ³ inhalable		
CAS#: 100-97-0	fraction and vapor		
Formaldehyde	dermal sensitizer;respiratory	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	sensitizer	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
	STEL: 0.3 ppm	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
	TWA: 0.1 ppm	(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls Engineering Controls

neering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory protection** exceeded or irritation is experienced, ventilation and evacuation may be required. **Hand Protection** Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016. Eye/face protection Wear safety glasses with side shields (or goggles). Wear suitable protective clothing. Skin and body protection **General Hygiene Considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Product NameSTABLCAL® FORMAZIN STANDARD800NTURevision Date26-Jan-2024Page5 / 175 / 17

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Turbid solution	Liquid		Color	white	
Odor	aqueous solution Odorless			Odor threshold	No data ava	ilable
Property_			Values			Remarks • Method
Molecular weight	t		No data availal	ble		
рН			7.36			@ 20 °C
Melting point / fro	eezing point		~ 0 °C / 32	2°F		
Initial boiling poi	nt and boiling range	9	~ 100 °C /	212 °F		
Evaporation rate			1 (water = 1)			
Vapor pressure			17.477 mm Hg	/ 2.33 kPa at 2	20 °C / 68 °F	-
Relative vapor de	ensity		0.62			
Specific gravity -	VALUE 1		1.02			
Partition coefficie	ent		Not applicable			
Soil Organic Carl	bon-Water Partition		Not applicable			
Autoignition tem	perature		No data availal	ble		
Decomposition to	emperature		No data availal	ble		
Dynamic viscosi	ty		No data availal	ble		
Kinematic viscos	sity		No data availal	ble		
Solubility(ies)						

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 26-Jan-2024 Page 6 / 17

No data available No data available

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	Х
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	Х
Diammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅₀	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC50	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS

Diammonium sulfate Standard Draize (<0.1%) Test CAS#: 7783-20-2	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA
---	--------	----------	---------------	--	------

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD⊾₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS
Diammonium sulfate	Man	1500 mg/kg	None reported	Gastrointestinal	RTECS

Issue Date 25-Jan-2021 Version 3.7

(<0.1%)	TDLo		Gas	
CAS#: 7783-20-2				

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane	100-97-0	-	-	-	-
Sodium sulfate	7757-82-6	-	-	-	-

Issue Date 25-Jan-2021 Version 3.7

Formaldehyde	50-00-0	A1	Group 1	Known	Х
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	, ,	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS
EN / AGHS						Page 11/17

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 26-Jan-2024 Page 12 / 17

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (<1%)	Mouse TD⊾₀	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or	RTECS
CAS#: 7757-82-6	IDLo			effects	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS
(<0.1%) CAS#: 50-00-0	TCLo			Fetotoxicity (except death e.g. stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

environment.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic

Mixture

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC ₅₀	6.7 mg/L	PEEN
Diammonium sulfate	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 26-Jan-2024 Page 13/17

(<0.1%) CAS#: 7783-20-2			
----------------------------	--	--	--

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Mixture No data available.

Mixture No data available.

Partition coefficient

Mobility

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT

Not regulated

EN / AGHS

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 26-Jan-2024 Page 14 / 17

TDG	Not regulated
IATA	Not regulated
IMDG_	Not regulated
Note:	No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Does not comply
TCSI	Complies
AICS	Complies
NZIOC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

RECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Diammonium sulfate (CAS #: 7783-20-2)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

Г

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

EN / AGHS	Page 14/17

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)	
	Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ	
	50-00-0			RQ 45.4 kg final RQ	
11	U.S. Department of Hemeland Security, Chemical Escility Anti Terrorism Standards (CEATS), Security Issues				

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(Х	-	-
3,7)]decane			
100-97-0			
Sodium sulfate	-	X	Х
7757-82-6			
Formaldehyde	Х	Х	Х
50-00-0			
Diammonium sulfate	-	X	Х
7783-20-2			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde 50-00-0	Prohibited Substance (FI) Prohibited Substance (LR) Declarable Substance (LR) Declarable Substance (FI)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	
	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
	Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
NIL00	TTEOD (Registry of TORIC Effects of Orientical Substances)

Product Code(s) Issue Date 25-Ja Version 3.7			Product Name S NTU Revision Date 2 Page 17 / 17	STABLCAL® FORMAZIN STANDARD 800 6-Jan-2024
SIDSSIDS (Screening InformationSYKEThe Finnish EnvironmentUSDAUSDA (United States DepUSDCUSDC (United States DepWHOWHO (World Health Organication)		t Institute (SYKE) partment of Agricult partment of Comme	ture)	
Legend - Sectio	n 8: EXPOSURE C	ONTROLS/PERSONAL P	ROTECTION	
TWA	TWA (time-weighte	ed average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowab	le Concentration	Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	ization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliance	e Department	
Issue Date		25-Jan-2021		
Revision Date		26-Jan-2024		
Revision Note		None		
Disclaimer				

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet



SAFETY DATA SHEET

Issue Date 25-Jan-2021 Revision Date 26-Jan-2024 Version 7.3 Page 1/17 **1. IDENTIFICATION** Product identifier STABLCAL® FORMAZIN STANDARD 20 NTU Product Name Other means of identification Product Code(s) 2684801 M03409 Safety data sheet number Recommended use of the chemical and restrictions on use **Recommended Use** Standard solution. Water Analysis. Uses advised against Consumer use. **Restrictions on use** For Laboratory Use Only. Details of the supplier of the safety data sheet **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

Safety Data Sheets are a sub-requirement of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR Subpart 1910.1200. This Hazard Communication Standard does not apply to various subcategories including anything defined by OSHA as an "article".

According to OSHA, Article means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use: and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees.

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU Revision Date 26-Jan-2024 Page 2 / 17



Hazard statements H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P285 - In case of inadequate ventilation wear respiratory protection
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P501 - Dispose of contents/ container to an approved waste disposal plant
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family	Mixture.
Chemical nature	aqueous solution

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	<10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

Show this safety data sheet to the doctor in attendance.
May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Product Code(s) 2684801		Product Name NTU	STABLCAL® FORMAZIN STANDARD 20		
Issue Date 25-Jan-2021 Version 7.3		Revision Date Page 3 / 17	26-Jan-2024		
	Consult a physician.				
Skin contact	Wash with soap and wate or allergic reactions see a		allergic skin reaction. In the case of skin irritation		
Ingestion		f water. Never giv	induce vomiting. Clean mouth with water and ve anything by mouth to an unconscious person.		
Self-protection of the first aider	protect themselves and p	prevent spread of	of the material(s) involved, take precautions to contamination. Avoid contact with skin, eyes or se barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effe	cts, both acute and delay	ved			
Symptoms	May cause allergy or ast wheezing. Itching. Rashe		r breathing difficulties if inhaled. Coughing and/ or		
Indication of any immediate medica	al attention and special tr	eatment needed	L		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.				
	5. FIRE-FIGHT	ING MEASUR	RES		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.				
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.				
Hazardous combustion products	This material will not burn. Carbon monoxide. Ammonia. Formaldehyde. Nitrogen oxides.				
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.				
	6. ACCIDENTAL R	ELEASE MEA	SURES		
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.				
Personal precautions, protective e	quipment and emergency	procedures			
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.				
Other Information	Refer to protective meas	ures listed in Sec	tions 7 and 8.		
Environmental precautions					
Environmental precautions	Prevent further leakage of	or spillage if safe	to do so.		
			Page 3/17		

Product Code(s) 2684801	Product Name STABLCAL® FORMAZIN STANDARD 20 NTU
Issue Date 25-Jan-2021	Revision Date 26-Jan-2024
Version 7.3	Page 4 / 17

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Reference to other sections	See section 8 for more information. See section 13 for more information.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	dermal sensitizer	NDF	NDF
cane	TWA: 1 mg/m ³ inhalable		
CAS#: 100-97-0	fraction and vapor		
Formaldehyde	dermal sensitizer;respiratory	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	sensitizer	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
	STEL: 0.3 ppm	(vacated) STEL: 10 ppm	TWA: 0.016 ppm
	TWA: 0.1 ppm	(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measure	es, such as personal protective equipment_
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.
Hand Protection	Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

Product Code(s) 2684801	Product Name STABLCAL® FORMAZIN STANDARD 20 NTU			
Issue Date 25-Jan-2021 Version 7.3	Revision Date 26-Jan-2024 Page 5 / 17			
	according to EN 374-1:2016.			
Eye/face protection	Wear safety glasses with side shields (or goggles).			
Skin and body protection	Wear suitable protective clothing.			
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.			
Thermal hazards	None under normal processing.			
	9. PHYSICAL AND CHEMICAL PROPERTIES			

Information on basic physical and chemical properties

Physical state Appearance Odor	Turbid solution aqueous solution Odorless	Liquid		Color Odor threshold	white No data ava	ailable
Property_			Values			Remarks • Method
Molecular weight	t		No data availal	ble		
рН			8.26			@ 20 °C
Melting point / fro	ezing point		~ 0 °C / 32	2°F		
Initial boiling poi	nt and boiling rang	je	~ 100 °C /	212 °F		
Evaporation rate			1 (water = 1)			
Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F			F			
Relative vapor de	ensity		0.62			
Specific gravity -	VALUE 1		1.02			
Partition coefficie	ent		Not applicable			
Soil Organic Carl	bon-Water Partition	า	Not applicable			
Autoignition tem	perature		No data availal	ble		
Decomposition to	emperature		No information	available		
Dynamic viscosi	ty.		No data availal	ble		
Kinematic viscos	sity		No data availal	ble		
Solubility(ies)						
Water solubility						

Issue Date 25-Jan-2021 Version 7.3

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical	Name Solul	cility classification S	Solubility Solubility Temperature
None rep	oorted No inf	ormation available No da	ata available No information available

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	Х
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	Х
Diammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅₀	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%)	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS

Issue Date 25-Jan-2021 Version 7.3

CAS#: 50-00-0			

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC₅₀	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported	Exposure	Results	Key literature

Issue Date 25-Jan-2021 Version 7.3

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU Revision Date 26-Jan-2024 Page 9 / 17

			dose	time		references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD⊾₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	Man TD∟₀	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0		350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

EN / AGHS

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Diammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decane (<10%) CAS#: 100-97-0	, ,	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data No data available.

Substance invivo Data Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc	Dominant lethal	Mouse	25000 mg/kg	None reported	Positive test result for	RTECS
lo[3.3.1.1(3,7)]decane	test				mutagenicity	

EN / AGHS

Issue Date 25-Jan-2021 Version 7.3

(<10%) CAS#: 100-97-0					
--------------------------	--	--	--	--	--

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS
(<1%)	TDLo			Other neonatal measures or	
CAS#: 7757-82-6				effects	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCLO			Fetotoxicity (except death e.g.	
CAS#: 50-00-0				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Based on available data, the classification criteria are not met.
Unknown aquatic toxicity	0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.
<u>Mixture</u>	
Aquatic Acute Toxicity No data available.	
Aquatic Chronic Toxicity No data available.	
Substance	
Aquatic Acute Toxicity	

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC ₅₀	6.7 mg/L	PEEN
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC ₅₀	36.7 mg/L	GESTIS

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN
Diammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC₅o	14 mg/L	GESTIS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture No data available.

Mixture No data available.

Partition coefficient

Mobility

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Does not comply
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Diammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb	-	-	Х
50-00-0				

CERCLA

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)		
Γ	Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ		
	50-00-0			RQ 45.4 kg final RQ		
ī	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues					

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde	Release - Toxic (solution)
(<0.1%) CAS#: 50-00-0	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Sodium sulfate 7757-82-6	-	X	Х
Formaldehyde 50-00-0	Х	X	Х
Diammonium sulfate 7783-20-2	-	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde 50-00-0	Prohibited Substance (FI) Prohibited Substance (LR) Declarable Substance (LR) Declarable Substance (FI)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

EN / AGHS	Page 16 / 17
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
NIH	NIH (National Institutes of Health)
NITE	Japan National Institute of Technology and Evaluation (NITE)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
HSDB	Insurance) HSDB (Hazardous Substances Data Bank)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
FDA	FDA (Food & Drug Administration)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
EPA	EPA (Environmental Protection Agency)
EEA	EEA (European Environment Agency)
ECHA	ECHA (The European Chemicals Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
CEPA	CEPA (Canadian Environmental Protection Agency)
CDC	CDC (Center for Disease Control)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)

Product Code(s) 2684801 Issue Date 25-Jan-2021 Version 7.3	Product Name STABLCAL® FORMAZIN STANDARD 20 NTU Revision Date 26-Jan-2024 Page 17 / 17
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliand	ce Department	
Issue Date		25-Jan-2021		
Revision Date		26-Jan-2024		
Revision Note		None		
Disclaimer				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet