

SAFETY DATA SHEET

Issue Date 10-Jul-2019 **Revision Date** 26-Jan-2024 **Version** 4.6 **Page** 1 / 15

1. IDENTIFICATION

Product identifier

Product Name RoVer® Rust Remover

Other means of identification

Product Code(s) 30040

Safety data sheet number M00387

Recommended use of the chemical and restrictions on use

Recommended Use Rust Remover.
Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4 |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Specific target organ toxicity (single exposure) | Category 3 |
| Chronic aquatic toxicity | Category 3 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Warning

EN / AGHS Page 1/15

Product Name RoVer® Rust Remover Revision Date 26-Jan-2024 Page 2 / 15



Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical attention

P362 - Take off contaminated clothing and wash before reuse

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical attention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P273 - Avoid release to the environment

P270 - Do not eat, drink or smoke when using this product

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

Other Hazards Known

May be harmful in contact with skin Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature Mixture of inorganic salts.

Percent ranges are used where confidential product information is applicable.

| Chemical name | CAS No | Percent Range | HMRIC # |
|-------------------|-----------|------------------|---------|
| Sodium bisulfite | 7631-90-5 | 50 - 60% | - |
| Sodium dithionite | 7775-14-6 | 40 - 50% | - |

4. FIRST AID MEASURES

Description of first aid measures

EN / AGHS Page 2/15

Product Name RoVer® Rust Remover

Revision Date 26-Jan-2024

Page 3 / 15

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Sodium oxides. Sulfur oxides.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

EN / AGHS Page 3/15

Product Name RoVer® Rust Remover

Revision Date 26-Jan-2024

Page 4 / 15

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing

vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|------------------|--------------------------|------------------------------------|--------------------------|
| Sodium bisulfite | TWA: 5 mg/m ³ | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |
| CAS#: 7631-90-5 | | | |

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed

areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN

374-1:2016.

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

EN / AGHS Page 4/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024

Page 5 / 15

product. Avoid contact with skin, eyes or clothing.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Solid

Appearance powder Odor Sulfur-like

owder Color white

Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight Not applicable

pH 5.3 5% Solution

Melting point / freezing point = $52 \, ^{\circ}\text{C} \, / \, 125.6 \, ^{\circ}\text{F}$

Initial boiling point and boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density No data available

Specific gravity - VALUE 1 2.29

Partition coefficient log K_{ow} ~ -2.34

Soil Organic Carbon-Water Partition

Coefficient

log K_{oc} ~ -0.19

Autoignition temperature No data available

Decomposition temperature 52.2 °C / 126 °F

Dynamic viscosity Not applicable

Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

| Water solubility classification | Water solubility | Water Solubility Temperature |
|---------------------------------|------------------|------------------------------|
| Soluble | > 1000 mg/L | 25 °C / 77 °F |

Solubility in other solvents

| Chemical Name_ | Solubility classification_ | <u>Solubility</u> | Solubility Temperature |
|----------------|----------------------------|-------------------|--------------------------|
| None reported | No information available | No data available | No information available |

Other information

Metal Corrosivity

EN / AGHS Page 5/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024

Page 6 / 15

Steel Corrosion Rate
Aluminum Corrosion Rate

Not applicable Not applicable

Volatile Organic Compounds (VOC) Content

Not applicable

| Chemical name | CAS No | Volatile organic compounds (VOC) content | CAA (Clean Air Act) |
|-------------------|-----------|--|---------------------|
| Sodium bisulfite | 7631-90-5 | No data available | - |
| Sodium dithionite | 7775-14-6 | Not applicable | - |

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Contact with water or moisture may generate an unpleasant, irritating odor similar to rotten eggs. Sulfur oxides. Sodium oxides.

11. TOXICOLOGICAL INFORMATION

EN / AGHS Page 6/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024

Page 7 / 15

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Irritating to eyes. Causes serious eye irritation.

Skin contact Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if

swallowed.

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

Test data reported below.

Oral Exposure Route

| Endpoint type | <u>Toxicological</u> | Key literature references and sources for data |
|------------------|----------------------|--|
| Rat | effects | Outside testing |
| LD ₅₀ | Behavioral | |
| | Decreased | |
| | locomotor activity | |
| | Chronic | |
| | Death | |
| | Eye | |
| | Ptosis | |
| | Lungs, Thorax, | |
| | or Respiration | |
| | Respiratory | |
| | depression | |
| | Skin and | |
| | Appendages | |
| | Piloerection | |

Ingredient Acute Toxicity Data

No data available.

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|--|---------------------------|---------------|---------------|-----------------------|--|
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Rat LD ₅₀ | 1131 mg/kg | None reported | None reported | RTECS |
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Mouse LD ₅₀ | 1500 mg/kg | None reported | None reported | ERMA |
| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Rat LD ₅₀ | > 2000 mg/kg | None reported | None reported | RTECS |
| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Rat LC ₅₀ | > 5.5 mg/L | 4 hours | None reported | No information available |

EN / AGHS Page 7/15

Product Name RoVer® Rust Remover Revision Date 26-Jan-2024 Page 8 / 15

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

| ATEmix (oral) | No information available | | |
|-------------------------------|--------------------------|--|--|
| ATEmix (dermal) | 4,386.00 mg/kg | | |
| ATEmix (inhalation-dust/mist) | No information available | | |
| ATEmix (inhalation-vapor) | No information available | | |
| ATEmix (inhalation-gas) | No information available | | |

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

| Chemical name | Test method | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|-------------------------|---------|------------------|------------------|--------------------|--|
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Standard Draize Test | Rabbit | 500 mg | None reported | Mild skin irritant | RTECS |
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Standard Draize Test | Rabbit | 800 mg | None reported | Mild skin irritant | IUCLID |

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

No data available.

| Chemical name | Test method | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|-------------------------|---------|------------------|------------------|-------------------|--|
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Standard Draize Test | Rabbit | 100 mg | 24 hours | Mild eye irritant | RTECS |
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Standard Draize Test | Rabbit | 100 mg | None reported | Eye irritant | IUCLID |

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

| Chemical name | Test method | Species | Results | Key literature references and sources for data |
|---------------|-------------|---------|---------|--|
| -11 / 10110 | | | | |

EN / AGHS Page 8/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024 **Page** 9 / 15

| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Local Lymph Node Assay | Mouse | Not confirmed to be a skin sensitizer | No information available |
|--|---------------------------|-------|---------------------------------------|---|
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Based on human experience | Human | Not confirmed to be a skin sensitizer | OECD 429: Skin Sensitization: Local Lymph Node Assay |

STOT - single exposure

May cause respiratory irritation.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

| Chemical name | Endpoint | Reported | Exposure | Toxicological effects | Key literature references and |
|-------------------|----------|-----------|---------------|-----------------------|-------------------------------|
| | type | dose | time | | sources for data |
| Sodium dithionite | Rat | 217 mg/kg | None reported | None reported | OECD 429: Skin Sensitization: |
| (40 - 50%) | NOAEL | | | | Local Lymph Node Assay |
| CAS#: 7775-14-6 | | | | | , , |

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

| Chemical name | CAS No | ACGIH | IARC | NTP | OSHA |
|-------------------|-----------|-------|---------|-----|------|
| Sodium bisulfite | 7631-90-5 | - | Group 3 | - | - |
| Sodium dithionite | 7775-14-6 | - | - | - | - |

Legend

| ACGIH (American Conference of Governmental Industrial Hygienists) | Does not apply |
|---|---------------------------------------|
| IARC (International Agency for Research on Cancer) | Group 3 - Not classifiable as a human |
| | carcinogen |
| NTP (National Toxicology Program) | Does not apply |
| OSHA | Does not apply |

| ſ | Chemical name | Endpoint | Reported | Exposure | Toxicological effects | Key literature references and |
|---|--|---------------|-----------|----------|--------------------------------------|-------------------------------|
| | | type | dose | time | | sources for data |
| | Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | None reported | 942 mg/kg | 2 years | Negative results for carcinogenicity | No information available |

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

EN / AGHS Page 9/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024 **Page** 10 / 15

Substance invitro Data

No data available.

| Chemical name | Test | Cell Strain | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|----------------------------|---------------------------|------------------|------------------|--|--|
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | Sister chromatid exchange | Human lymphocyte | 0.05 mmol/L | None reported | Positive test result for mutagenicity | RTECS |
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Mutation in microorganisms | Salmonella typhimurium | None reported | None reported | Negative | IUCLID |

Mixture invivo **Data** No data available.

Substance invivo Data

No data available.

| Chemical name | Test | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|----------------------|---------|---------------|------------------|---------------------------------------|--|
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Cytogenetic analysis | Rat | 1200 mg/kg | None reported | Negative test result for mutagenicity | IUCLID |

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

No data available.

| Chemical name | Exposure time | Species | Endpoint type | Reported dose | Key literature references and sources for data |
|---|---------------|------------------|---------------|---------------|--|
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | 96 hours | Gambusia affinis | LC50 | 240 mg/L | IUCLID |

EN / AGHS Page 10/15

Product Name RoVer® Rust Remover Revision Date 26-Jan-2024 Page 11 / 15

| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | 96 hours | Leuciscus idus | LC50 | >= 46 mg/L | IUCLID |
|--|---------------|----------------|---------------|---------------|--|
| Chemical name | Exposure time | Species | Endpoint type | Reported dose | Key literature references and sources for data |
| Sodium bisulfite (50 - 60%) CAS#: 7631-90-5 | 48 Hours | Daphnia magna | LC50 | 119 mg/L | IUCLID |
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | 48 Hours | Daphnia magna | EC50 | 98 mg/L | IUCLID |

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE

Mixture

No data available.

Partition coefficient log Kow ~ -2.34

Mobility

Soil Organic Carbon-Water Partition Coefficient log K_{∞c} ~ -0.19

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Not applicable

Special instructions for disposal

Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

EN / AGHS Page 11/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

Page 12 / 15

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

| EINECS/ELINCS | Complies |
|---------------|----------|
| ENCS | Complies |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| TCSI | Complies |
| AICS | Complies |
| NZIoC | Complies |
| | |

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Sodium bisulfite | 5000 lb | - | - | X |
| 7631-90-5 | | | | |

EN / AGHS Page 12/15

Product Name RoVer® Rust Remover Revision Date 26-Jan-2024 Page 13 / 15

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------|--------------------------|----------------|--------------------------|
| Sodium bisulfite | 5000 lb | - | RQ 5000 lb final RQ |
| 7631-90-5 | | | RQ 2270 kg final RQ |

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

| Chemical name | U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues |
|--|--|
| Sodium dithionite (40 - 50%) CAS#: 7775-14-6 | Sabotage/Contamination |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Sodium bisulfite 7631-90-5 | X | X | Х |
| Sodium dithionite 7775-14-6 | X | X | Х |

U.S. EPA Label Information

| | Chemical name | FIFRA | FDA |
|---|-------------------|-------|-----------------|
| | Sodium bisulfite | - | 21 CFR 182.3739 |
| Ī | Sodium dithionite | - | 21 CFR 182.90 |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

| Chemical name | Global Automotive Declarable Substance List Classifications | Global Automotive Declarable Substance List Thersholds |
|------------------|---|--|
| Sodium bisulfite | Declarable Substance (LR) | None reported |
| 7631-90-5 | Prohibited Substance (LR) | · |

NFPA and HMIS Classifications

EN / AGHS Page 13/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024

Page 14 / 15

| | NFPA | Health hazards - 2 | Flammability - 0 | Instability - 0 | Physical and chemical properties - |
|---|------|--------------------|------------------|----------------------|------------------------------------|
| Γ | HMIS | Health hazards - 2 | Flammability - 0 | Physical hazards - 0 | Personal protection - |
| | | | | | X |
| | | | | | - [|

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)

ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA EPA (Environmental Protection Agency)

ERMA ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

EN / AGHS Page 14/15

Product Name RoVer® Rust Remover **Revision Date** 26-Jan-2024

Page 15 / 15

Prepared By Hach Product Compliance Department

Issue Date 10-Jul-2019

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet

EN / AGHS Page 15/15