



Be Right™

SAFETY DATA SHEET

Issue Date 01-Feb-2021

Revision Date
10-Aug-2021

Version 7.6

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name Formazin Turbidity Standard 7500 NTU

Other means of identification

Product Code(s) 2584202

Safety data sheet number M00982

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Product Code(s) 2584202
Issue Date 01-Feb-2021
Version 7.6

Product Name Formazin Turbidity Standard 7500 NTU
Revision Date 10-Aug-2021
Page 2 / 16

Hazard statements

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	10 - 13%	-
Diammonium sulfate	7783-20-2	1 - 5%	-
Formaldehyde	50-00-0	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion

May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical May cause sensitization by inhalation and skin contact. Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products Carbon monoxide, Carbon dioxide. Nitrogen oxides. Formaldehyde.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane CAS#: 100-97-0	TWA: 1 mg/m ³ inhalable fraction and vapor	NDF	NDF
Formaldehyde CAS#: 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection

Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Product Code(s) 2584202
 Issue Date 01-Feb-2021
 Version 7.6

Product Name Formazin Turbidity Standard 7500 NTU
 Revision Date 10-Aug-2021
 Page 5 / 16

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Color	white
Appearance	Turbid solution aqueous solution	Odor threshold	No data available
Odor	Odorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	6.53	@ 20 °C
Melting point/freezing point	No data available	
Boiling point / boiling range	100 °C / 212 °F	
Evaporation rate	0.97 (water = 1)	
Vapor pressure	No data available	
Relative vapor density	0.62	
Specific gravity (water = 1 / air = 1)	1.025	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Completely soluble	> 10000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Product Code(s) 2584202
Issue Date 01-Feb-2021
Version 7.6

Product Name Formazin Turbidity Standard 7500 NTU
Revision Date 10-Aug-2021
Page 6 / 16

Steel Corrosion Rate
Aluminum Corrosion Rate

0.13 mm/yr / 0.01 in/yr
0.02 mm/yr / 0 in/yr

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	Not applicable	X
Diammonium sulfate	7783-20-2	No data available	-
Formaldehyde	50-00-0	No data available	X

Explosive properties

Upper explosion limit
Lower explosion limit

No data available
No data available

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:

No data available
No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	May cause additional affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Based on available data, the classification criteria are not met

Product Acute Toxicity Data

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (1 - 5%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD ₅₀	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC ₅₀	0.578 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0.001% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Diammonium sulfate (1 - 5%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Diammonium sulfate (1 - 5%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of

(<0.1%) CAS#: 50-00-0						Toxic Effects of Chemical Substances)
--------------------------	--	--	--	--	--	--

Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (1 - 5%) CAS#: 7783-20-2	Man TD _{Lo}	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD _{Lo}	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	Rat TC _{Lo}	350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC _{Lo}	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	-	-	-	-
Diammonium sulfate	7783-20-2	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity invivo Data

No data available.

Ingredient Germ Cell Mutagenicity invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (10 - 13%) CAS#: 100-97-0	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical

						Substances)
--	--	--	--	--	--	-------------

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0.001 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Product Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Ingredient Ecological Data

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Diammonium sulfate (1 - 5%) CAS#: 7783-20-2	96 hours	<i>Oncorhynchus mykiss</i>	LC ₅₀	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Diammonium sulfate (1 - 5%)	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the

Product Code(s) 2584202
Issue Date 01-Feb-2021
Version 7.6

Product Name Formazin Turbidity Standard 7500 NTU
Revision Date 10-Aug-2021
Page 13 / 16

CAS#: 7783-20-2					German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC ₅₀	5.8 mg/L	PEEN (Pan European Ecological Network)

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Product Biodegradability Data

No data available.

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122

14. TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

IATA

Not regulated

IMDG

Not regulated

Note:

No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
 DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
 ENCS Does not comply
 IECSC Complies
 KECL - Existing substances Complies
 PICCS Does not comply
 TCSI Complies
 AICS Complies
 NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 TCSI - Taiwan Chemical Substances Inventory
 AICS - Australian Inventory of Chemical Substances
 NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Diammonium sulfate (CAS #: 7783-20-2)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
 Chronic Health Hazard No
 Fire hazard No
 Sudden release of pressure hazard No
 Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen



WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Diammonium sulfate 7783-20-2	-	X	X
Formaldehyde 50-00-0	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Diammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %

Product Code(s) 2584202
 Issue Date 01-Feb-2021
 Version 7.6

Product Name Formazin Turbidity Standard 7500 NTU
 Revision Date 10-Aug-2021
 Page 16 / 16

Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (FI) Declarable Substance (LR) Prohibited Substance (LR)	0 % 0.1 %
-------------------------	--	--------------

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - 1

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
 ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
 NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 01-Feb-2021

Revision Date 10-Aug-2021

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2021

End of Safety Data Sheet