

# **SAFETY DATA SHEET**

Be Right<sup>™</sup>

Issue Date 16-Aug-2018	Revision Date 26-Jan-2024	Version 2.8	Page	1 / 17
	1. IDENTIFICAT	TION		
<u>Product identifier</u> Product Name	Silica Standard Solution, 1.0 mg/l	L as SiO <sub>2</sub>		
<u>Other means of identification</u> Product Code(s)	110649			
Safety data sheet number	M00292			
Recommended use of the chemical and restrictions on useRecommended UseStandard solution. Water Analysis.Uses advised againstConsumer use.Restrictions on useFor Laboratory Use Only.				
Details of the supplier of the safety data sheet				
Manufacturer Address				

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

## Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

## Classification

## **Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

## Hazards not otherwise classified (HNOC) Not applicable

## Label elements

Signal word None

## **Hazard statements**

The product contains no substances which at their given concentration, are considered to be hazardous to health

## Other Hazards Known

None

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

EN / AGHS

Page 1/17

Product Code(s) 110649 Issue Date 16-Aug-2018 Version 2.8 Product NameSilica Standard Solution, 1.0 mg/L as SiO2Revision Date26-Jan-2024Page2 / 17

Substance Not applicable

<u>Mixture</u>

Chemical	Family
Chemical	nature

Mixture. aqueous solution.

## Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Propanoic acid	79-09-4	<0.1%	-
Sodium fluoride	7681-49-4	<0.01%	-
Hydrofluoric acid	7664-39-3	<0.01%	-
Silica, amorphous	7631-86-9	<0.01%	-

## 4. FIRST AID MEASURES

## **Description of first aid measures**

General advice	No hazards which require special first aid measures. Use first aid treatment according to the nature of the injury.			
Inhalation	Remove to fresh air.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash skin with soap and water.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects, both acute and delayed				
Symptoms	See Section 11 for additional Toxicological Information.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

**5. FIRE-FIGHTING MEASURES** 

# Suitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the<br/>surrounding environment.Unsuitable Extinguishing MediaCaution: Use of water spray when fighting fire may be inefficient.Specific hazards arising from the<br/>chemicalNo information available.Hazardous combustion productsNo information available.Special protective equipment for<br/>fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## 6. ACCIDENTAL RELEASE MEASURES

EN / AGHS

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
Personal precautions, protective ec	uipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
Environmental precautions	
Environmental precautions	See Section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

# 7. HANDLING AND STORAGE

Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Flammability class	Not applicable			

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Propanoic acid	TWA: 10 ppm	(vacated) TWA: 10 ppm	TWA: 10 ppm
CAS#: 79-09-4		(vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 30 mg/m <sup>3</sup>
			STEL: 15 ppm
			STEL: 45 mg/m <sup>3</sup>
Sodium fluoride	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup> F
CAS#: 7681-49-4	_	(vacated) TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> F
Hydrofluoric acid	TWA: 0.5 ppm F	TWA: 3 ppm	IDLH: 30 ppm
CÁS#: 7664-39-3	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup> F
	S*	(vacated) TWA: 3 ppm	Ceiling: 6 ppm 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 2.5 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup> 15 min
		(vacated) STEL: 6 ppm	TWA: 3 ppm
			TWA: 2.5 mg/m <sup>3</sup>

Silica, amorphous	-	TWA: 50 μg/m <sup>3</sup>	IDLH: 3000 mg/m <sup>3</sup>
CAS#: 7631-86-9		(vacated) TWA: 6 mg/m <sup>3</sup> TWA: 20 mppcf	TWA: 6 mg/m <sup>3</sup>
		· · ·	
	4	·	
Appropriate engineering controls	-		
Engineering Controls	Showers		
	Eyewash stations	al macauras and appropriate w	arlying an arotional about the
		al measures and appropriate we ersonal protective equipment.	
		ccording to the concentration a	
	substance at the specific work		
Individual protection measures, su			
Respiratory protection		eded under normal use condition	
	exceeded or irritation is experienced, ventilation and evacuation may be required. Ensure adequate ventilation.		
Hand Protection		creams may help to protect the	
		r to use. The selected protectiv	
	specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN		
	374-1:2016.		
Eye/face protection	Wear safety glasses with side	shields (or goggles).	
Skin and body protection	No special protective equipme	nt required. Avoid contact with	eves, skin and clothing.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.		
Environmental exposure controls	Local authorities should be adv	vised if significant spillages car	not be contained. Do not allow
	into any sewer, on the ground		
Thermal hazards	None under normal processing	<b>j</b> .	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance	aqueous solution	Liquid		Color	colorless
Odor	clear Odorless			Odor threshold	No information available
Property_			Values		Remarks • Method
Molecular weigh	t		No data availal	ble	
рН			3.4		@ 20 °C
Melting point / fr	eezing point		0 °C / 32 °	F	
Initial boiling poi	int and boiling rang	je	95 °C / 203	°F	
Evaporation rate			0.95 (water = 1	)	
Vapor pressure			17.477 mm Hg	/ 2.33 kPa at 2	0 °C / 68 °F
Relative vapor de	ensity		0.62		
Specific gravity -	VALUE 1		0.995		

Product Code(s) 110649 Issue Date 16-Aug-2018 Version 2.8

Partition coefficient	Not applicable
Soil Organic Carbon-Water Partition Coefficient	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No information available
Dynamic viscosity	1 cP (mPa s) at 20 °C / 68 °F
Kinematic viscosity	1.005 cSt (mm²/s) at 20 °C / 68 °F

## Solubility(ies)

## Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

## Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Most Polar Organic Solvents	Soluble	> 1000 mg/L	25 °C / 77 °F
Aqueous alkaline solutions	Soluble	> 1000 mg/L	25 °C / 77 °F

## **Other information**

## **Metal Corrosivity**

## Steel Corrosion Rate Aluminum Corrosion Rate

1.24 mm/yr / 0.05 in/yr 0.99 mm/yr / 0.04 in/yr

## Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Propanoic acid	79-09-4	No data available	Х
Sodium fluoride	7681-49-4	Not applicable	-
Hydrofluoric acid	7664-39-3	No data available	-
Silica, amorphous	7631-86-9	No data available	-

## **Explosive properties**

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	Not applicable
Upper flammability limit: Lower flammability limit: Oxidizing properties	No data available

EN / AGHS

## **10. STABILITY AND REACTIVITY**

Reactivity Not applicable.

## Chemical stability

Stable under normal conditions.

## Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions None under normal processing.

## Hazardous polymerization

None under normal processing.

## Conditions to avoid

None known based on information supplied.

## Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

## Hazardous decomposition products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

## **Product Information**

based on information supplied.
based on information supplied.
based on information supplied.
based on information supplied.
vailable.

## Acute toxicity

Based on available data, the classification criteria are not met

# Mixture

No data available.

# Ingredient Acute Toxicity Data

Test data reported below.

## **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Propanoic acid	Rat	2600 mg/kg	None reported	None reported	IUCLID

EN / AGHS

(<0.1%) CAS#: 79-09-4	LD50				
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Rat LD <sub>50</sub>	52 mg/kg	None reported	None reported	GESTIS
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Rat LD50	31 mg/kg	None reported	None reported	IUCLID

## Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Rat LD₅₀	175 mg/kg	None reported	None reported	ERMA

## Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Rat LC <sub>50</sub>	0.55 mg/L	4 hours	None reported	IUCLID

## Inhalation (Vapor) Exposure Route

## Unknown Acute Toxicity

3E-05% of the mixture consists of ingredient(s) of unknown toxicity.

## Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (<0.1%) CAS#: 79-09-4	Open Irritation Test	Rabbit	495 mg	None reported	Corrosive to skin	RTECS
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Standard Draize Test	Rat	500 mg	3 minutes	Corrosive to skin	RTECS
Silica, amorphous (<0.01%) CAS#: 7631-86-9	Standard Draize Test	Rabbit	500 mg	24 hours	Not corrosive or irritating to skin	IUCLID

## Serious eye damage/irritation

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (<0.1%) CAS#: 79-09-4	Standard Draize Test	Rabbit	0.99 mg	None reported	Corrosive to eyes	RTECS
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Standard Draize Test	Rabbit	20 mg	24 hours	Eye irritant	RTECS
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Standard Draize Test	Human	50 mg	None reported	Corrosive to eyes	RTECS
Silica, amorphous (<0.01%) CAS#: 7631-86-9	Standard Draize Test	Rabbit	25 mg	24 hours	Mild eye irritant	IUCLID

## Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## **Ingredient Sensitization Data**

Test data reported below.

## **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Propanoic acid (<0.1%) CAS#: 79-09-4	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID
Sodium fluoride (<0.01%) CAS#: 7681-49-4	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA
Silica, amorphous (<0.01%) CAS#: 7631-86-9	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID

## STOT - single exposure

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

## **Oral Exposure Route**

Chemical name Endpoint Reported Exposure Toxicol	ogical effects Key literature references and
--	--

	type	dose	time		sources for data
Sodium fluoride	Human	0.214 mg/kg	None reported	Gastrointestinal	RTECS
(<0.01%)	TDLo			Changes in structure or function	
CAS#: 7681-49-4				of salivary glands	
				Hypermotility	
				Diarrhea	
Hydrofluoric acid	Man	143 mg/kg	None reported		RTECS
(<0.01%)	TDLo			BP lowering not characterized in	
CAS#: 7664-39-3				autonomic section	
				Cardiac	
				Arrythmias	
				Kidney, Ureter, or Bladder	
				Changes in tubules (including	
				acute renal failure, acute tubular	
				necrosis)	
Silica, amorphous	Rat	5000 mg/kg	None reported	None reported	RTECS
(<0.01%)	LCLO				
CAS#: 7631-86-9					

## Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Silica, amorphous	Rat	2.19 mg/L	4 hours	Lungs, Thorax, or	RTECS
(<0.01%) CAS#: 7631-86-9	LCLO			<b>Respiration</b> Dyspnea	

## Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydrofluoric acid (<0.01%)	Human TC⊾₀	0.025 mg/L	None reported	Lungs, Thorax, or Respiration	RTECS
CAS#: 7664-39-3				Cough	

<u>STOT - repeated exposure</u> Based on available data, the classification criteria are not met.

## Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data Test data reported below.

## **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Rat TD⊾₀	420 mg/kg	42 days	Brain and Coverings Other degenerative changes Behavioral Somnolence (general depressed activity) Blood Changes in serum composition (e.g. TP, bilirubin, cholesterol)	RTECS

## Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references sources for data	and
EN / AGHS					Page	9 / 17

Product NameSilica Standard Solution, 1.0 mg/L as SiO2Revision Date26-Jan-2024Page10 / 17

Sodium fluoride	Rat	1.0 mg/L	119 days	Biochemical	RTECS
	TCLo	1.0 mg/L	110 days		INIE00
(<0.01%)	ICLO			Other degenerative changes	
CAS#: 7681-49-4				Kidney, Ureter, or Bladder	
				Other changes in urine	
				composition	
				Musculoskeletal	
				Changes in teeth and supporting	
				structures	
Silica, amorphous	Rat	0.154 mg/L	28 days	Lungs, Thorax, or	RTECS
(<0.01%)	TCLO		-	Respiration	
CAS#: 7631-86-9				Structural or functional change	
				in trachea or bronchi	

## Inhalation (Vapor) Exposure Route

[	Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
		type	dose	time		sources for data
	Hydrofluoric acid	Rat	0.0005 mg/L	119 days	Musculoskeletal	RTECS
	(<0.01%)	TCLo			Changes in teeth and supporting	
	CAS#: 7664-39-3				structures	

## **Carcinogenicity**

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Propanoic acid	79-09-4	-	-	-	-
Sodium fluoride	7681-49-4	-	Group 3	-	Х
Hydrofluoric acid	7664-39-3	-	-	-	-
Silica, amorphous	7631-86-9	-	Group 3	Known	Х

## Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

## **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Mouse TD⊾₀	14 mg/kg	43 weeks	Skin and Appendages Tumors	RTECS

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Mixture invitro Data

No data available.

## Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature

			dose	time		references and sources for data
Propanoic acid (<0.1%) CAS#: 79-09-4	Mutation in microorganisms	Salmonella typhimurium	6.667 mg/plate	None reported	Negative	RTECS
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Cytogenetic analysis	Human fibroblast	20 mg/L	None reported	Positive test result for mutagenicity	RTECS

# Mixture invivo Data

No data available.

## Substance invivo Data Test data reported below.

## **Oral Exposure Route**

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium fluoride (<0.01%) CAS#: 7681-49-4	Cytogenetic analysis	Mouse	1 mg/L	3 weeks	Positive test result for mutagenicity	RTECS

## Inhalation (Dust/Mist) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Cytogenetic analysis	Rat	0.001 mg/L	24 days	Positive test result for mutagenicity	RTECS

## Reproductive toxicity

Based on available data, the classification criteria are not met.

## Mixture

No data available.

## Ingredient Reproductive Toxicity Data

Test data reported below.

## **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium fluoride	Rat	240 mg/kg	None reported	Specific Developmental	RTECS
(<0.01%)	TDLo			Abnormalities	
CAS#: 7681-49-4				Musculoskeletal system	

## Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Rat TC∟₀	0.00047 mg/L	22 days	Effects on Fertility Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Pre-implantation mortality (e.g. reduction in number of implants per female; total number of	

implants per corpora lutea)
-----------------------------

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

3E-05% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

## **Mixture**

**Aquatic Acute Toxicity** No data available.

**Aquatic Chronic Toxicity** No data available.

## **Substance**

## Aquatic Acute Toxicity

Test data reported below.

## Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Propanoic acid (<0.1%) CAS#: 79-09-4	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	51.0 mg/L	IUCLID
Sodium fluoride (<0.01%) CAS#: 7681-49-4	96 hours	Channa punctatus	LC <sub>50</sub>	51 mg/L	GESTIS
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	51 mg/L	ERMA
Silica, amorphous (<0.01%) CAS#: 7631-86-9	96 hours	Brachydanio rerio	LC <sub>50</sub>	5000 mg/L	IUCLID

## Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Propanoic acid (<0.1%) CAS#: 79-09-4	48 Hours	Daphnia magna	EC50	45.8 mg/L	IUCLID
Sodium fluoride (<0.01%) CAS#: 7681-49-4	48 Hours	Daphnia magna	EC <sub>50</sub>	98 mg/L	GESTIS
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	48 Hours	Daphnia magna	EC <sub>50</sub>	97 mg/L	ERMA
Silica, amorphous (<0.01%) CAS#: 7631-86-9	48 Hours	Ceriodaphnia dubia	EC50	7600 mg/L	IUCLID

## Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	96 hours	Scenedesmus sp.	EC <sub>50</sub>	43 mg/L	IUCLID
Silica, amorphous (<0.01%) CAS#: 7631-86-9	72 Hours	Selenastrum capricornutum	EC50	440 mg/L	IUCLID

## Aquatic Chronic Toxicity No data available.

## Persistence and degradability

## Mixture

No data available.

Bioaccumulation MATERIAL DOES NOT BIOACCUMULATE **Mixture** No data available.

Partition coefficient

<u>Mobility</u>

Soil Organic Carbon-Water Partition Coefficient

## Other adverse effects No information available

## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

U134

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrofluoric acid	U134	-	-	U134
7664-39-3				

Special instructions for disposal

Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION				
DOT	Not regulated			
TDG	Not regulated			

EN / AGHS

Not applicable

Not applicable

Product Name Silica Standard Solution, 1.0 mg/L as SiO<sub>2</sub> Revision Date 26-Jan-2024 Page 14 / 17

<u>IATA</u>	Not regulated
IMDG_	Not regulated
Note:	No special precautions necessary.

## Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## **15. REGULATORY INFORMATION**

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

## International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

**AICS** - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

NZIOC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Hydrofluoric acid (CAS #: 7664-39-3)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable	<b>CWA - Toxic Pollutants</b>	CWA - Priority	CWA - Hazardous
EN / AGHS				Page 14/17

	Quantities		Pollutants	Substances
Propanoic acid 79-09-4	5000 lb	-	-	Х
Sodium fluoride 7681-49-4	1000 lb	-	-	Х
Hydrofluoric acid 7664-39-3	100 lb	-	-	Х

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Propanoic acid	5000 lb	-	RQ 5000 lb final RQ
79-09-4			RQ 2270 kg final RQ
Sodium fluoride	1000 lb	-	RQ 1000 lb final RQ
7681-49-4			RQ 454 kg final RQ
Hydrofluoric acid	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ

## U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Hydrofluoric acid (<0.01%) CAS#: 7664-39-3	Release - Toxic (concentration >=50%); Release - Toxic (anhydrous); Theft - Weapons of Mass Effect (anhydrous)

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Silica, amorphous (CAS #: 7631-86-9)	Carcinogen

**WARNING:** This product can expose you to chemicals including Silica, amorphous, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

**IMERC:** Not applicable

## U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propanoic acid 79-09-4	Х	X	Х
Sodium fluoride 7681-49-4	Х	X	Х
Hydrofluoric acid 7664-39-3	Х	X	Х
Silica, amorphous 7631-86-9	-	X	Х

## **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Propanoic acid	180.0940	21 CFR 184.1081
Sodium fluoride	180.0145	-
Hydrofluoric acid	180.0145	-
Silica, amorphous	180.0930	-

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments
None

## Additional information

## Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 0	Flammability - 0	Physical hazards - 0	Personal protection -
				Х
				- 1

## Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)

WHO

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION				
TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
X	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensitization Carcinogen mutagen		SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By	Hach Product Compliance Department			
Issue Date	Date 16-Aug-2018			
<b>Revision Date</b>		26-Jan-2024		
<b>Revision Note</b>		None		

WHO (World Health Organization)

**Disclaimer** 

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet