



Be Right™

SAFETY DATA SHEET

Issue Date 05-Nov-2018

Revision Date 26-Jan-2024

Version 3

Page 1 / 13

1. IDENTIFICATION

Product identifier

Product Name AluVer® 3 Aluminum Reagent

Other means of identification

Product Code(s) 1429099

Safety data sheet number M00067

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis. Determination of aluminum.

Uses advised against No information available.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H315 - Causes skin irritation
H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical attention
P362 - Take off contaminated clothing and wash before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards Known

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.
Chemical nature Mixture of inorganic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Butanedioic acid	110-15-6	70 - 80%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Hazardous combustion products Sulfur oxides. Carbon monoxide, Carbon dioxide.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state		Solid	Color	red brown
Appearance	powder		Odor threshold	No data available
Odor	Irritating			

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
-----------------	---------------	-------------------------

Molecular weight	No data available	
-------------------------	-------------------	--

Product Code(s) 1429099
Issue Date 05-Nov-2018
Version 3

Product Name AluVer® 3 Aluminum Reagent
Revision Date 26-Jan-2024
Page 5 / 13

pH 3.85 10% @ 20°C

Melting point / freezing point 145 °C / 293 °F

Initial boiling point and boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density No data available

Specific gravity - VALUE 1 1.66

Partition coefficient log K_{ow} ~ -0.99

Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ 0.02

Autoignition temperature No data available

Decomposition temperature No data available

Dynamic viscosity Not applicable

Kinematic viscosity Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Metal Corrosivity

Steel Corrosion Rate 1.55 mm/yr / 0.06 in/yr
Aluminum Corrosion Rate 0.03 mm/yr / 0 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Butanedioic acid	110-15-6	No data available	X

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point Not applicable

Product Code(s) 1429099
Issue Date 05-Nov-2018
Version 3

Product Name AluVer® 3 Aluminum Reagent
Revision Date 26-Jan-2024
Page 6 / 13

Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Heating to decomposition releases toxic fumes of carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Butanedioic acid (70 - 80%) CAS#: 110-15-6	Rat LD ₅₀	2260 mg/kg	None reported	None reported	Vendor SDS

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,979.60 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

No data available.

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Butanedioic acid (70 - 80%) CAS#: 110-15-6	Standard Draize Test	Rabbit	0.750 mg	None reported	Corrosive to eyes	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

May cause respiratory irritation.

Product Code(s) 1429099
Issue Date 05-Nov-2018
Version 3

Product Name AluVer® 3 Aluminum Reagent
Revision Date 26-Jan-2024
Page 8 / 13

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Butanedioic acid	110-15-6	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Butanedioic acid (70 - 80%) CAS#: 110-15-6	DNA inhibition	Human fibroblast	None reported	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Butanedioic acid (70 - 80%) CAS#: 110-15-6	96 hours	None reported	LC ₅₀	None reported	ECOSARS

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Butanedioic acid (70 - 80%) CAS#: 110-15-6	48 Hours	None reported	EC ₅₀	918830 mg/L	ECOSARS

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Butanedioic acid (70 - 80%) CAS#: 110-15-6	96 hours	None reported	EC ₅₀	254630 mg/L	ECOSARS

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE

Mixture

No data available.

Product Code(s) 1429099
Issue Date 05-Nov-2018
Version 3

Product Name AluVer® 3 Aluminum Reagent
Revision Date 26-Jan-2024
Page 10 / 13

Partition coefficient log K_{ow} ~ -0.99

Mobility

Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ 0.02

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Not applicable

Special instructions for disposal If permitted by regulation. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Does not comply
IECSC Complies
KECL Complies
PICCS Does not comply
TCSI Complies

Product Code(s) 1429099
Issue Date 05-Nov-2018
Version 3

Product Name AluVer® 3 Aluminum Reagent
Revision Date 26-Jan-2024
Page 11 / 13

AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Butanedioic acid	-	21 CFR 184.1091

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X -1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

Product Code(s) 1429099
Issue Date 05-Nov-2018
Version 3

Product Name AluVer® 3 Aluminum Reagent
Revision Date 26-Jan-2024
Page 13 / 13

SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 05-Nov-2018

Revision Date 26-Jan-2024

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet