

Electric Series

Hydrostatic Test Pumps

The EL series is the most versatile and sought-after Electric Hydrostatic Test Pump on the market today. Designed for testing sprinkler systems, irrigation lines, pressure vessels, plant process piping and standard water lines. Models in this series offer “gallon per minute” flow rates from 1.5 to 12.5 (GPM); with “pounds per square inch” testing capability up to 1800 (PSI). RICE units can be “Build to Suit” with various voltage, phase, hertz and explosion-proof motor configurations offered. Contact the factory for special order options available or with your specifications.



EL1A 3 GPM up to 500 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 1 HP electric motor TEFC, 110 or 220V reads 50/60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 1/2 inch outlet hose included
- Optional wheel and handle kit



EL1 3 GPM up to 300 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 1/2 HP electric motor TEFC, 110 or 220V 60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 1/2 inch outlet hose included
- Optional wheel and handle kit



EL2 1.5 GPM up to 1000 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 1 HP electric motor TEFC, 110 or 220V reads 50/60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 3/8 inch outlet hose included
- Optional wheel and handle kit



EL3 1.5 GPM up to 1500 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 1.5 HP electric motor TEFC, 110 or 220V reads 50/60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 3/8 inch outlet hose included
- Optional wheel and handle kit



EL-4/18 4 GPM up to 1800 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 5 HP electric motor TEFC, 1 phase, 230V, 60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 3/8 inch outlet hose included
- Optional wheel and handle kit



EL-5/500 5 GPM up to 500 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 2 HP electric motor TEFC, 110 or 220V, 60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 1/2 inch outlet hose included
- Optional wheel and handle kit



EL-8/12 8 GPM up to 1200 PSI

EL-12.5/300 12.5 GPM up to 300 PSI

- One year complete product warranty
- Triplex plunger pump with oil inner bath ensures long life
- 7.5 HP electric motor TEFC, 3 phase 230 or 460V, 60 HZ
- Stainless Steel liquid filled gauge, ensures accurate readings less flutter
- 8 foot 3/8 inch outlet hose included
- Optional wheel and handle kit

Wheel & Handle Kits



RI-6

- Wheel & handle kit, for small units
- Instantly makes your hydrostatic test pump truly mobile
- Includes heavy duty metal handle and v-rest along with casters and all hardware needed for installation



WK-STD

- Wheel & handle kit, for standard units
- Instantly makes your hydrostatic test pump truly mobile
- Includes heavy duty metal handle, axel and v-rest along with “No Flat” tires and all hardware needed for installation



RI-10

- Wheel & handle kit, for large units
- Instantly makes your hydrostatic test pump truly mobile
- Includes heavy duty metal handle, axel and footrest along with “No Flat” tires and all hardware needed for installation



3500 Arrowhead Drive • Carson City • Nevada 89706

Web: ricehydro.com • Email: sales@ricehydro.com • Phone: 800-245-4777 • Fax: 800-998-7423