

HP Series Pneumatic

Test Pumps

The HP series is the most versatile, reliable, and sought-after air-driven Pneumatic Hydrostatic Test Pump on the market today. Models in this series offer “gallon per minute” flow rates up to 7 (GPM) and “pounds per square inch” testing from 50 to 30,000 PSI. Requiring only 100 PSI of standard shop air, these units have the ability to start/stop while under pressure. Our smaller lightweight compact units are designed for testing in confined spaces or remote locations, such as on-board ships and oil rigs.



HP-6/500 6 GPM, 50 to 500 PSI

- Stainless Steel Dry Lube Plunger pump
- One year complete product warranty
- Capable of handling various fuels, oils, and chemicals
- Stainless Steel liquid filled gauge, ensures accurate readings with less flutter
- 8 foot 1/2 inch outlet hose included
- Optional wheel and handle kit



HP-7/10 7 GPM, 100 to 1000 PSI

- Stainless Steel Dry Lube Plunger pump
- One year complete product warranty
- Capable of handling various fuels, oils, and chemicals
- Stainless Steel liquid filled gauge, ensures accurate readings with less flutter
- 8 foot 1/2 inch outlet hose included
- Optional wheel and handle kit



HP-25/35 2.5 GPM, 350 to 3500 PSI

- Stainless Steel Dry Lube Plunger pump
- One year complete product warranty
- Capable of handling various fuels, oils, and chemicals
- Stainless Steel liquid filled gauge, ensures accurate readings with less flutter
- 8 foot 3/8 inch outlet hose included
- Optional wheel and handle kit



HP-35/20 3.5 GPM, 200 to 2000 PSI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 3/8 inch outlet hose included**
- **Optional wheel and handle kit**



HP-30/25 3 GPM, 250 to 2500 PSI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 3/8 inch outlet hose included**
- **Optional wheel and handle kit**



HP-1/55 1 GPM, 550 to 5500 PSI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 3/8 inch outlet hose included**
- **Optional wheel and handle kit**



HP-10 1000 to 10,000 PSI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 3/8 inch outlet hose included**
- **Optional wheel and handle kit**



HP-20 2000 to 20,000 PSI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 1/4 inch outlet hose included**
- **Optional wheel and handle kit**



HP-30 3000 to 30,000 PSI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 1/4 inch outlet hose included**
- **Optional wheel and handle kit**



HPD-6/35 HPD-6/55 HPD-7/10

- **Dual Pump up to 6 GPM up to 3500 PSI**
- **Dual Pump up to 6 GPM up to 5500 PSI**
- **Dual Pump up to 7 GPM up to 10,000 PSI**
- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Stainless Steel liquid filled gauge, ensures accurate readings with less flutter**
- **8 foot 3/8 inch outlet hose included**
- **Optional wheel and handle kit**



HP10-V 1000 to 10,000 SPI

- **Stainless Steel Dry Lube Plunger pump**
- **One year complete product warranty**
- **Capable of handling various fuels, oils, and chemicals**
- **Dual Stainless Steel liquid filled gauges allow for precise and accurate test pressure monitoring, ensures reading with less flutter**
- **8 foot 3/8 inch outlet hose included**
- **Rugged steel frame with wheels for portability**



HP10-VT 1000 to 10,000 PSI

- Stainless Steel Dry Lube Plunger pump
- One year complete product warranty
- Capable of handling various fuels, oils, and chemicals
- Dual Stainless Steel liquid filled gauges allow for precise and accurate test pressure monitoring, ensures reading with less flutter
- 15 gallon polypropylene reservoir tank
- 8 foot 3/8 inch outlet hose included
- Rugged steel frame with wheels for portability



HP10-B 1000 to 10,000 SPI

- Stainless Steel Dry Lube Plunger pump
- One year complete product warranty
- Capable of handling various fuels, oils, and chemicals
- Dual Stainless Steel liquid filled gauges allow for precise and accurate test pressure monitoring, ensures reading with less flutter
- 8 foot 3/8 inch outlet hose included
- Rugged steel box enclosure with wheels for portability

Accessories



Wheel and Handle kits

- RI-6 Small units
- RI6-HP Standard units
- RI6-XP Large units
- Instantly makes your hydrostatic test pump truly mobile
- Includes heavy duty metal handle, footrest and axle (if required), along with casters and all hardware needed for installation



3500 Arrowhead Drive • Carson City • Nevada 89706

Web: ricehydro.com • Email: sales@ricehydro.com • Phone: 800-245-4777 • Fax: 800-998-7423