



**Be Right™**

# SAFETY DATA SHEET

Issue Date 08-Mar-2021

Revision Date 26-Jan-2024

Version 6

Page 1 / 15

## 1. IDENTIFICATION

### Product identifier

**Product Name** Sodium Hydroxide Standard Solution 0.01 N

### Other means of identification

**Product Code(s)** 67132

**Safety data sheet number** M00648

**UN/ID no** UN1993

### Recommended use of the chemical and restrictions on use

**Recommended Use** Water Analysis. Determination of carbon dioxide.

**Uses advised against** None.

**Restrictions on use** None.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### **Emergency telephone number**

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Serious eye damage/eye irritation	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### **Signal word**

Danger



#### Hazard statements

H226 - Flammable liquid and vapor  
H318 - Causes serious eye damage

#### Precautionary statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment  
P242 - Use only non-sparking tools  
P243 - Take precautionary measures against static discharge  
P280 - Wear protective gloves, protective clothing, eye protection, and face protection  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P403 + P235 - Store in a well-ventilated place. Keep cool  
P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards Known

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Isopropyl alcohol	67-63-0	1 - 5%	-
Sodium hydroxide	1310-73-2	<0.1%	-

### 4. FIRST AID MEASURES

#### Description of first aid measures

#### General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Burning sensation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Hazardous combustion products</b>	Sodium oxides. Carbon monoxide, Carbon dioxide.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other Information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store locked up. Keep out of the reach of children. Store in accordance with particular national and local regulations.

**Flammability class** Class II

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl alcohol CAS#: 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>

CAS#: 1310-73-2	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
-----------------	--	------------------------------

**Appropriate engineering controls**

**Engineering Controls**  
 Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection**  
 No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

**Hand Protection**  
 Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

**Eye/face protection**  
 Tight sealing safety goggles.

**Skin and body protection**  
 Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

**General Hygiene Considerations**  
 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

**Environmental exposure controls**  
 Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

**Thermal hazards**  
 None under normal processing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	aqueous solution
<b>Color</b>	colorless
<b>Odor</b>	Odorless
<b>Odor threshold</b>	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Molecular weight</b>	No data available	
<b>pH</b>	11.7	@ 20 °C
<b>Melting point / freezing point</b>	~ -2 °C / 28.4 °F	
<b>Initial boiling point and boiling range</b>	94 °C / 201.2 °F	
<b>Evaporation rate</b>	1.01 (water = 1)	
<b>Vapor pressure</b>	23.477 mm Hg / 3.13 kPa at 25 °C / 77 °F	
<b>Relative vapor density</b>	0.64	
<b>Specific gravity - VALUE 1</b>	0.992	
<b>Partition coefficient</b>	Not applicable	
<b>Soil Organic Carbon-Water Partition</b>	Not applicable	

**Product Code(s)** 67132  
**Issue Date** 08-Mar-2021  
**Version** 6

**Product Name** Sodium Hydroxide Standard Solution 0.01 N  
**Revision Date** 26-Jan-2024  
**Page** 6 / 15

**Coefficient**  
**Autoignition temperature** No data available  
**Decomposition temperature** No data available  
**Dynamic viscosity** No data available  
**Kinematic viscosity** No data available

**Solubility(ies)**

**Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

**Solubility in other solvents**

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Most Polar Organic Solvents	Soluble	> 1000 mg/L	25 °C / 77 °F

**Other information**

**Metal Corrosivity**

**Steel Corrosion Rate** No data available  
**Aluminum Corrosion Rate** No data available

**Volatile Organic Compounds (VOC) Content**

See ingredients information below

<u>Chemical name</u>	<u>CAS No</u>	<u>Volatile organic compounds (VOC) content</u>	<u>CAA (Clean Air Act)</u>
Isopropyl alcohol	67-63-0	100%	X
Sodium hydroxide	1310-73-2	No data available	-

**Explosive properties**

**Upper explosion limit** No data available  
**Lower explosion limit** No data available

**Flammable properties**

**Flash point** 57 °C / 134.6 °F  
**Method** CC (closed cup)

**Flammability Limit in Air**

**Upper flammability limit:** No data available  
**Lower flammability limit:** No data available

**Oxidizing properties**

No data available.

**Bulk density**

No data available

**10. STABILITY AND REACTIVITY**

**Product Code(s)** 67132  
**Issue Date** 08-Mar-2021  
**Version** 6

**Product Name** Sodium Hydroxide Standard Solution 0.01 N  
**Revision Date** 26-Jan-2024  
**Page** 7 / 15

**Reactivity**

Not applicable.

**Chemical stability**

Stable under normal conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** Yes.

**Possibility of hazardous reactions**

None under normal processing.

**Hazardous polymerization**

None under normal processing.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

Strong acids. Strong bases. Strong oxidizing agents.

**Hazardous decomposition products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	No known effect based on information supplied.
<b>Eye contact</b>	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
<b>Skin contact</b>	May cause irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Symptoms</b>	Redness. Burning. May cause blindness.

**Acute toxicity**

Based on available data, the classification criteria are not met

**Mixture**

No data available.

**Ingredient Acute Toxicity Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LD <sub>50</sub>	4710 mg/kg	None reported	<b>Behavioral</b> General anesthetic	OECD 429: Skin Sensitization: Local Lymph Node Assay
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%)	Rabbit LD <sub>50</sub>	4059 mg/kg	None reported	None reported	LOLI

CAS#: 67-63-0	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LC <sub>50</sub>	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS	

**Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

**Acute Toxicity Estimations (ATE)**

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Mixture**

Test data reported below.

Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
United States Department of Transportation (DOT) Skin Corrosion Test	Rabbit	0.5 mL	4 hours	Not corrosive or irritating to skin	Outside testing

**Ingredient Skin Corrosion/Irritation Data**

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	Patch test	Human	20 mg	24 hours	Corrosive to skin	RTECS

**Serious eye damage/irritation**

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

**Mixture**

No data available.

**Ingredient Eye Damage/Eye Irritation Data**

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS
Sodium hydroxide	Standard Draize	Rabbit	0.05 mg	24 hours	Corrosive to eyes	RTECS



(<0.1%) CAS#: 1310-73-2	Test					
----------------------------	------	--	--	--	--	--

**Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

**Mixture**

No data available.

**Ingredient Sensitization Data**

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay

**STOT - single exposure**

Based on available data, the classification criteria are not met.

**Mixture**

No data available.

**Ingredient Specific Target Organ Toxicity Single Exposure Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Human TD <sub>Lo</sub>	223 mg/kg	None reported	<b>Behavioral</b> Hallucinations, Distorted perceptions <b>Cardiac</b> Pulse rate decrease with fall in BP <b>Vascular</b> BP lowering not characterized in autonomic section	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Human TC <sub>Lo</sub>	35 mg/L	4 hours	<b>Cardiac</b> Pulse rate decrease with fall in BP <b>Lungs, Thorax, or Respiration</b> Other changes	RTECS

**STOT - repeated exposure**

Based on available data, the classification criteria are not met.

**Mixture**

No data available.

**Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

No data available.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Mixture**

No data available.

**Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	67-63-0	-	Group 3	-	X
Sodium hydroxide	1310-73-2	-	-	-	-

**Legend**

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Mixture invitro Data**

No data available.

**Substance invitro Data**

No data available.

**Mixture invivo Data**

No data available.

**Substance invivo Data**

No data available.

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Mixture**

No data available.

**Ingredient Reproductive Toxicity Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat TD <sub>Lo</sub>	32.4 mg/kg	None reported	Effects on Embryo or Fetus Fetal death	RTECS
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat TC <sub>Lo</sub>	7000 mg/L	19 days	Specific Developmental Abnormalities Musculoskeletal system	RTECS

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Based on available data, the classification criteria are not met.

**Unknown aquatic toxicity** 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

**Mixture**

**Aquatic Acute Toxicity**

No data available.

**Aquatic Chronic Toxicity**

No data available.

**Substance**

**Aquatic Acute Toxicity**

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	96 hours	<i>Pimephales promelas</i>	LC <sub>50</sub>	4200 mg/L	IUCLID
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	96 hours	<i>Oncorhynchus mykiss</i>	LC <sub>50</sub>	45.4 mg/L	IUCLID
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	48 Hours	None reported	LC <sub>50</sub>	1400 mg/L	IUCLID
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	48 Hours	<i>Daphnia sp.</i>	EC <sub>50</sub>	40.4 mg/L	IUCLID
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	72 Hours	<i>Scenedesmus subspicatus</i>	EC <sub>50</sub>	> 1000 mg/L	IUCLID

**Aquatic Chronic Toxicity**

No data available.

**Persistence and degradability**

**Mixture**

No data available.

**Mixture**

No data available.

**Partition coefficient**

Not applicable

**Mobility**

**Soil Organic Carbon-Water Partition Coefficient**

Not applicable

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Product Code(s)** 67132  
**Issue Date** 08-Mar-2021  
**Version** 6

**Product Name** Sodium Hydroxide Standard Solution 0.01 N  
**Revision Date** 26-Jan-2024  
**Page** 12 / 15

<b>Waste from residues/unused products</b>	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
<b>US EPA Waste Number</b>	D001
<b>Special instructions for disposal</b>	Do not breathe the fumes. Work in an approved fume hood. Eliminate all sources of ignition. Use only non-sparking tools. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Store in flammable rated container. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

## 14. TRANSPORT INFORMATION

### DOT

<b>UN/ID no</b>	UN1993
<b>Proper shipping name</b>	FLAMMABLE LIQUIDS, N.O.S.
<b>DOT Technical Name</b>	Isopropyl alcohol
<b>Transport hazard class(es)</b>	3
<b>Packing Group</b>	III
<b>Emergency Response Guide Number</b>	128

### TDG

<b>UN/ID no</b>	UN1993
<b>Proper shipping name</b>	FLAMMABLE LIQUID, N.O.S.
<b>TDG Technical Name</b>	Isopropyl alcohol
<b>Transport hazard class(es)</b>	3
<b>Packing Group</b>	III

### IATA

<b>UN number or ID number</b>	UN1993
<b>Proper shipping name</b>	Flammable liquid, n.o.s.
<b>IATA Technical Name</b>	Isopropyl alcohol
<b>Transport hazard class(es)</b>	3
<b>Packing group</b>	III
<b>ERG Code</b>	3L
<b>Description</b>	UN1993, Flammable liquid, n.o.s. (Isopropyl alcohol), 3, III

### IMDG

<b>UN number or ID number</b>	UN1993
<b>Proper shipping name</b>	FLAMMABLE LIQUID, N.O.S.
<b>IMDG Technical Name</b>	Isopropyl alcohol
<b>Transport hazard class(es)</b>	3
<b>Packing Group</b>	III
<b>EmS-No</b>	F-E, S-E
<b>Special Provisions</b>	223, 274, 955
<b>Description</b>	UN1993, FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol), 3, III, (57°C C.C.)

**Note:** No special precautions necessary.

### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following:

Product Code(s) 67132  
 Issue Date 08-Mar-2021  
 Version 6

Product Name Sodium Hydroxide Standard Solution 0.01 N  
 Revision Date 26-Jan-2024  
 Page 13 / 15

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.  
 If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

### National Inventories

TSCA Complies  
 DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### International Inventories

EINECS/ELINCS Complies  
 ENCS Complies  
 IECSC Complies  
 KECL Complies  
 PICCS Complies  
 TCSI Complies  
 AICS Complies  
 NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 TCSI - Taiwan Chemical Substances Inventory  
 AICS - Australian Inventory of Chemical Substances  
 NZIoC - New Zealand Inventory of Chemicals

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard Yes  
 Chronic Health Hazard Yes  
 Fire hazard Yes  
 Sudden release of pressure hazard No  
 Reactive Hazard No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	X

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
---------------	--------------------------	----------------	--------------------------

**Product Code(s)** 67132  
**Issue Date** 08-Mar-2021  
**Version** 6

**Product Name** Sodium Hydroxide Standard Solution 0.01 N  
**Revision Date** 26-Jan-2024  
**Page** 14 / 15

Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
-------------------------------	---------	---	---

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

**U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Isopropyl alcohol	180.0950	-
Sodium hydroxide	180.0910	21 CFR 184.1763

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

**Special Comments**

None

**Additional information**

**Global Automotive Declarable Substance List (GADSL)**

Not applicable

**NFPA and HMIS Classifications**

<b>NFPA</b>	<b>Health hazards</b> - 3	<b>Flammability</b> - 2	<b>Instability</b> - 0	<b>Physical and chemical properties</b> -
<b>HMIS</b>	<b>Health hazards</b> - 3	<b>Flammability</b> - 2	<b>Physical hazards</b> - 0	<b>Personal protection</b> - X -1

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

**Product Code(s)** 67132  
**Issue Date** 08-Mar-2021  
**Version** 6

**Product Name** Sodium Hydroxide Standard Solution 0.01 N  
**Revision Date** 26-Jan-2024  
**Page** 15 / 15

HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

**Prepared By** Hach Product Compliance Department

**Issue Date** 08-Mar-2021

**Revision Date** 26-Jan-2024

**Revision Note** SDS sections updated  
2

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY©2023

**End of Safety Data Sheet**