Page: 1/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

1 Identification

· Product identifier

· Trade name: Isopropanol (Isopropyl Alcohol),

· Product code: IP1005-G

• **CAS Number:** 67-63-0

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific 860 Gitts Run Road,

Hanover, PA 17331 (717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS02 GHS07

· Signal word: Danger

· Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements:

(Cont'd. on page 2)

Page: 2/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

	(Cont'd. of page 1)
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 	-

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- Chemical characterization: Substances
- · CAS No. Description 67-63-0 Propan-2-ol

4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Dizziness

Coughing

Causes eye irritation.

Vision disorders.

(Cont'd. on page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 2)

Breathing difficulty

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Acidosis

Blindness

Disorientation

Unconsciousness

· Danger:

May cause drowsiness or dizziness.

Danger of impaired breathing.

Causes mild skin irritation.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Carbon dioxide

Gaseous extinguishing agents

Water fog / haze

Water spray

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions Avoid release to the environment.
- · Methods and material for containment and cleaning up

(Cont'd. on page 4)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 3)

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

·Handling

Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

· Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep containers tightly sealed.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:						
67-63-0 Propan-2-ol						
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm					
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm					
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI					
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm					
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm					
	(Contid on noce E)					

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 4)

LMPE (Mexico) Short-term value: 400 ppm

Long-term value: 200 ppm

A4, ÎBE

· Ingredients with biological limit values:

67-63-0 Propan-2-ol

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: In case of inadequate ventilation wear respiratory protection.
- · Protection of hands:



Protective gloves

· Material of gloves

Laminated film gloves.

Natural rubber, NR

Neoprene gloves

Butyl rubber, BR

- · Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance:

Form: Fluid
Color: Clear

Odor: Alcohol-like
Odor threshold: Not determined.

(Cont'd. on page 6)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

	(Cont'd. of page
· pH-value: · Melting point/Melting range: · Boiling point/Boiling range:	Not determined. -89.5 °C (-129.1 °F) 82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits Lower: Upper: Oxidizing properties:	2 Vol % 12 Vol % Non-oxidizing.
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate:	0.79 g/cm³ (6.59 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	1 g/l
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity Dynamic at 20 °C (68 °F): Kinematic: · Other information	2.43 mPas Not determined. No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Highly flammable liquid and vapor.

Reacts with oxidizing agents.

Reacts with strong acids.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 6)

Under fire conditions only: Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 v	/LC50 values that are relevant for classification:					
67-63-0 Propan-2-ol						
Oral	LD50	5045 mg/kg (rat)				
Dermal	LD50	12800 mg/kg (rabbit)				
Inhalative	LC50/4h	30 mg/l (rat)				

- · Primary irritant effect:
- · On the skin: Slight irritant effect on skin and mucous membranes.
- · On the eye: Irritating effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

Substance is not listed.

· NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause drowsiness or dizziness.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 7)

• Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

1 Transport information				
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1219			
UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA	Isopropanol ISOPROPANOL (ISOPROPYL ALCOHOL)			
Transport hazard class(es)	(
DOT				
Comment on 1				
Class	3			
Label	3			
ADR/RID/ADN				
Class	3 (F1)			
Label	3			
IMDG, IATA				
Class	3			
Label	3			
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II			

Page: 9/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 8)

• Environmental hazards Not applicable.

· Special precautions for user Warning: Flammable liquids

Hazard identification number (Kemler code): 33

· EMS Number: F-E,S-D

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

- · TSCA (Toxic Substances Control Act)
- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

3

Canadian Domestic Substances List (DSL):

Substance is not listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 16, 2020

Trade name: Isopropanol (Isopropyl Alcohol),

(Cont'd. of page 9)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers