

SAFETY DATA SHEET

Issue Date 15-Mar-2021 Revision Date 10-Feb-2025 Version 4.2 Page 1 / 15

1. IDENTIFICATION

Product identifier

Product Name Bleaching 3 Reagent

Other means of identification

Product Code(s) 1429449

Safety data sheet number M00068

UN/ID no UN3260

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis. Determination of aluminum.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

EN / EGHS Page 1 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 2 / 15



Hazard statements

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Precautionary statements

P271 - Use only outdoors or in a well-ventilated area

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Other Hazards Known

May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Chemical nature Mixture of inorganic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Tetrasodium pyrophosphate	7722-88-5	50 - 60%	-
Potassium pyrosulfate	7790-62-7	40 - 50%	-
Magnesium sulfate	7487-88-9	1 - 5%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way

EN / EGHS Page 2 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 3 / 15

valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products Sulfur oxides. Phosphorus oxides.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not

EN / EGHS Page 3 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 4 / 15

breathe dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Tetrasodium pyrophosphate CAS#: 7722-88-5	-	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations

Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

substance at the specific workplace.

Individual protection measures, such as personal protective equipment

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Ensure

EN / EGHS Page 4 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 5 / 15

adequate ventilation. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Hand Protection Wear suitable gloves. Impervious gloves. Barrier creams may help to protect the exposed

areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN

374-1:2016.

Eye/face protection Face protection shield.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

white

Avoid breathing dust/fume/gas/mist/vapors/spray.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color

Information on basic physical and chemical properties

Physical state

Solid

Appearance powder

Odor Irritating Odor threshold No information available

Property Values Remarks • Method

Molecular weight No data available

pH 3.85 5% Solution

Melting point / freezing point = $210 \, ^{\circ}\text{C} \, / \, 410 \, ^{\circ}\text{F}$

Initial boiling point and boiling range No data available

Evaporation rate Not applicable

Vapor pressure Not applicable

Relative vapor density No data available

Specific gravity - VALUE 1 2.48

Partition coefficient log K_{ow} ~ 0

Soil Organic Carbon-Water Partition

Coefficient

log K₀c ~ 0

Autoignition temperature No data available

Decomposition temperatureNo data available

Dynamic viscosity Not applicable

Kinematic viscosity Not applicable

EN / EGHS Page 5 / 15

Product Name Bleaching 3 Reagent Revision Date 10-Feb-2025 Page 6 / 15

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Corrosive to metals

Steel Corrosion Rate0.03 mm/yr/ 0 in/yrAluminum Corrosion Rate0.41 mm/yr/ 0.02 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Tetrasodium pyrophosphate	7722-88-5	No data available	-
Potassium pyrosulfate	7790-62-7	No data available	-
Magnesium sulfate	7487-88-9	No data available	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable. None under normal use conditions.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

EN / EGHS Page 6 / 15

Product Name Bleaching 3 Reagent Revision Date 10-Feb-2025

Page 7 / 15

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials

Acids. Bases. Oxidizing agent.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Phosphorus oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Harmful if inhaled

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Tetrasodium	Rat	2980 mg/kg	None reported	None reported	RTECS
pyrophosphate	LD ₅₀				
(50 - 60%)					
CAS#: 7722-88-5					

Dermal Exposure Route

EN / EGHS Page 7 / 15

Product Name Bleaching 3 Reagent Revision Date 10-Feb-2025

Page 8 / 15

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Tetrasodium pyrophosphate (50 - 60%) CAS#: 7722-88-5	Rabbit LD ₅₀	> 2000 mg/kg	None reported	None reported	RTECS

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium pyrosulfate (40 - 50%) CAS#: 7790-62-7	Rat LC ₅₀	0.375 mg/L	4 hours	Upper Respiratory Tract lesions	ECHA

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	4,970.20 mg/kg
ATEmix (inhalation-dust/mist)	1.04 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Tetrasodium pyrophosphate (50 - 60%) CAS#: 7722-88-5	Patch test	Rabbit	500 mg	None reported	Not corrosive or irritating to skin	ECHA
Potassium pyrosulfate (40 - 50%) CAS#: 7790-62-7	OECD Test 431: In Vitro Skin Corrosion: Reconstructed Human Epidermis (Rhe) Test Method	bio-barrier membrane	None reported	None reported	Corrosive to skin	Outside testing

<u>Serious eye damage/irritation</u>
Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

EN / EGHS Page 8 / 15

Product Name Bleaching 3 Reagent Revision Date 10-Feb-2025 Page 9 / 15

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Tetrasodium pyrophosphate (50 - 60%) CAS#: 7722-88-5	Standard Draize Test	Rabbit	95 mg	4 hours	Corrosive to eyes	ECHA
Potassium pyrosulfate (40 - 50%) CAS#: 7790-62-7	None reported	None reported	None reported	None reported	Corrosive to eyes	Vendor SDS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

May cause respiratory irritation.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Tetrasodium	7722-88-5	=	-	=	-
pyrophosphate					
Potassium pyrosulfate	7790-62-7	-	-	-	-
Magnesium sulfate	7487-88-9	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Germ cell mutagenicity

EN / EGHS Page 9 / 15

Product Name Bleaching 3 Reagent Revision Date 10-Feb-2025 Page 10 / 15

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

No data available.

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Potassium pyrosulfate (40 - 50%) CAS#: 7790-62-7	96 hours	Oncorhynchus mykiss	LC50	420 mg/L	ERMA
Magnesium sulfate (1 - 5%) CAS#: 7487-88-9	96 hours	Gambusia affinis	LC50	15500 mg/L	IUCLID

Crustacea

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data

EN / EGHS Page 10 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 11 / 15

Potassium pyrosulfate	48 Hours	Daphnia magna	EC ₅₀	140 mg/L	ERMA
(40 - 50%)		-			
CAS#: 7790-62-7					

Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Magnesium sulfate (1 - 5%)	72 Hours	Scenedesmus subspicatus	EC ₅₀	2700 mg/L	IUCLID
CAS#: 7487-88-9					

Aquatic Chronic Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Tetrasodium pyrophosphate (50 - 60%) CAS#: 7722-88-5	48 hours	Leuciscus idus	LC	1500 mg/L	IUCLID

Persistence and degradability

Mixture

No data available.

Bioaccumulation

Material does not bioaccumulate

Mixture

No data available.

Partition coefficient $\log K_{ow} \sim 0$

Mobility

Soil Organic Carbon-Water Partition Coefficient

log Koc ~ 0

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002

Special instructions for disposal If pe

If permitted by regulation. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Dispose of material in

EN / EGHS Page 11 / 15

Product Name Bleaching 3 Reagent Revision Date 10-Feb-2025

Page 12 / 15

an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3260

Proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

DOT Technical Name Potassium pyrosulfate

Transport hazard class(es) **Packing Group** Ш **Emergency Response Guide** 154

Number

TDG

UN/ID no UN3260

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

TDG Technical Name Potassium pyrosulfate

Transport hazard class(es) **Packing Group** Ш

IATA

UN number or ID number UN3260

Corrosive solid, acidic, inorganic, n.o.s. Proper shipping name

IATA Technical Name Potassium pyrosulfate

Transport hazard class(es) Packing group Ш **ERG Code** 8L **Special Provisions** A3, A803

IMDG

UN number or ID number UN3260

Proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

IMDG Technical Name Potassium pyrosulfate

Transport hazard class(es) 8 **Packing Group** Ш F-A, S-B **EmS-No Special Provisions** 274

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

For Inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

TSCA Complies **DSL/NDSL** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

Complies **EINECS/ELINCS ENCS** Complies Complies **IECSC** Complies **KECI**

EN / EGHS Page 12 / 15

Revision Date 10-Feb-2025

Product Name Bleaching 3 Reagent

Page 13 / 15

PICCS Complies **TCSI** Complies **AICS** Complies **NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Tetrasodium pyrophosphate	X	X	X
7722-88-5			

U.S. EPA Label Information

Chemical name	FIFRA	FDA	
Tetrasodium pyrophosphate	180.0910	21 CFR 182.70,21 CFR 182.6789	
Magnesium sulfate	-	21 CFR 184.1443	

EN / EGHS Page 13 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 14 / 15

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Magnesium sulfate	Declarable Substance (FI)	1 %
7487-88-9		0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
				X
				- I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA Environmental Protection Agency

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA Occupational Safety and Health Administration of the US Department of Labor

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

EN / EGHS Page 14 / 15

Product Name Bleaching 3 Reagent **Revision Date** 10-Feb-2025

Page 15 / 15

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

 Issue Date
 15-Mar-2021

 Revision Date
 10-Feb-2025

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

End of Safety Data Sheet

EN / EGHS Page 15 / 15