Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

· · · · · · · · · · · · · · · · · · ·
1 Identification
· Product identifier
 Trade name: <u>Mercuric Nitrate Titrant, 0.141N</u> Product code: MN9340-P
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291
 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 2 H330 Fatal if inhaled. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:



· Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H302 Harmful if swallowed. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. Precautionary statements:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

Trade name: Mercuric Nitrate Titrant, 0.141N

		(Cont'd. of page 1)
P234	Keep only in original container.	
P260	Do not breathe mist/vapors/spray.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.	
P330	Rinse mouth.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P314	Get medical advice/attention if you feel unwell.	
P390	Absorb spillage to prevent material damage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant inner liner.	
	Dispose of contents/container in accordance with local/regional/nationaregulations.	al/international
	ards There are no other hazards not otherwise classified that have been identi	fied.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7783-34-8 Mercury dinitrate			
 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 			
7697-37-2 Nitric acid	0.45%		
🔞 Ox. Liq. 2, H272			
Acute Tox. 3, H331			
🍐 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318			
7732-18-5 Water	97.05%		
Additional information			

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Take affected persons out into the fresh air.

• After inhalation:

Supply fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a doctor.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

Trade name: Mercuric Nitrate Titrant, 0.141N (Cont'd. of page 2) · After skin contact: Immediately rinse with water. If skin irritation is experienced, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Methaemoglobinaemia Breathing difficulty Coughing Danger: May cause neurotoxic effects. Harmful if swallowed. Harmful if inhaled. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

• Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Substance/product is oxidizing when dry.

• Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Neutralized material is an oxidizer.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

Trade name: Mercuric Nitrate Titrant, 0.141N

(Cont'd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires:

Substance/product is oxidizing when dry.

Substance/product can reduce the ignition temperature of flammable substances.

Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

· Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.


7783-34-8 Mercury dinitrate		
	Long-term value: 0.1 mg/m ³	
	as Hg; see OSHA standard interpretation	

	as Hg; see OSHA standard interpretation memo	
REL (USA)	Long-term value: 0.05* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin	
TLV (USA)	Long-term value: 0.025 mg/m³ as Hg; Skin; BEI	
EL (Canada)	Long-term value: 0.025 mg/m³ as Hg; Skin, R	
EV (Canada)	Long-term value: 0.025 mg/m³ as Hg, Skin	
LMPE (Mexico)	Long-term value: 0.025 mg/m³ A4, PIEL, IBE; como Hg	
· Ingredients with biological limit values:		
7783-34-8 Mercury dinitrate		
1	(Contid on norro E)	

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020



 Appearance: 	:
Form:	
Color:	
· Odor:	
	ماما

· Odor: · Odor threshold:	Odorless Not determined.	
 pH-value: Melting point/Melting range: Boiling point/Boiling range: 	Not determined. <0 °C (<32 °F) >100 °C (>212 °F)	
· Flash point:	The product is not flammable.	
		(Cont'd. on page 6)

Liquid Colorless

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

		(Cont'd. of page
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Contains oxidizing agent.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.05 g/cm³ (8.76 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong alkali.

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid No relevant information available.

[·] Incompatible materials

Alkalis

Metals.

[•] Hazardous decomposition products

Under fire conditions only: Mercury oxides.

Nitrogen oxides

11 Toxicological information

(Cont'd. on page 7)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

		(Cont'd. of
Informati	on on to	oxicological effects
Acute toxi		
Harmful if s Harmful if i		d.
		at are relevant for classification:
		y Estimate)
•	LD50	1040 mg/kg (rat)
		>1.99 mg/l
7783-34-8	Morcury	dinitrate
	LD50	26 mg/kg (rat)
	LD50	75 mg/kg (rat)
7697-37-2	Nitric ac	
Inhalative	LC50/4h	>2.65 mg/l (rat)
None of the	e ingredie	I Agency for Research on Cancer): ents are listed. icology Program):
•		ents are listed.
		tional Safety & Health Administration):
	• •	ents are listed.
	<u> </u>	
None of the	oute(s) (di exposule.
None of the Probable Ingestion.	route(s) (bi exposure.
None of the Probable Ingestion. Inhalation.		or exposure.
None of the Probable Ingestion. Inhalation. Eye contact	rt.	or exposure.
None of the Probable of Ingestion. Inhalation. Eye contac Skin conta Acute effe	ot. ct. cts (acu t	te toxicity, irritation and corrosivity): Harmful if swallowed or if inhaled.
None of the Probable I Ingestion. Inhalation. Eye contac Skin conta Acute effe Repeated	et. ct. cts (acut dose tox	te toxicity, irritation and corrosivity): Harmful if swallowed or if inhaled. Aricity: Danger of very serious irreversible effects.
None of the Probable of Ingestion. Inhalation. Eye contac Skin conta Acute effe Repeated Germ cell	ct. cts (acut dose tox mutager	te toxicity, irritation and corrosivity): Harmful if swallowed or if inhaled. cicity: Danger of very serious irreversible effects. nicity: Based on available data, the classification criteria are not met.
None of the Probable of Ingestion. Inhalation. Eye contac Skin conta Acute effe Repeated Germ cell Carcinoge	ct. cts (acut dose tox mutager nicity: B	te toxicity, irritation and corrosivity): Harmful if swallowed or if inhaled. (icity: Danger of very serious irreversible effects. hicity: Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met.
None of the Probable of Ingestion. Inhalation. Eye contac Skin conta Acute effe Repeated Germ cell Carcinoge Reproduc	t. cts (acut dose tox mutager nicity: B tive toxic	te toxicity, irritation and corrosivity): Harmful if swallowed or if inhaled. cicity: Danger of very serious irreversible effects. nicity: Based on available data, the classification criteria are not met.
None of the Probable of Ingestion. Inhalation. Eye contac Skin conta Acute effe Repeated Germ cell Carcinoge Reproduc STOT-sing STOT-repo	ct. cts (acut dose tox mutager micity: B tive toxic gle expose eated exp	te toxicity, irritation and corrosivity): Harmful if swallowed or if inhaled. cicity: Danger of very serious irreversible effects. hicity: Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. city: Based on available data, the classification criteria are not met.

[·] Toxicity

· Aquatic toxicity No relevant information available.

• Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

Trade name: Mercuric Nitrate Titrant, 0.141N

(Cont'd. of page 7)

[•] Additional ecological information

· General notes:

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[•] Uncleaned packagings

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric ac Mercuric nitrate)
· ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (NITRIC ACID, MERCURIC NITRATE ENVIRONMENTALLY HAZARDOUS Not regulated.
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (NITRIC ACID, MERCURIC NITRATE)
Transport hazard class(es)	
· DOT	
· Class · Label	8 8
ADR/RID/ADN	
	(Cont'd. on pag

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

Trade name: Mercuric Nitrate Titrant, 0.141N		
	(Cont'd. of page 8)	
Class	8 (C1)	
·Label	8	
· IMDG, IATA		
· Class · Label	8 8	
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	111	
· Environmental hazards	Not applicable.	
• Special precautions for user	Warning: Corrosive substances	
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	of Not applicable.	
15 Regulatory information		
 Safety, health and environmental regul mixture United States (USA) SARA 	ations/legislation specific for the substance or	
· Section 302 (extremely hazardous substance	s):	
None of the ingredients are listed.		
· Section 313 (Specific toxic chemical listings):		
None of the ingredients are listed.		
• TSCA (Toxic Substances Control Act)		
All ingredients are listed or exempt.		
 Proposition 65 (California) 		
Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity for females:		
None of the ingredients are listed.		
Chemicals known to cause developmental to	xicity for males:	
None of the ingredients are listed.		
Chemicals known to cause developmental to	xicity:	
7783-34-8 Mercury dinitrate		
• EPA (Environmental Protection Agency):		
7783-34-8 Mercury dinitrate		
• IARC (International Agency for Research on 0	Jancer):	

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 13, 2020

Trade name: Mercuric Nitrate Titrant, 0.141N

(Cont'd. of page 9)

7783-34-8 Mercury dinitrate

Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Liq. 2: Oxidizing liquids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com