

SAFETY DATA SHEET

Issue Date 07-Apr-2021 Revision Date 10-Feb-2025 Version 4.9 Page 1 / 18

1. IDENTIFICATION

Product identifier

Product Name High Range Plus COD Reagent 200-15,000 mg/L

Other means of identification

Product Code(s) 2415915

Safety data sheet number M00525

UN/ID no UN3264

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Determination of Chemical Oxygen Demand.

Uses advised against

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER. Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

EN / EGHS Page 1 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 2 / 18

Label elements

Signal word

Danger



Hazard statements

- H290 May be corrosive to metals
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H340 May cause genetic defects
- H350 May cause cancer
- H361 Suspected of damaging fertility or the unborn child
- H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

- P270 Do not eat, drink or smoke when using this product
- P501 Dispose of contents/ container to an approved waste disposal plant
- P405 Store locked up
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves, protective clothing, eye protection, and face protection
- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor/physician
- P363 Wash contaminated clothing before reuse
- P272 Contaminated work clothing should not be allowed out of the workplace
- P201 Obtain special instructions before use
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P273 Avoid release to the environment
- P391 Collect spillage
- P234 Keep only in original container
- P390 Absorb spillage to prevent material damage

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

EN / EGHS Page 2 / 18

mg/L

Deta 07 Apr 2024

 Issue Date
 07-Apr-2021
 Revision Date
 10-Feb-2025

 Version
 4.9
 Page
 3 / 18

Mixture

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	60 - 70%	-
Sulfuric acid, mercury(II) salt	7783-35-9	<1%	-
Sulfuric acid, disilver(1+) salt	10294-26-5	<1%	-
Chromic acid (H2CrO4)	7738-94-5	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to

fresh air.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.

Ingestion Get immediate medical advice/attention. Clean mouth with water and drink afterwards

plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

EN / EGHS Page 3 / 18

mg/L

 Issue Date
 07-Apr-2021
 Revision Date
 10-Feb-2025

 Version
 4.9
 Page
 4 / 18

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

Hazardous combustion products This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should

respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent

product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle product only in closed system or provide appropriate exhaust ventilation. In case of

insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Store away from other materials. Keep containers tightly closed in a

EN / EGHS Page 4 / 18

mg/L

Issue Date 07-Apr-2021 Revision Date 10-Feb-2025

Version 4.9 **Page** 5 / 18

dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Sulfuric acid, mercury(II) salt	TWA: 0.025 mg/m ³ Hg	(vacated) Ceiling: 0.1 mg/m ³	IDLH: 10 mg/m ³ Hg
CAS#: 7783-35-9	Sk*		Ceiling: 0.1 mg/m ³ Hg
			TWA: 0.05 mg/m ³ except
			Organo alkyls Hg vapor
Sulfuric acid, disilver(1+) salt	TWA: 0.01 mg/m ³ Ag	TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³ Ag
CAS#: 10294-26-5		(vacated) TWA: 0.01 mg/m ³	TWA: 0.01 mg/m ³ Ag
Chromic acid (H2CrO4)	-	TWA: 5 µg/m³	TWA: 0.0002 mg/m ³ Cr
CAS#: 7738-94-5		(vacated) Ceiling: 0.1 mg/m ³	
		Ceiling: 0.1 mg/m ³	

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Impervious gloves. Wear suitable gloves.

Eye/face protection Face protection shield.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

General Hygiene Considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow

into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Turbid solution Color light orange aqueous solution

Odor Odorless Odor threshold No data available

EN / EGHS Page 5 / 18

 Issue Date
 07-Apr-2021
 Revision Date
 10-Feb-2025

 Version
 4.9
 Page
 6 / 18

Property Values Remarks • Method

Molecular weight No data available

pH < 0.5

Melting point / freezing point -72 °C / -97.6 °F Initial boiling point and boiling range 99 °C / 210.2 °F

Evaporation rate No data available

Not applicable

Relative vapor density 0.62

Specific gravity - VALUE 1 1.550

Partition coefficient Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Autoignition temperature No data available

Decomposition temperatureNo data available

Dynamic viscosity $\sim 2 \text{ cP (mPa s)}$ at 20 °C / 68 °F

Kinematic viscosity ~ 1.29 cSt (mm²/s) at 20 °C / 68 °F

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature_	
Soluble	> 1000 mg/L	25 °C / 77 °F	

Solubility in other solvents

	Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature_
I	Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other information

Corrosive to metals

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate4.14 mm/yr/ 0.16 in/yrAluminum Corrosion Rate99.6 mm/yr/ 3.92 in/yr

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, mercury(II) salt	7783-35-9	Not applicable	-
Sulfuric acid, disilver(1+) salt	10294-26-5	No data available	-
Chromic acid (H2CrO4)	7738-94-5	No data available	-

EN / EGHS Page 6 / 18

mg/L

Issue Date 07-Apr-2021 Revision Date 10-Feb-2025

Version 4.9 **Page** 7 / 18

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density

10. STABILITY AND REACTIVITY

Reactivity

Corrosive on contact with water. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Acids. Bases. Oxidizing agent.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

EN / EGHS Page 7 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 8 / 18

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Toxic in contact with skin. Corrosive. Causes

severe burns. Avoid contact with skin and clothing.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Coughing and/ or wheezing. Redness. Burning. May cause blindness. Itching. Rashes.

Hives.

Acute toxicity

Harmful if swallowed
Toxic in contact with skin

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, mercury(II) salt (<1%) CAS#: 7783-35-9	None reported	Estimated	None reported	None reported	No information available
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD ₅₀	> 5000 mg/kg	None reported	None reported	No information available
Chromic acid (H2CrO4) (<1%) CAS#: 7738-94-5	Rat LD₅o	80 mg/kg	None reported	Lungs, Thorax, or Respiration Cyanosis Gastrointestinal Hypermotility Diarrhea Skin and Appendages Other changes	RTECS

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, mercury(II) salt (<1%) CAS#: 7783-35-9	None reported	Estimated	None reported	None reported	No information available

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
---------------	----------	----------	----------	-----------------------	-------------------------------

EN / EGHS Page 8 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 9 / 18

	type	dose	time		sources for data
Sulfuric acid,	None reported	Estimated	None reported	None reported	No information available
mercury(II) salt		from			
(<1%)		theoretical			
CAS#: 7783-35-9		calculation			

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	824.60 mg/kg
ATEmix (dermal)	809.07 mg/kg
ATEmix (inhalation-dust/mist)	5.7586 mg/l
ATEmix (inhalation-vapor) No information available	
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (60 - 70%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Sulfuric acid, mercury(II) salt (<1%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (60 - 70%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Sulfuric acid, mercury(II) salt	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS

EN / EGHS Page 9 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 10 / 18

(<1%) CAS#: 7783-35-9						
Sulfuric acid, disilver(1+) salt (<1%)	Standard Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA
CAS#: 10294-26-5						

Respiratory or skin sensitization

May cause sensitization by skin contact.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	in vivo Assay	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (60 - 70%)	Human TD∟₀	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration	RTECS
CAS#: 7664-93-9				Dyspnea	

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA

EN / EGHS Page 10 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 11 / 18

Inhalation (Vapor) Exposure Route

	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
ł	Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
	(60 - 70%)	TCLo		Changes in teeth and supporting		
-	CAS#: 7664-93-9				structures	

Carcinogenicity

Classification based on data available for ingredients. Contains a known or suspected carcinogen.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, mercury(II) salt	7783-35-9	-	Group 3	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5	-	-	-	-
Chromic acid (H2CrO4)	7738-94-5	-	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
	Group 3 - Not Classifiable as to
	Carcinogenicity in Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA	X - Present

Germ cell mutagenicity

Classification based on data available for ingredients. Contains a known or suspected mutagen. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (60 - 70%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative	ECHA

Mixture invivo Data

No data available.

Substance invivo Data

No data available.

EN / EGHS Page 11 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 12 / 18

Reproductive toxicity

Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available
(60 - 70%)	TCLo			Abnormalities	
CAS#: 7664-93-9				Musculoskeletal system	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Chemical name Exposure time			Reported dose	Key literature references and sources for data
			type		
Sulfuric acid,	96 hours	Pimephales promelas	LC50	0.0012 mg/L	ECHA
disilver(1+) salt					
(<1%)					
\ '/					
CAS#: 10294-26-5					
Chromic acid	96 hours	None reported	LC50	0.0031 mg/L	CEPA
(H2CrO4)					
\ /					
(<1%)					
CAS#: 7738-94-5					

Crustacea

	Chemical name	Exposure	Species		Reported dose	Key literature references and
L		time		type		sources for data
	Sulfuric acid,	48 Hours	Daphina magna	LC ₅₀	0.00022 mg/L	ECHA

EN / EGHS Page 12 / 18

Issue Date 07-Apr-2021

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Version 4.9

Page 13 / 18

disilver(1+) salt			
(<1%)			
CAS#: 10294-26-5			

Aquatic Chronic Toxicity

No data available.

Chemical name	Exposure	Species	Endpoint	Reported dose	Key literature references and
	time		type		sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	7 days	Ceriodaphnia dubia	EC ₁₀	0.00248 mg/L	EPA

Persistence and degradability

Mixture

No data available.

Mixture

No data available.

Partition coefficient Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D009, D002

Special instructions for disposal Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose

of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3264

Proper shipping name
DOT Technical Name
Corrosive liquid, acidic, inorganic, n.o.s.
Sulfuric acid, Chromic acid (H2CrO4)

Transport hazard class(es) 8
Packing Group | |

Emergency Response Guide 1

Number

II 154

TDG

UN/ID no UN3264

EN / EGHS Page 13 / 18

mg/L

Issue Date 07-Apr-2021 Revision Date 10-Feb-2025

Version 4.9 Page 14 / 18

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. Sulfuric acid, Chromic acid (H2CrO4) **TDG Technical Name**

Transport hazard class(es) 8 **Packing Group** Ш

IATA

UN number or ID number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. **IATA Technical Name** Sulfuric acid, Chromic acid (H2CrO4)

Transport hazard class(es) Packing group Ш **ERG Code** 8L

A3, A803 **Special Provisions**

IMDG

UN number or ID number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. **IMDG Technical Name** Sulfuric acid, Chromic acid (H2CrO4)

Transport hazard class(es) Packing Group Ш

F-A, S-B **EmS-No Special Provisions** 274

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

For Inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

Complies **TSCA DSL/NDSL** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies **KECI** Complies **PICCS** Complies Complies **TCSI** Complies **AICS NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

EN / EGHS Page 14 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 15 / 18

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Sulfuric acid, disilver(1+) salt (CAS #: 10294-26-5)	1.0
Chromic acid (H2CrO4) (CAS #: 7738-94-5)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Sulfuric acid, mercury(II) salt 7783-35-9	10 lb	Х	-	Х
Sulfuric acid, disilver(1+) salt 10294-26-5	-	Х	-	-
Chromic acid (H2CrO4) 7738-94-5	10 lb	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Sulfuric acid, mercury(II) salt	10 lb	-	RQ 10 lb final RQ
7783-35-9			RQ 4.54 kg final RQ
Chromic acid (H2CrO4)	10 lb	-	RQ 10 lb final RQ
7738-94-5			RQ 4.54 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (60 - 70%)	Not Listed	50 gallon Export Volume (exports, transshipments and international
CAS#: 7664-93-9		transactions to designated countries given in 1310.08(b))

EN / EGHS Page 15 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 16 / 18

Chemical name	TSCA 12(b)
Chromic acid (H2CrO4)	Section 6
(<1%)	
CAS#: 7738-94-5	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Sulfuric acid, mercury(II) salt (CAS #: 7783-35-9)	Developmental
Chromic acid (H2CrO4) (CAS #: 7738-94-5)	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive

WARNING: This product can expose you to chemicals including Sulfuric acid, Chromic acid (H2CrO4), Sulfuric acid, mercury(2+) salt (1:1), which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to http://www.P65Warnings.ca.gov

IMERC: Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	X	X	X
7664-93-9			
Sulfuric acid, mercury(II) salt 7783-35-9	X	X	Х
Sulfuric acid, disilver(1+) salt 10294-26-5	X	-	Х
Chromic acid (H2CrO4) 7738-94-5	X	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

This product contains mercury and may be subject to reporting and recordkeeping requirements

Additional information

Global Automotive Declarable Substance List (GADSL)

EN / EGHS Page 16 / 18

mg/L

Issue Date 07-Apr-2021 Revision Date 10-Feb-2025

Version 4.9 **Page** 17 / 18

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Sulfuric acid, mercury(II) salt	Declarable Substance (LR)	0.0005 %
7783-35-9	Prohibited Substance (LR)	0.1 %
Chromic acid (H2CrO4)	Declarable Substance (LR)	0.1 %
7738-94-5	Prohibited Substance (LR)	3 mg/kg

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
				1 1
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
	- *			X
				- I

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH (American Conference of Governmental Industrial Hygienists)

ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS (Chemical Carcinogenesis Research Information System)

CDC (Center for Disease Control)

CEPA CEPA (Canadian Environmental Protection Agency)

CICAD CICAD (Concise International Chemical Assessment Documents)

ECHA ECHA (The European Chemicals Agency)
EEA EEA (European Environment Agency)
EPA Environmental Protection Agency

ERMA (New Zealands Environmental Risk Management Authority)

ECOSARS Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

FDA (Food & Drug Administration)

GESTIS GESTIS (Information System on Hazardous Substances of the German Social Accident

Insurance)

HSDB (Hazardous Substances Data Bank)

INERIS INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM IPCS INCHEM (International Programme on Chemical Safety)
IUCLID IUCLID (The International Uniform Chemical Information Database)
NITE Japan National Institute of Technology and Evaluation (NITE)

NIH NIH (National Institutes of Health)

NIOSH NIOSH (National Institute for Occupational Safety and Health)
LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

NDF no data

NICNAS Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH IDLH Immediately Dangerous to Life or Health

OSHA Occupational Safety and Health Administration of the US Department of Labor

PEEN (Pan European Ecological Network)

RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS (Screening Information Dataset) for High Volume Chemicals

SYKE The Finnish Environment Institute (SYKE)
USDA USDA (United States Department of Agriculture)
USDC USDC (United States Department of Commerce)

WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for

EN / EGHS Page 17 / 18

Issue Date 07-Apr-2021

Version 4.9

Product Name High Range Plus COD Reagent 200-15,000

mg/L

Revision Date 10-Feb-2025

Page 18 / 18

reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 07-Apr-2021

Revision Date 10-Feb-2025

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2025

End of Safety Data Sheet

EN / EGHS Page 18 / 18