



**Be Right™**

# SAFETY DATA SHEET

Issue Date 01-Sep-2020

Revision Date 10-Feb-2025

Version 3.3

Page 1 / 18

## 1. IDENTIFICATION

### Product identifier

**Product Name** Sulfuric Acid 1.600 ± 0.008 N

### Other means of identification

**Product Code(s)** 1438901

**Safety data sheet number** M00299

**UN/ID no** UN3264

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory Use. Alkalinity determination.

**Uses advised against** Consumer use.

**Restrictions on use** For Laboratory Use Only.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### **Signal word**

Danger

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 2 / 18



#### Hazard statements

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

#### Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves, protective clothing, eye protection, and face protection  
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant  
P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage

#### Other Hazards Known

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

**Chemical Family** Mixture.  
**Chemical nature** aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	<10%	-
Formaldehyde	50-00-0	<0.1%	-
Methanol	67-56-1	<0.1%	-

### 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Burning sensation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous combustion products</b>	This material will not burn.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Flammability class** Not applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic particulate matter	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Formaldehyde CAS#: 50-00-0	TWA: 0.1 ppm STEL: 0.3 ppm dermal sensitizer;respiratory sensitizer	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Methanol CAS#: 67-56-1	TWA: 200 ppm STEL: 250 ppm Sk*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) SKN*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

### Appropriate engineering controls

#### Engineering Controls

Showers  
Eyewash stations  
Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Individual protection measures, such as personal protective equipment

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.

#### Hand Protection

Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

#### Eye/face protection

Face protection shield.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

#### General Hygiene Considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

#### Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

#### Thermal hazards

None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	aqueous solution
Odor	Acidic
Color	colorless
Odor threshold	1 mg/m <sup>3</sup>

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	< 0.5	@ 20 °C
Melting point / freezing point	~ -6 °C / 21.2 °F	
Initial boiling point and boiling range	~ 102 °C / 215.6 °F	
Evaporation rate	No data available	
Vapor pressure	17.177 mm Hg / 2.29 kPa at 20 °C / 68 °F	
Relative vapor density	0.62	
Specific gravity - VALUE 1	1.047	
Partition coefficient	Not applicable	

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 6 / 18

**Soil Organic Carbon-Water Partition Coefficient** Not applicable  
**Autoignition temperature** No data available  
**Decomposition temperature** No data available  
**Dynamic viscosity** ~ 2 cP (mPa s) at 20 °C / 68 °F  
**Kinematic viscosity** ~ 1.91 cSt (mm²/s) at 20 °C / 68 °F

#### Solubility(ies)

##### **Water solubility**

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

##### **Solubility in other solvents**

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### Other information

##### **Corrosive to metals**

Classified as corrosive to metal according to GHS criteria

##### **Steel Corrosion Rate**

2.44 mm/yr / 0.1 in/yr

##### **Aluminum Corrosion Rate**

~ 0.44 mm/yr / ~ 0.02 in/yr

##### **Volatile Organic Compounds (VOC) Content**

See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Formaldehyde	50-00-0	No data available	X
Methanol	67-56-1	100%	X

##### **Explosive properties**

##### **Upper explosion limit**

No data available

##### **Lower explosion limit**

No data available

##### **Flammable properties**

##### **Flash point**

No data available

##### **Flammability Limit in Air**

##### **Upper flammability limit:**

No data available

##### **Lower flammability limit:**

No data available

##### **Oxidizing properties**

No data available.

##### **Bulk density**

No data available

## 10. STABILITY AND REACTIVITY

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 7 / 18

**Reactivity**

Corrosive on contact with water. Corrosive to metal.

**Chemical stability**

Stable under normal conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Possibility of hazardous reactions**

None under normal processing.

**Hazardous polymerization**

None under normal processing.

**Conditions to avoid**

Exposure to air or moisture over prolonged periods.

**Incompatible materials**

Oxidizing agent. Acids. Bases.

**Hazardous decomposition products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Product Information**

**Inhalation**

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

**Eye contact**

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact**

Corrosive. Causes severe burns. Avoid contact with skin and clothing.

**Ingestion**

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms**

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Acute toxicity**

Based on available data, the classification criteria are not met

**Mixture**

No data available.

**Ingredient Acute Toxicity Data**

Test data reported below.

**Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	GESTIS

#### Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS

#### Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	0.578 mg/L	4 hours	None reported	LOLI

#### Inhalation (Vapor) Exposure Route

#### Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

Causes severe burns.

#### Mixture

No data available.

#### Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method	Rabbit	None reported	20 hours	Not corrosive or irritating to skin	ECHA

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 9 / 18

#### **Serious eye damage/irritation**

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

#### **Mixture**

No data available.

#### **Ingredient Eye Damage/Eye Irritation Data**

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method	Rabbit	0.05 mL	24 hours	Not corrosive or irritating to eyes	ECHA

#### **Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Sensitization Data**

Test data reported below.

#### **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA
Methanol (<0.1%) CAS#: 67-56-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

#### **Respiratory Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

#### **STOT - single exposure**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Specific Target Organ Toxicity Single Exposure Data**

Test data reported below.

#### Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD <sub>Lo</sub>	70 mg/kg	None reported	<b>Gastrointestinal</b> <b>Kidney, Ureter, or Bladder</b> <b>Liver</b> Other changes Ulcerated stomach Other changes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	Human LD <sub>Lo</sub>	143 mg/kg	None reported	<b>Lungs, Thorax, or Respiration</b> Dyspnea	RTECS

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Human TD <sub>Lo</sub>	0.144 mg/L	5 minutes	<b>Lungs, Thorax, or Respiration</b> Dyspnea	RTECS
Methanol (<0.1%) CAS#: 67-56-1	Human TC <sub>Lo</sub>	300 mg/L	None reported	<b>Lungs, Thorax, or Respiration</b> Other changes	RTECS

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

#### Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

#### Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Monkey	2340 mg/kg	3 days	None reported	ECHA

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Human TC <sub>Lo</sub>	0.003 mg/L	168 days	<b>Musculoskeletal</b> Changes in teeth and supporting structures	RTECS
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC <sub>Lo</sub>	0.017 mg/L	0.5 days	<b>Eye</b> <b>Lungs, Thorax, or Respiration</b> Lacrimation Other changes	RTECS

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 11 / 18

#### **Ingredient Carcinogenicity Data**

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Formaldehyde	50-00-0	A1	Group 1	Known	X
Methanol	67-56-1	-	-	-	-

#### **Legend**

<b>ACGIH (American Conference of Governmental Industrial Hygienists)</b>	A2 - Suspected Human Carcinogen
<b>IARC (International Agency for Research on Cancer)</b>	Group 1 - Carcinogenic to Humans
<b>NTP (National Toxicology Program)</b>	Known - Known Carcinogen
<b>OSHA</b>	X - Present

#### **Inhalation (Vapor) Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Mixture invitro Data**

No data available.

#### **Substance invitro Data**

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Methanol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS

#### **Mixture invivo Data**

No data available.

#### **Substance invivo Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS

#### **Inhalation (Vapor) Exposure Route**

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
---------------	------	---------	----------	----------	---------	----------------

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 12 / 18

			dose	time		references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Reproductive Toxicity Data**

Test data reported below.

#### **Oral Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Rat TD <sub>Lo</sub>	4118 mg/kg	10 days	<b>Effects on Embryo or Fetus</b> <b>Specific Developmental Abnormalities</b> Ear Eye Fetotoxicity (except death e.g. stunted fetus) Urogenital System	RTECS

#### **Inhalation (Dust/Mist) Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Rat TC <sub>Lo</sub>	0.0026 mg/L	22 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	RTECS

#### **Inhalation (Vapor) Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (<10%) CAS#: 7664-93-9	Rabbit TC <sub>Lo</sub>	0.02 mg/L	7 hours	<b>Specific Developmental Abnormalities</b> Musculoskeletal system	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	40 mg/L	14 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	RTECS

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Based on available data, the classification criteria are not met.

#### **Unknown aquatic toxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

#### **Mixture**

#### **Aquatic Acute Toxicity**

No data available.

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 13 / 18

**Aquatic Chronic Toxicity**  
No data available.

**Substance**

**Aquatic Acute Toxicity**  
Test data reported below.

**Fish**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC <sub>50</sub>	6.7 mg/L	PEEN

**Crustacea**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC <sub>50</sub>	5.8 mg/L	PEEN

**Aquatic Chronic Toxicity**  
No data available.

**Persistence and degradability**

**Mixture**  
No data available.

**Mixture**  
No data available.

**Partition coefficient** Not applicable

**Mobility**

**Soil Organic Carbon-Water Partition Coefficient** Not applicable

**Other adverse effects**  
No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** U154 U122 D002

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 14 / 18

Methanol 67-56-1	-	Included in waste stream: F039	-	U154
---------------------	---	-----------------------------------	---	------

**Special instructions for disposal** Work in an approved fume hood. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

#### 14. TRANSPORT INFORMATION

##### DOT

**UN/ID no** UN3264  
**Proper shipping name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
**DOT Technical Name** Sulfuric acid  
**Transport hazard class(es)** 8  
**Packing Group** III  
**Emergency Response Guide Number** 154

##### TDG

**UN/ID no** UN3264  
**Proper shipping name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
**TDG Technical Name** Sulfuric acid  
**Transport hazard class(es)** 8  
**Packing Group** III

##### IATA

**UN number or ID number** UN3264  
**Proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**IATA Technical Name** Sulfuric acid  
**Transport hazard class(es)** 8  
**Packing group** III  
**ERG Code** 8L

##### IMDG

**UN number or ID number** UN3264  
**Proper shipping name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
**IMDG Technical Name** Sulfuric acid  
**Transport hazard class(es)** 8  
**Packing Group** III  
**EmS-No** F-A, S-B  
**Special Provisions** 223, 274

**Note:** No special precautions necessary.

##### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.  
If the item is part of a reagent set or kit the classification would change to the following:  
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.  
If the item is not regulated, the Chemical Kit classification does not apply.

#### 15. REGULATORY INFORMATION

##### National Inventories

For Inventory status, "complies" means, listed on the inventory, exempted or otherwise complies.

**TSCA** Complies  
**DSL/NDL** Complies

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 15 / 18

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### International Inventories

<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECI</b>	Complies
<b>PICCS</b>	Complies
<b>TCSI</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TCSI** - Taiwan Chemical Substances Inventory  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1
Methanol (CAS #: 67-56-1)	1.0

##### SARA 311/312 Hazard Categories

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

##### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Formaldehyde 50-00-0	100 lb	-	-	X

##### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 16 / 18

Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methanol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues**

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

**U.S. - DEA (Drug Enforcement Administration) List I & List II**

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (<10%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methanol (CAS #: 67-56-1)	Developmental



**WARNING:** This product can expose you to chemicals including Formaldehyde, Methanol, Sulfuric acid, which are known to the State of California to cause cancer or birth defects or reproductive harm.

For more information, go to <http://www.P65Warnings.ca.gov>

**IMERC:** Not applicable

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Formaldehyde 50-00-0	X	X	X
Methanol 67-56-1	X	X	X

**U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Methanol	180.0910	-

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### Special Comments

None

### Additional information

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Formaldehyde 50-00-0	Declarable Substance (FI) Declarable Substance (LR) Prohibited Substance (FI) Prohibited Substance (LR)	0.1 %
Methanol 67-56-1	Declarable Substance (FI) Declarable Substance (LR) Prohibited Substance (FI) Prohibited Substance (LR)	0.6 %

### NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - I

### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	Environmental Protection Agency
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals

**Product Code(s)** 1438901  
**Issue Date** 01-Sep-2020  
**Version** 3.3

**Product Name** Sulfuric Acid 1.600 ± 0.008 N  
**Revision Date** 10-Feb-2025  
**Page** 18 / 18

SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

**Prepared By** Hach Product Compliance Department

**Issue Date** 01-Sep-2020

**Revision Date** 10-Feb-2025

**Revision Note** None

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY ©2025**

**End of Safety Data Sheet**