

# SAFETY DATA SHEET

Issue Date 18-Mar-2021 Revision Date 26-Jan-2024

Version 2.5

Page 1/16

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	Bromcresol Green-Methyl Red Indicator Solution
Other means of identification Product Code(s)	2329232
Safety data sheet number	M00384
UN/ID no	UN1219
Recommended use of the chemical	and restrictions on use
Recommended Use	Laboratory reagent. Indicator for pH.
Uses advised against	Consumer use.

 Restrictions on use
 For Laboratory Use Only.

 Details of the supplier of the safety data sheet

# Manufacturer Address

. . . . ....

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

# Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

Signal word Danger

Product NameBromcresol Green-Methyl Red Indicator SolutionRevision Date26-Jan-2024Page2 / 16



Hazard statements

- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness

## **Precautionary statements**

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- P337 + P313 If eye irritation persists: Get medical attention
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/lighting/equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P403 + P235 Store in a well-ventilated place. Keep cool

# Other Hazards Known

Causes mild skin irritation

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance Not applicable

<u>Mixture</u>

Chemical Family Chemical nature Mixture. No information available.

# Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Isopropyl alcohol	67-63-0	80 - 90%	-
Phenol,	76-60-8	<1%	-

4,4-(1,1-dioxido-3H-2,1-benzoxathio	ol-3-ylidene)bis[2,6-dibromo-3-methyl-					
Potassiu	1310-58-3	<0.1%	-			
4. FIRST AID MEASURES						
Description of first aid measures						
General advice	Show this safety data sheet to the docto	r in attendance.				
Inhalation	IF exposed or concerned: Get medical a	dvice/attention. Remove	to fresh air.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.					
Skin contact	Wash off immediately with soap and pler and shoes.	nty of water while removir	ng all contamin	ated clothes		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.					
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing.					
Most important symptoms and effects, both acute and delayed						
Symptoms	Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.					
Indication of any immediate medical attention and special treatment needed						
Note to physicians Treat symptomatically.						
5. FIRE-FIGHTING MEASURES						
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Wa	ater spray. Alcohol resista	ant foam.			
Unsuitable Extinguishing Media	Caution: Use of water spray when fightir	ng fire may be inefficient.				
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.					
Hazardous combustion products	Carbon monoxide, Carbon dioxide.					
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.					
	6. ACCIDENTAL RELEASE ME	ASURES				

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.			
Other Information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.			
Environmental precautions				
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.			
Methods and material for containment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.			
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with particular national and local regulations.

Flammability class

Class IB

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

**Engineering Controls** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
CAS#: 67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Potassium hydroxide CAS#: 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

Showers
Eyewash stations
Ventilation systems.

#### Individual protection measures, such as personal protective equipment No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory protection** exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols. Hand Protection Impervious gloves. Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016. Barrier creams may help to protect the exposed areas of skin. Eye/face protection Tight sealing safety goggles. Long sleeved clothing. Chemical resistant apron. Antistatic boots. Wear suitable protective Skin and body protection clothing. **General Hygiene Considerations** Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Local authorities should be advised if significant spillages cannot be contained. Do not allow **Environmental exposure controls** into any sewer, on the ground or into any body of water. Thermal hazards None under normal processing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

PropertyValuesRemarks • MethodMolecular weightNo data available	Physical state Appearance Odor	aqueous solution Alcoholic	Liquid	Color Odor threshold	dark green No data available
pH 7 @ 20 °C	Property_			Values	Remarks • Method
	Molecular weight	t		No data available	
Melting point / freezing point -67 °C / -88.6 °F	рН			7	@ 20 °C
	Melting point / fre	ezing point		-67 °C / -88.6 °F	

Initial boiling point and boiling range	79 °C / 174.2 °F
Evaporation rate	5.68 (water = 1)
Vapor pressure	2.175 mm Hg $/$ 0.29 kPa $$ at $$ 25 °C $/$ 77 °F $$
Relative vapor density	1.58
Specific gravity - VALUE 1	0.819
Partition coefficient	Not applicable
Soil Organic Carbon-Water Partition Coefficient	Not applicable
Autoignition temperature	410 °C / 770 °F
Decomposition temperature	No data available
Dynamic viscosity	No data available
Kinematic viscosity	No data available

## Solubility(ies)

## Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### **Other information**

## **Metal Corrosivity**

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

#### Volatile Organic Compounds (VOC) Content See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Isopropyl alcohol	67-63-0	100%	Х
Phenol,	76-60-8	No data available	-
4,4-(1,1-dioxido-3H-2,1-benzoxathiol-3			
-ylidene)bis[2,6-dibromo-3-methyl-			
Potassium hydroxide	1310-58-3	No data available	-

# **Explosive properties**

# Upper explosion limit Lower explosion limit

No data available No data available

**Flammable properties** 

> Flash point Method

Flammability Limit in Air Upper flammability limit: Lower flammability limit:

**Oxidizing properties** 

**Bulk density** 

Product Name Bromcresol Green-Methyl Red Indicator Solution Revision Date 26-Jan-2024 Page 7 / 16

16 °C / 60.8 °F CC (closed cup)

No data available No data available

No data available.

No data available

# **10. STABILITY AND REACTIVITY**

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

Conditions to avoid Heat, flames and sparks.

# Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

#### Hazardous decomposition products

Heating to decomposition releases toxic fumes of carbon monoxide and carbon dioxide.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

### **Product Information**

Inhalation	May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Causes serious eye irritation. May cause redness, itching, and pain.
Skin contact	May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Acute toxicity

Based on available data, the classification criteria are not met

Product NameBromcresol Green-Methyl Red Indicator SolutionRevision Date26-Jan-2024Page8 / 16

#### Mixture

No data available.

**Ingredient Acute Toxicity Data** 

Test data reported below.

### Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Rat LD <sub>50</sub>	4710 mg/kg	None reported	Behavioral General anesthetic	OECD 429: Skin Sensitization: Local Lymph Node Assay
Phenol, 4,4-(1,1-dioxido-3H-2 ,1-benzoxathiol-3-ylid ene)bis[2,6-dibromo- 3-methyl- (<1%) CAS#: 76-60-8	Rat LD₅o	> 3200 mg/kg	None reported	None reported	Vendor SDS
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Rat LD <sub>50</sub>	333 mg/kg	None reported	None reported	Vendor SDS

#### Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Rabbit LD₅₀	4059 mg/kg	None reported	None reported	LOLI

# Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Rat LC50	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS

#### **Unknown Acute Toxicity**

0.01% of the mixture consists of ingredient(s) of unknown toxicity.

#### **Acute Toxicity Estimations (ATE)**

## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

	EN	1	AGHS	
--	----	---	------	--

# Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Standard Draize Test	Human	50 mg	24 hours	Corrosive to skin	RTECS

### Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

#### Mixture

No data available.

# Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Existing human experience	Human	None reported	None reported	Corrosive to eyes	ERMA

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

# **Ingredient Sensitization Data**

Test data reported below.

#### **Skin Sensitization Exposure Route**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Intracuteaneus Test	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID

#### STOT - single exposure

May cause drowsiness or dizziness.

#### Mixture

No data available.

## Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

# Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Human TD∟₀	223 mg/kg	None reported	Behavioral Hallucinations, Distorted perceptions Cardiac Pulse rate decrease with fall in BP Vascular BP lowering not characterized in autonomic section	RTECS

## Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Human TC∟₀	35 mg/L	4 hours	Cardiac Pulse rate decrease with fall in BP Lungs, Thorax, or Respiration Other changes	RTECS

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

# Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

## Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	67-63-0	-	Group 3	-	Х
Phenol,	76-60-8	-	-	-	-
4,4-(1,1-dioxido-3H-2,1-be					
nzoxathiol-3-ylidene)bis[2,					
6-dibromo-3-methyl-					
Potassium hydroxide	1310-58-3	-	-	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

# Germ cell mutagenicity

Product Name Bromcresol Green-Methyl Red Indicator Solution Revision Date 26-Jan-2024 Page 11 / 16

Based on available data, the classification criteria are not met.

**Mixture** invitro **Data** No data available.

#### **Substance** invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	Cytogenetic analysis	Rat ascites tumor	1800 mg/kg	None reported	Positive test result for mutagenicity	RTECS

# Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

## Inhalation (Dust/Mist) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS

## **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### Mixture

No data available.

## Ingredient Reproductive Toxicity Data

Test data reported below.

#### Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	Rat TD∟₀	32.4 mg/kg	None reported	Effects on Embryo or Fetus Fetal death	RTECS

## Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol	Rat	7000 mg/L	19 days	Specific Developmental	RTECS
(80 - 90%)	TCLo			Abnormalities	
CAS#: 67-63-0				Musculoskeletal system	

# Aspiration hazard

Based on available data, the classification criteria are not met.

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Based on available data, the classification criteria are not met.

Product NameBromcresol Green-Methyl Red Indicator SolutionRevision Date26-Jan-2024Page12 / 16

Unknown aquatic toxicity

0.01% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

#### <u>Mixture</u>

Aquatic Acute Toxicity No data available.

#### Aquatic Chronic Toxicity No data available.

#### Substance

# **Aquatic Acute Toxicity**

Test data reported below.

#### Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	96 hours	Pimephales promelas	LC50	4200 mg/L	IUCLID
Potassium hydroxide (<0.1%) CAS#: 1310-58-3	96 hours	Gambusia affinis	LC₅0	80 mg/L	ERMA

## Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (80 - 90%) CAS#: 67-63-0	48 Hours	None reported	LC50	1400 mg/L	IUCLID

#### Algae

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
lsopropyl alcohol (80 - 90%) CAS#: 67-63-0	72 Hours	Scenedesmus subspicatus	EC50	> 1000 mg/L	IUCLID

Not applicable

Not applicable

# Aquatic Chronic Toxicity

No data available.

## Persistence and degradability

Mixture No data available.

**Mixture** No data available.

#### Partition coefficient

**Mobility** 

Soil Organic Carbon-Water Partition Coefficient

## Other adverse effects

No information available

	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.
US EPA Waste Number	D001
Special instructions for disposal	Incinerate material at an E.P.A. approved hazardous waste facility.
	14. TRANSPORT INFORMATION
DOT UN/ID no Proper shipping name Transport hazard class(es) Packing Group Emergency Response Guide Number	UN1219 Isopropanol Solution 3 II 129
<u>TDG</u> UN/ID no Proper shipping name Transport hazard class(es) Packing Group	UN1219 Isopropanol Solution 3 II
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group ERG Code	UN1219 Isopropanol Solution 3 II 129
IMDG UN number or ID number Proper shipping name Transport hazard class(es) Packing Group Marine pollutant	UN1219 Isopropanol Solution 3 II This material meets the definition of a marine pollutant

# Additional information

EN / AGHS

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

# 15. REGULATORY INFORMATION

National Inventories				
TSCA	Complies			

DSL/NDSL

Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIOC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TCSI - Taiwan Chemical Substances Inventory AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0
SARA 311/312 Hazard Categories Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard	Yes No Yes No No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

# US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

**IMERC:** Not applicable

# U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	Х	X	Х
Potassium hydroxide 1310-58-3	Х	X	Х

#### U.S. EPA Label Information

Chemical name	FIFRA	FDA
Isopropyl alcohol	180.0950	-
Potassium hydroxide	180.0910	21 CFR 184.1631

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

# Special Comments

None

## Additional information

#### Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 3	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 3	Physical hazards - 0	Personal protection -
				- I

## Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
	Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)

NITE NIH	Japan National Institute of Technology and Evaluation (NITE) NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weight	ed average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowat	ble Concentration	Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliane	ce Department	
Issue Date		18-Mar-2021		
Revision Date		26-Jan-2024		
<b>Revision Note</b>		SDS sections updated 2		

#### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet