



# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 04-Jul-2005

Revision Date 08-Oct-2024

Version 4.3

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Code(s)** 2659842  
**Product Name** StablCal® Standard, 1.0 NTU  
**Unique Formula Identifier (UFI)** VYC1-H82G-5303-W6Y0  
**Molecular weight** Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory Use. Standard solution.  
**Uses advised against** Consumer use

### 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

HACH LANGE GmbH  
Willstätterstr. 11  
D-40549 Düsseldorf  
Tel: +49 (0)211 5288-383  
sds@hach.com

Responsible country contact:

HACH UK  
Laser House  
Ground Floor, Suite B  
Waterfront Quay, Salford Quays  
GB - Manchester, M50 3XW  
Tel. +44 (0) 161 872 1487  
info-uk@hach.com

HACH Ireland  
Unit 34 GB Business Park  
Little Island  
IRL-Co. Cork  
T45 H681  
Tel. +353 (0)146 02 522  
info-ie@hach.com

### 1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798  
IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

## Section 2: HAZARDS IDENTIFICATION

## **2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

<b>Respiratory sensitisation</b>	Category 1 - (H334)
<b>Skin sensitisation</b>	Category 1 - (H317)

## **2.2. Label elements**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Methenamine



### **Signal word**

Danger

### **Hazard statements**

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

EUH208 - Contains Formaldehyde May produce an allergic reaction.

### **Precautionary statements**

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P321 - Specific treatment (see .? on this label)

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor

P501 - Dispose of contents/ container to an approved waste disposal plant

## **2.3. Other hazards**

No information available.

### **PBT & vPvB**

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1 Substances**

Not applicable

### **3.2 Mixtures**

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Methenamine	100-97-0 202-905-8 612-101-00-2	<10%	Flam. Sol. 2 - H228 Skin Sens. 1 - H317 Resp. Sens. 1 - H334		-	-
Formaldehyde	50-00-0 200-001-8 605-001-00-5	<0.1%	Acute Tox. 3 - H301 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Eye Dam. 1 - H318 Acute Tox. 3 - H331 Muta. 2 - H341 Carc. 1B - H350 STOT SE 3 - H335	Eye Irrit. 2 :H319: 5%≤C<25% Skin Corr. 1B :H314: C≥25% Skin Irrit. 2 :H315: 5%≤C<25% Skin Sens. 1 :H317: C≥0.2% STOT SE 3 :H335: C≥5%	-	-

**Full text of H- and EUH-phrases: see section 16**Acute Toxicity Estimate

No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Formaldehyde 50-00-0	100 mg/kg	270 mg/kg	0.578 mg/L	None reported	None reported

**Section 4: FIRST AID MEASURES****4.1. Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance.

**Inhalation**

May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.

**Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.

**Skin contact**

Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

**Ingestion**

Induce vomiting, but only if victim is fully conscious. May produce an allergic reaction. Do

NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** May cause sensitisation in susceptible persons. Treat symptomatically.

### **Section 5: FIREFIGHTING MEASURES**

#### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

#### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.

**Hazardous combustion products** This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides (NOx).

#### **5.3. Advice for firefighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Additional information** Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**For emergency responders** Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

### 7.3. Specific end use(s)

**Specific use(s)** Standard solution. Water Analysis.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	United Kingdom	Ireland
Formaldehyde 50-00-0	TWA: 0.37 mg/m <sup>3</sup> TWA: 0.62 mg/m <sup>3</sup> TWA: 0.3 ppm TWA: 0.5 ppm STEL: 0.74 mg/m <sup>3</sup> STEL: 0.6 ppm + Sk*	TWA: 2 ppm TWA: 2.5 mg/m <sup>3</sup> STEL: 2 ppm STEL: 2.5 mg/m <sup>3</sup>	TWA: 0.3 ppm TWA: 0.5 ppm TWA: 0.37 mg/m <sup>3</sup> TWA: 0.62 mg/m <sup>3</sup> STEL: 0.6 ppm STEL: 0.738 mg/m <sup>3</sup> STEL: 0.62 mg/m <sup>3</sup> Sens+

**Derived No Effect Level (DNEL) - Workers** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering controls** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Personal protective equipment**  
**Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Hand protection**

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III acco. Wear suitable gloves.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes
Short term	Wear protective nitrile rubber gloves	0,20 mm	>30 minutes

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Recommended filter type:** ABEK-P3.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical state** Liquid  
**Colour** Milky white  
**Odour** Odourless.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	0 °C	
<b>Initial boiling point and boiling range</b>	100 °C	
<b>Flammability</b>	No data available	
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	No data available	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>pH</b>	8.14	@ 20 °C
<b>Kinematic viscosity</b>	No data available	
<b>Dynamic viscosity</b>	No data available	
<b>Partition coefficient</b>	No data available	
<b>Vapour pressure</b>	2.33 kPa at 20 °C	
<b>Relative density</b>	1.02 g/mL	@ 20 °C
<b>Vapour density</b>	0.62	
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

**Solubility(ies)****Water solubility**

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

**Solubility in other solvents**

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

**9.2. Other information**

**Molecular weight** Not applicable

9.2.1. Information with regards to physical hazard classes

**Corrosive to metals**

**Steel Corrosion Rate**

No data available

**Aluminum Corrosion Rate**

No data available

9.2.2. Other safety characteristics

No information available

## Section 10: STABILITY AND REACTIVITY

**10.1. Reactivity**

**Reactivity** No information available.

**10.2. Chemical stability**

**Stability** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**Hazardous polymerisation** Hazardous polymerisation does not occur.

**10.4. Conditions to avoid**

**Conditions to avoid** None known based on information supplied.

**10.5. Incompatible materials**

**Incompatible materials** None known based on information supplied.

**10.6. Hazardous decomposition products**

**Hazardous Decomposition Products** Ammonia. Carbon monoxide. Formaldehyde. nitrogen oxides. Sodium oxides. Sulphur oxides.

## Section 11: TOXICOLOGICAL INFORMATION

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met

Mixture No data available.

Substance No data available.

**Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	GESTIS
Diammonium sulfate	Rat LD <sub>50</sub>	2840 mg/kg	None reported	None reported	GESTIS

**Dermal Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS

**Inhalation (Dust/Mist) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat LC <sub>50</sub>	0.578 mg/L	4 hours	None reported	LOLI

**Acute Toxicity Estimate (ATE)** Not applicable

**Unknown acute toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity.

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde	Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate	Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

Mixture No data available.



Substance

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate	Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Diammonium sulfate	Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA

**Respiratory or skin sensitisation**

May cause sensitisation by inhalation. May cause sensitisation by skin contact.

Mixture

No data available.

Substance

Test data reported below.

**Skin Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	OECD Test No. 406: Skin Sensitisation	Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate	OECD Test No. 406: Skin Sensitisation	Guinea pig	No sensitisation responses were observed.	HSDB
Formaldehyde	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

**Respiratory Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

**STOT - single exposure**

Based on available data, the classification criteria are not met.

Mixture

No data available.

Substance

Test data reported below.

**Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human LD <sub>Lo</sub>	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach	RTECS

				Other changes	
Diammonium sulfate	Man TD <sub>Lo</sub>	1500 mg/kg	None reported	<b>Gastrointestinal</b> Gas	RTECS

**STOT - repeated exposure**

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

**Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

**Inhalation (Dust/Mist) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat TC <sub>Lo</sub>	350 mg/m <sup>3</sup>	21 days	<b>Kidney, Ureter, or Bladder</b> Urine volume decreased or anuria <b>Nutritional and Gross Metabolic</b> Weight loss or decreased weight gain <b>Biochemical</b> Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS

**Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human TC <sub>Lo</sub>	0.017 mg/L	0.5 days	<b>Eye</b> <b>Lungs, Thorax, or Respiration</b> Lacrimation Other changes	RTECS

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union
Formaldehyde	Muta. 2

Mixture invitro **Data** No data available.Substance invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo **Data** No data available.

Substance invivo **Data** Test data reported below.

**Oral Exposure Route:**

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

**Inhalation (Vapor) Exposure Route:**

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

**Carcinogenicity**

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Formaldehyde	Carc. 1B

Mixture No data available.

Substance Test data reported below.

**Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

**Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse TD <sub>Lo</sub>	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or effects	RTECS

**Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat TC <sub>Lo</sub>	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

**11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

**11.2.2. Other information**

**Other adverse effects** No information available.

**Section 12: ECOLOGICAL INFORMATION****12.1. Toxicity**

**Ecotoxicity** Based on available data, the classification criteria are not met.

**Unknown aquatic toxicity** Contains 0 % of components with unknown hazards to the aquatic environment.

**Mixture**

**Acute aquatic toxicity:** No data available.

**Aquatic Chronic Toxicity:** No data available.

**Substance**

**Acute aquatic toxicity:** Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate	96 hours	None reported	LC <sub>50</sub>	56 mg/L	IUCLID
Formaldehyde	96 hours	<i>Morone saxatilis</i>	LC <sub>50</sub>	6.7 mg/L	PEEN
Diammonium sulfate	96 hours	<i>Oncorhynchus mykiss</i>	LC <sub>50</sub>	36.7 mg/L	GESTIS

Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	3150 mg/L	IUCLID
Formaldehyde	48 Hours	<i>Daphnia pulex</i>	EC <sub>50</sub>	5.8 mg/L	PEEN
Diammonium sulfate	48 Hours	None reported	LC <sub>50</sub>	14 mg/L	GESTIS

**Aquatic Chronic Toxicity:** No data available.

**12.2. Persistence and degradability**

**Mixture** No data available.

**12.3. Bioaccumulative potential**

**Mixture:** No data available.

**Partition coefficient** No data available

**12.4. Mobility in soil**

Soil Organic Carbon-Water Partition Coefficient No data available

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Methenamine	The substance is not PBT / vPvB
Formaldehyde	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

**Endocrine Disruptor Information:** This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

No information available.

Ozone: Not applicable

**Ozone depletion potential (ODP):** No information available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Advice on Disposal

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Our local agencies will accept used cuvettes to ensure their proper disposal.

#### Waste disposal number (residues/unused products)

160506\* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

#### Waste disposal number (used product)

160506\* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

### ADR

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing Group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user

**Special Provisions** None

**IATA**

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
     Special Provisions None

**IMDG**

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing Group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special precautions for user  
     Special Provisions None  
 14.7 Maritime transport in bulk according to IMO instruments No information available

**Additional information**

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

#### **Authorisations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methenamine - 100-97-0	75 77	
Formaldehyde - 50-00-0	72 77 28 75	

**Persistent Organic Pollutants** Not applicable

#### **Dangerous substance category per Seveso Directive (2012/18/EU)**

• Non-controlled

#### **Named dangerous substances per Seveso Directive (2012/18/EU)**

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
---------------	--------------------------------	--------------------------------

Formaldehyde - 50-00-0	5	50
------------------------	---	----

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Germany****Water hazard class (WGK)** slightly hazardous to water (WGK 1)**France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number	Title
Methenamine 100-97-0	RG 15bis, RG 74	-
Formaldehyde 50-00-0	RG 43 RG 84 RG 5, RG 14, RG 15, RG 15bis, RG 20bis RG 2, RG 9, RG 14, RG 20, RG 34, RG 65	-

10. Rozporządzenie Komisji (UE) 2020/878 z dnia 18 czerwca 2020 r. zmieniające załącznik II do rozporządzenia (WE) nr 1907/2006 Parlamentu Europejskiego i Rady w sprawie rejestracji, oceny, udzielania zezwoleń i stosowanych ograniczeń w zakresie chemikaliów (REACH).

**International Inventories**

<b>EINECS/ELINCS</b>	Complies
<b>TSCA</b>	Complies
<b>DSL/NDL</b>	Complies
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Complies
<b>KECI</b>	Complies
<b>PICCS</b>	Does not comply
<b>AICS</b>	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

**Chemical Safety Report** Chemical safety assessments for substances in this mixture were not carried out.

**Section 16: OTHER INFORMATION**

Issue Date 04-Jul-2005

Revision Date 08-Oct-2024

Revision Note updated SDS sections:  
8  
9

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

**	Hazard Designation
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieure
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service Number
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No. 1272/2008]
DNEL	Derived No Effect Level (DNEL)
EC	European Community
ECHA	ECHA (The European Chemicals Agency)
EC50	Effective Concentration to 50% of a test population
EEC	European Economic Community
EN	European Standard
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
ICAO	International Civil Aviation Organization
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IUCLID	IUCLID (The International Uniform Chemical Information Database)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LOAEL	Lowest observed adverse effect level
LOAEC	Lowest observed adverse effect concentration
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
MAK	Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit value, which relates to safe daily exposure levels to chemical substances
NOAEL	No Observed Adverse Effect Level
NOAEC	No observed adverse effect concentration
OSHA	Occupational Safety and Health Administration of the US Department of Labour
PEC	Predicted Effect Concentration
PNEC	Predicted No Effect Concentration (PNEC)
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. 1907/2006]
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
TWA	TWA (time-weighted average)
SKN*	Skin designation
SKN+	Skin sensitisation
STEL	STEL (Short Term Exposure Limit)
STOT	Specific Target Organ Toxicity
STOT RE	Specific target organ toxicity (repeated exposure)
STOT SE	Specific target organ toxicity (single exposure)
SVHC	Substances of Very High Concern
TLV	Threshold Limit Value
TRGS	Technical rules for hazardous substances, Germany
TSCA	Toxic Substances Control Act
UN	United Nations



vPvB very persistent and very bioaccumulative  
VOC Volatile organic compounds  
AwSV Administrative regulation of water polluting substances, Germany

**Key literature references and sources for data**

See Section 11: TOXICOLOGICAL INFORMATION

See Section 12: ECOLOGICAL INFORMATION

**Classification procedure**

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method

**Full text of H-Statements referred to under section 3**

H228 - Flammable solid  
H301 - Toxic if swallowed  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H331 - Toxic if inhaled  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H341 - Suspected of causing genetic defects  
H350 - May cause cancer

**Training Advice** Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Prepared By** Hach Product Compliance Department

**Restrictions on use** For Laboratory Use Only.

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**End of Safety Data Sheet**